

Version Number 1.2

Reviewed on 07/06/2016

# **1 Identification**

# **Product identifier**

Trade name: LGA-R N50 SP CT-3275

SDS ID Number: 2288

Relevant identified uses of the substance or mixture, and uses advised against Specialty construction product. Not intended for other uses

## Details of the supplier of the safety data sheet

#### Manufacturer/Supplier: GCP Applied Technologies

62 Whittemore Avenue Cambridge, MA 02140 USA

GCP Canada. Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

#### **Information department:**

Environmental Health & Safety USA: +1-617-876-1400 (24 hours) +1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts CAN: 1-905-683-8561 (24 hours)

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

# 2 Hazard(s) identification

## Classification of the substance or mixture

The product is not classified according to the Globally Harmonized System (GHS).

## Label elements:

Hazard pictograms Not applicable.

Not applicable.

Hazard statements Not applicable. NFPA ratings (scale 0 - 4)



HMIS-ratings (scale 0 - 4)

HEALTH 1 Health = 11 Flammability = 1FIRE **REACTIVITY** Reactivity = 0

Other hazards Results of PBT and vPvB assessment

**PBT:** Not applicable.

(Cont. on page 2) USGHS

# Trade name: LGA-R N50 SP CT-3275

vPvB: Not applicable.

## **3** Composition/information on ingredients

## **Chemical characterization: Mixtures**

Hazardous components:

102-71-6 Triethanolamine

122-20-3 Triisopropanolamine

Additional information: For the wording of the listed hazard phrases refer to section 16.

## **4** First-aid measures

## **Description of first aid measures**

General information: Get medical advice/attention if you feel unwell.

#### After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

#### After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

After eye contact: Rinse cautiously with water for several minutes.

#### **Information for doctor:**

Most important symptoms and effects, both acute and delayed No further relevant information available.

**Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## **5** Fire-fighting measures

Special hazards arising from the substance or mixture No further relevant information available.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

## 6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

# Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

Sweep up spilled product into receptacles.

## **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

(Cont. on page 3)

(Cont. from page 1)

10-20%

5.0-10.0%

Printing date 07/06/2016

Version Number 1.2

Trade name: LGA-R N50 SP CT-3275

See Section 13 for disposal information.

# **7 Handling and storage**

## Handling:

Precautions for safe handling Avoid contact with eyes, skin and clothing. Do not take internally. Practice good personal hygiene to avoid ingestion. Use only with adequate ventilation. Wash clothing before reuse. FOR PROFESSIONAL USE ONLY. KEEP OUT OF CHILDREN'S REACH.

Information about protection against explosions and fires: No special measures required.

## Conditions for safe storage, including any incompatibilities

Storage:

Information about storage in one common storage facility: No special measures required.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

# 8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

**Control parameters** 

Components with limit values that require monitoring at the workplace:				
102-71-6 Triethanolamine				
TLV (USA) Long-term value: 5 mg/m <sup>3</sup>				
67-56-1 Methanol	67-56-1 Methanol			
PEL (USA) Long-term value: 2	260 mg/m³, 200 ppm			
REL (USA) Short-term value: 2 Long-term value: 2 Skin	325 mg/m <sup>3</sup> , 250 ppm 260 mg/m <sup>3</sup> , 200 ppm			
TLV (USA) Short-term value: 2 Long-term value: 2 Skin; BEI	328 mg/m <sup>3</sup> , 250 ppm 262 mg/m <sup>3</sup> , 200 ppm			
Ingredients with biological lim	Ingredients with biological limit values:			
67-56-1 Methanol				
BEI (USA) 15 mg/L Medium: urine Time: end of shift Parameter: Methan	ol (background, nonspecific)			
Additional information: The li	ists that were valid during the creation were used as basis. (Cont. on page 4)			

(Cont. from page 2)

Reviewed on 07/06/2016

Cont. on page 4)

Version Number 1.2

Reviewed on 07/06/2016

# Trade name: LGA-R N50 SP CT-3275

(Cont. from page 3)

## **Exposure controls**

**Personal protective equipment:** 

#### General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

#### **Breathing equipment:**

Respiratory protection is not normally required. However, a chemical cartridge respirator with organic vapor cartridge and a prefilter for dusts/mists is required at or above the applicable exposure limits (consult exposure guidelines). If no limits exist, use an approved respirator whenever a vapor or mist is generated or if respiratory irritation occurs. Supplied air respirator (SCBA) is required at exposure levels above the capabilities of a chemical cartridge respirator.

#### **Protection of hands:**

Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product. Rubber or other impervious gloves should be worn to prevent skin contact.

#### Material of gloves

Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

## Eye protection:



Safety glasses with side shield protection.

Safety glasses with side shields should be worn to prevent contact due to splashing. Under high vapor mist concentrations, tightly sealed goggles should be worn.



A face shield should also be worn if there is potential exposure to splash or spray.

## **Body protection:**

Use personal protective equipment as required.

Take off contaminated clothing.

# 9 Physical and chemical properties

General Information         Appearance:         Form:       Liquid         Color:       According to product specific         Odor:       Characteristic         Odor threshold:       Not determined.         pH-value (~) at 20 °C (68 °F):       9	
Form:LiquidColor:According to product specificOdor:CharacteristicOdor threshold:Not determined.	
Color:According to product specificOdor:CharacteristicOdor threshold:Not determined.	
Odor:CharacteristicOdor threshold:Not determined.	
Odor threshold: Not determined.	ation
$\mathbf{M} = \mathbf{M} = $	
$\mathbf{p}\mathbf{h}\text{-value}(\sim) \text{ at } 20 \ \mathbb{C}(08 \ \mathbf{F}): \qquad 9$	
Change in conditionUndetermined.Melting point/Melting range:Undetermined.Boiling point/Boiling range:Undetermined.Flash point:152 °C (306 °F)	
Flammability (solid, gaseous): Not applicable.	
Decomposition temperature:Not determined.Auto igniting:Product is not selfigniting.	

Reviewed on 07/06/2016

**Safety Data Sheet** 

#### Version Number 1.2

Trade name: LGA-R N50 SP CT-3275

		(Cont. from page 4)	
Danger of explosion:	Product does not present an explosion hazard.		
Explosion limits:	xplosion limits:		
Lower:	Not determined.		
Upper:	Not determined.		
<b>VOC Content (max):</b>	Not determined.		
Vapor pressure:	Not determined.		
Density: (~)	Not determined.		
Relative density	Not determined.		
Vapor density	Not determined.		
Evaporation rate	Not determined.		
Solubility in / Miscibility with	lubility in / Miscibility with		
Water:			
Partition coefficient (n-octanol/water): Not determined.			
Viscosity:			
Dynamic:	•		
Kinematic:	Not determined.		
Molecular weight	Not applicable.		
Other information	No further relevant information available.		

## **10 Stability and reactivity**

**Reactivity** Stable under normal conditions.

**Chemical stability** 

Thermal decomposition: No decomposition if used according to specifications.

Possibility of hazardous reactions No dangerous reactions known.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

Additional information: See section 7 for information on handling, storage and conditions to be avoided.

## **11 Toxicological information**

# Information on toxicological effects

Acute toxicity:

LD/LC50 values relevant for classification:		
	6 Triethano	
Oral	LD50	5300 mg/kg (guinea pig)
		6400 mg/kg (rat - male)
Dermal	LD50	>10000 mg/kg (rabbit)
	LC50, 96h	5300 mg/kg (guinea pig) 6400 mg/kg (rat - male) >10000 mg/kg (rabbit) 11800 mg/l (fish)

## **Primary irritant effect:**

on the skin: No irritating effect expected

on the eye: No irritating effect expected

#### Version Number 1.2

Reviewed on 07/06/2016

## Trade name: LGA-R N50 SP CT-3275

(Cont. from page 5)

3

2B

inhalation: No irritating effect expected

Ingestion:

Additional toxicological information:

102-71-6 Triethanolamine

NOEC/NOEL 16 mg/l (crustaceans) (Chronic NOEC)

#### **Carcinogenic categories**

 IARC (International Agency for Research on Cancer) Human Carcinogenicity:

 Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable

 102-71-6

 Triethanolamine

 111-42-2

 Diethanolamine

NTP (National Toxicology Program)

K-Known to be carcinogenic, R-May reasonably be anticipated to be carcinogenic

None of the ingredients is listed.

**OSHA-Ca** (Occupational Safety & Health Administration)

None of the ingredients is listed.

## **12 Ecological information**

## Toxicity

Aquatic toxicity:

#### 102-71-6 Triethanolamine

EC50, 48h 609.88 mg/l (daphnia magna)

EC50, 72h 512 mg/l (algae)

Persistence and degradability No further relevant information available.

## **Behavior in environmental systems:**

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

#### Additional ecological information:

General notes: Not known to be hazardous to water.

## **Results of PBT and vPvB assessment**

**PBT:** Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

## **13 Disposal considerations**

Waste treatment methods Comply with Federal, State and local regulations.

(Cont. on page 7) USGHS

Version Number 1.2

Trade name: LGA-R N50 SP CT-3275

**Recommendation:** 



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

# **Uncleaned packagings:**

**Recommendation:** Disposal must be made according to official regulations.

4 Transport information	
UN-Number DOT, IMDG, IATA	Not applicable.
UN proper shipping name DOT, IMDG, IATA	Not applicable.
Transport hazard class(es)	
DOT, IMDG, IATA Class	Not applicable.
Packing group DOT, IMDG, IATA	Not applicable.
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.
<b>Transport/Additional information:</b> Not classified as a dangerous good for transport by road, rail or air.	
DOT Remarks:	Not Regulated.
UN "Model Regulation":	Not applicable.

# **15 Regulatory information**

Section 302/304 (extremely hazardous substances):				
None of the ingredients is listed.				
Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):				
None of the ingredients is listed.				
SARA Section 312/Tier I & II Hazar	d Categories:			
Health Immediate (acute)	Yes			
Health Delayed (chronic)	No			
Flammable	No			
Reactive	No			
Pressure	No			
North America Chemical Inventory	tatus			
TSCA (Toxic Substances Control Ac	- United States):			
All ingredients are listed or exempt from listing unless otherwise noted below.				
		(Cont. on page		

(Cont. from page 6)

(Cont. from page 7)

Reviewed on 07/06/2016

## Trade name: LGA-R N50 SP CT-3275

# **CEPA** (Canadian DSL):

All ingredients are listed or exempt from listing unless otherwise noted below.

## **California Proposition 65**

Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

67-56-1 Methanol

#### **Carcinogenicity Categories**

**EPA** (Environmental Protection Agency)

None of the ingredients is listed.

TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists) Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable

Triethanolamine

NIOSH-Cancer (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

Volatile Organic Compounds (VOC) reported per the Emission Standards.

If no g/L value is provided this product is not subject to above standard.

# 16 Other information

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

## **Department issuing SDS:**

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA USA: +1-617-876-1400 (24 hours) +1-800-354-5414 Date of preparation / last revision 07/06/2016 / 1.1 The first date of preparation 09/25/2014

Number of revision times and the latest revision date 1.2 / 07/06/2016

USGHS -

A3