

Safety Data Sheet

Version Number 1.0 Printing date 04/11/2017 Reviewed on 04/11/2017

1 Identification

Product identifier

Trade name: *EXP CA 518 CT-5584*

SDS ID Number: 2803

Relevant identified uses of the substance or mixture, and uses advised against

Specialty construction product. Not intended for other uses

Product category Concrete Admixture

Details of the supplier of the safety data sheet

Manufacturer/Supplier: GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA

GCP Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

Information department:

Environmental Health & Safety USA: +1-617-876-1400 (24 hours)

+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts

CAN: 1-905-683-8561 (24 hours) Email address: msds.gcp@gcpat.com

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

2 Hazard(s) identification

Classification of the substance or mixture

Harmful if swallowed.

Causes severe skin burns and eye damage.

Causes serious eye irritation.

Suspected of causing cancer.

May cause damage to the kidneys through prolonged or repeated

exposure. Route of exposure: Oral.

Label elements: The product is classified and labeled according to the Globally Harmonized System (GHS)

Hazard pictograms







GHS05

GHS07 GHS08

Danger

Hazard statements

Harmful if swallowed.

Causes severe skin burns and eye damage.

Causes serious eye irritation.

Suspected of causing cancer.

May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

(Cont. on page 2)

(Cont. from page 1)

Safety Data Sheet

Printing date 04/11/2017 Version Number 1.0 Reviewed on 04/11/2017

Trade name: EXP CA 518 CT-5584

Precautionary statements

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If eye irritation persists: Get medical advice/attention.

IF ŠWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

If swallowed: Rinse mouth. Do NOT induce vomiting.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF exposed or concerned: Get medical advice/attention.

NFPA ratings (scale 0 - 4)



 $\begin{aligned} & Health = 2 \\ & Fire = 1 \\ & Reactivity = 0 \end{aligned}$

HMIS-ratings (scale 0 - 4)



Health = *2 Flammability = 1 Reactivity = 0

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixture

Description: Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

Hazardous components:		
111-46-6	Diethylene glycol	10-20%
540-72-7	Sodium thiocyanate	10-20%
135-37-5	Disodium ethanoldiglycinate	5-10%
1310-73-2	Sodium hydroxide	0.1-1.0%

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

4 First-aid measures

Description of first aid measures

General information: Get medical advice/attention if you feel unwell.

After inhalation:

Call a doctor immediately.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF INHALED: Call a doctor if you feel unwell.

After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

After eye contact: Rinse cautiously with water for several minutes.

After swallowing:

Rinse mouth.

(Cont. on page 3)

Trade name: EXP CA 518 CT-5584

(Cont. from page 2)

Do NOT induce vomiting. Immediately call a doctor.

Information for doctor:

Most important symptoms and effects, both acute and delayed

Harmful if swallowed.

Irritating to eyes.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray.

Special hazards arising from the substance or mixture

Combustion products may include toxic gases such as carbon monoxide and smoke.

Advice for firefighters

Protective equipment: Wear personal protective equipment

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

Use neutralizing agent.

Dispose contaminated material as waste according to section 13 of the SDS.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Avoid contact with eyes, skin and clothing.

Do not take internally.

Practice good personal hygiene to avoid ingestion.

Use only with adequate ventilation.

Wash clothing before reuse.

FOR PROFESSIONAL USE ONLY. KEEP OUT OF CHILDREN'S REACH.

Avoid contact with eyes.

Information about protection against explosions and fires: No special measures required.

(Cont. on page 4)

Trade name: EXP CA 518 CT-5584

(Cont. from page 3)

Conditions for safe storage, including any incompatibilities

Storage:

Information about storage in one common storage facility: No special measures required.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace:

The following constituent is the only constituent of the product which has a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

111-46-6 Diethylene glycol

WEEL (USA) Long-term value: 10 mg/m³

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Store protective clothing separately.

Breathing equipment:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Material of gloves

Nitrile rubber.

Rubber or other impervious gloves should be worn to prevent skin contact.

Eye protection:



Safety glasses with side shield protection.



A face shield should also be worn if there is potential exposure to splash or spray.

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing.

USGHS

Trade name: EXP CA 518 CT-5584

(Cont. from page 4)

9 Physical and chemical propert	9 Physical and chemical properties			
Information on basic physical and chemical properties				
General Information Appearance: Form: Color: Odor: Odor threshold:	Liquid According to product specification Characteristic Not applicable.			
pH-value (~) at 20 °C (68 °F):	10			
Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point:	Undetermined. 100 °C (212 °F) 146 °C (295 °F)			
Flammability (solid, gaseous):	Not applicable.			
Decomposition temperature: Auto igniting: Danger of explosion:	Not applicable under normal storage conditions. Product is not self-igniting. Product does not present an explosion hazard.			
Explosion limits: Lower:	1.8 Vol % Not applicable.			
Upper: VOC Content (max):	Not applicable. 12.2 Vol % Not applicable. Not applicable.			
Vapor pressure: Density: (~) Relative density Vapor density Evaporation rate	Not determined. Not determined. Not determined. Not determined. Not determined. Not determined.			
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.			
Partition coefficient (n-octanol/water	:): Not determined.			
Viscosity: Dynamic: Kinematic: Molecular weight	Not determined. Not determined. Not applicable.			
Other information	No further relevant information available.			

10 Stability and reactivity

Reactivity Stable under normal conditions.

Chemical stability

Thermal decomposition: No decomposition if used according to specifications.

Possibility of hazardous reactions No further relevant information available.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

USGHS

Trade name: EXP CA 518 CT-5584

(Cont. from page 5)

11 Toxicological information

Delayed and immediate effects and chronic effects from short or long term exposure

May cause damage to organs through prolonged or repeated exposure.

Information on toxicological effects

Acute toxicity:

LD/LC50 values relevant for classification:		
111-46-6 Diethylene glycol		
Oral	LD50 1120 mg/kg (human)	
1310-73-2 Sodium hydroxide		
Derma	LD50 2000 mg/kg (rat)	

Primary irritant effect:

on the skin: Causes severe skin burns and eye damage.

on the eye:

Causes serious eye irritation. Causes serious eye damage.

inhalation: No irritating effect expected

Ingestion:

May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

Harmful if swallowed.

Additional toxicological information: Suspected of causing cancer.

Carcinogenic categories

IARC (International Agency for Research on Cancer) Human Carcinogenicity:

Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable

None of the ingredients is listed.

NTP (National Toxicology Program)

K-Known to be carcinogenic, R-May reasonably be anticipated to be carcinogenic

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes: Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

(Cont. on page 7)

Trade name: EXP CA 518 CT-5584

(Cont. from page 6)

Other adverse effects No further relevant information available.

13 Disposal considerations

Disposal methods:

Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing product for disposal. Dispose of waste in accordance with all applicable regulations.

Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Dispose of contents/container in accordance with local/regional/national/international regulations.

14 Transport information

UN-Number

DOT, IMDG, IATA UN3267

UN proper shipping name

DOT RQ Corrosive liquid, basic, organic, n.o.s. (Sodium hydroxide)

IMDG, IATA CORROSIVE LÍQUID, BASIC, ORGANIC, N.O.S. (SODIUM HYDROXIDE)

Transport hazard class(es)

DOT



Class 8 Corrosive substances

Label

IMDG, IATA



Class 8 Corrosive substances

Label 8

Packing group

DOT, IMDG, IATA

Environmental hazards: Not applicable.

Special precautions for user Warning: Corrosive substances

EMS Number: F-A,S-B Segregation groups Alkalis Stowage Category A

Stowage Code SW2 Clear of living quarters.
Segregation Code SG35 Stow "separated from" acids.

(Cont. on page 8)

Trade name: EXP CA 518 CT-5584

(Cont. from page 7)

Transport/Additional information:

IMDG

Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

15 Regulatory information

SARA (Superfund Amendments and Reauthorization Act)

Section 302/304 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

None of the ingredients is listed.

SARA Section 312/Tier I & II Hazard Categories:

Health Hazard - Carcinogenicity

Health Hazard - Acute toxicity (any route of exposure)

Health Hazard - Skin Corrosion or Irritation

Health Hazard - Serious eye damage or eye irritation

Health Hazard - Specific target organ toxicity (single or repeated exposure)

North America Chemical Inventory Status

TSCA (Toxic Substances Control Act - United States):

All ingredients are listed or exempt from listing unless otherwise noted below.

CEPA (Canadian DSL):

All ingredients are listed or exempt from listing unless otherwise noted below.

Right to Know Ingredient Disclosure:

527-07-1 Sodium gluconate

7732-18-5 Water

California Proposition 65

Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

107-21-1 Ethylene glycol

Carcinogenicity Categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)

Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable

None of the ingredients is listed.

NIOSH-Cancer (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

Volatile Organic Compounds (VOC) reported per the Emission Standards.

If no g/L value is provided this product is not subject to above standard.

Safety Data Sheet

Printing date 04/11/2017 Version Number 1.0 Reviewed on 04/11/2017

Trade name: EXP CA 518 CT-5584

(Cont. from page 8)

16 Other information

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

Department issuing SDS:

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA USA: +1-617-876-1400 (24 hours) +1-800-354-5414

Date of preparation / last revision 04/11/2017 / -

The first date of preparation 04/03/2017

Number of revision times and the latest revision date 1.0 / 04/11/2017

USGHS •