

Printing date 08/19/2016 Version Number 1.3 Reviewed on 08/19/2016

### 1 Identification

### **Product identifier**

Trade name: *LGA N 50 SP (CT-1899)* 

SDS ID Number: 56467

Relevant identified uses of the substance or mixture, and uses advised against

Specialty construction product. Not intended for other uses

### Details of the supplier of the safety data sheet

Manufacturer/Supplier: GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA

GCP Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

### **Information department:**

Environmental Health & Safety USA: +1-617-876-1400 (24 hours)

+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts

CAN: 1-905-683-8561 (24 hours) Email address: msds.gcp@gcpat.com

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

### 2 Hazard(s) identification

### Classification of the substance or mixture

May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

# **Label elements:**

#### Hazard pictograms



# Warning

#### **Hazard statements**

May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

#### **Precautionary statements**

Do not breathe dust/fume/gas/mist/vapors/spray. Get medical advice/attention if you feel unwell.

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Cont. on page 2)

Printing date 08/19/2016 Version Number 1.3 Reviewed on 08/19/2016

**Trade name:** *LGA N 50 SP (CT-1899)* 

#### NFPA ratings (scale 0 - 4)

(Cont. from page 1)



Health = 2Fire = 1Reactivity = 0

### HMIS-ratings (scale 0 - 4)



Health = \*2Flammability = 1

### Other hazards

Results of PBT and vPvB assessment

**PBT:** Not applicable. vPvB: Not applicable.

# 3 Composition/information on ingredients

**Chemical characterization: Mixtures** 

**Description:** Mixture of the substances listed below with additional nonhazardous ingredients.

Hazardous components:		
111-46-6	Diethylene glycol	10-20%
	Proprietary Acetate Salt	10-20%
102-71-6	Triethanolamine	5.0-10.0%
107-21-1	Ethylene glycol	1.0-2.0%

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

### 4 First-aid measures

### **Description of first aid measures**

General information: Get medical advice/attention if you feel unwell.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

### After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

After eye contact: Rinse opened eye for several minutes under running water.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Never give anything by mouth to an unconscious person.

# **Information for doctor:**

Most important symptoms and effects, both acute and delayed No further relevant information available.

Printing date 08/19/2016 Version Number 1.3 Reviewed on 08/19/2016

Trade name: *LGA N 50 SP (CT-1899)* 

(Cont. from page 2)

# Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# 5 Fire-fighting measures

**Special hazards arising from the substance or mixture** No further relevant information available.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

### 6 Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

### Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

Sweep up spilled product into receptacles.

Dispose contaminated material as waste according to section 13 of the SDS.

#### Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

### **Handling:**

### Precautions for safe handling

Open and handle receptacle with care.

Prevent formation of aerosols.

Avoid contact with skin.

Avoid contact with eyes.

Information about protection against explosions and fires: No special measures required.

### Conditions for safe storage, including any incompatibilities

Storage:

Information about storage in one common storage facility: No special measures required.

Further information about storage conditions: Keep receptacle tightly sealed.

**Specific end use(s)** No further relevant information available.

### 8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

(Cont. on page 4)

Printing date 08/19/2016 Version Number 1.3 Reviewed on 08/19/2016

**Trade name:** *LGA N 50 SP (CT-1899)* 

(Cont. from page 3)

# **Control parameters**

1		
Components with limit values that require monitoring at the workplace:		
111-46-6 Diet	hylene glycol	
WEEL (USA) Long-term value: 10 mg/m <sup>3</sup>		
102-71-6 Trie	thanolamine	
TLV (USA)	Long-term value: 5 mg/m <sup>3</sup>	
107-21-1 Ethy	ylene glycol	
TLV (USA)	Short-term value: NIC-127* NIC-10** mg/m³, NIC-50* ppm	
	Long-term value: NIC-63.5* mg/m³, NIC-25* ppm	
	Ceiling limit value: (100) mg/m <sup>3</sup>	
	(H); *inh. fraction + vapor,P:**inh. fraction, H	

**Additional information:** The lists that were valid during the creation were used as basis.

### **Exposure controls**

#### **Personal protective equipment:**

### General protective and hygienic measures:

Avoid contact with the eyes and skin.

The usual precautionary measures for handling chemicals should be followed.

### **Breathing equipment:**

Respiratory protection is not normally required. However, a chemical cartridge respirator with organic vapor cartridge and a prefilter for dusts/mists is required at or above the applicable exposure limits (consult exposure guidelines). If no limits exist, use an approved respirator whenever a vapor or mist is generated or if respiratory irritation occurs. Supplied air respirator (SCBA) is required at exposure levels above the capabilities of a chemical cartridge respirator.

#### **Protection of hands:**

Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

### Material of gloves

Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

#### **Eye protection:**



Safety glasses with side shield protection.

Safety glasses with side shields should be worn to prevent contact due to splashing. Under high vapor mist concentrations, tightly sealed goggles should be worn.



A face shield should also be worn if there is potential exposure to splash or spray.

#### **Body protection:**

Protective work clothing

Use personal protective equipment as required.

Take off contaminated clothing.

несне

Printing date 08/19/2016 Version Number 1.3 Reviewed on 08/19/2016

**Trade name:** *LGA N 50 SP (CT-1899)* 

(Cont. from page 4)

9 Physical and chemical properties			
Information on basic physical and chemical properties			
General Information Appearance: Form: Color: Odor: Odor threshold:	Liquid According to product specification Characteristic Not determined.		
pH-value (~) at 20 °C (68 °F):	5		
Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point:	Undetermined. Undetermined. 160 °C (320 °F)		
Flammability (solid, gaseous):	Not applicable.		
Decomposition temperature: Auto igniting: Danger of explosion:	Not determined. Product is not selfigniting. Product does not present an explosion hazard.		
Explosion limits: Lower: Upper: VOC Content (max):	Not determined. Not determined. Not determined.		
Vapor pressure: Density: (~) at 20 °C (68 °F) Relative density Vapor density Evaporation rate	Not determined. 1.1 g/cm³ (9.18 lbs/gal) Not determined. Not determined. Not determined.		
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.		
Partition coefficient (n-octanol/water	artition coefficient (n-octanol/water): Not determined.		
Viscosity: Dynamic: Kinematic: Molecular weight	Not determined. Not determined. Not applicable.		
Other information	No further relevant information available.		

# 10 Stability and reactivity

**Reactivity** Stable under normal conditions.

Chemical stability

Thermal decomposition: No decomposition if used according to specifications.

Conditions to avoid No further relevant information available.

**Incompatible materials:** No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

**Additional information:** See section 7 for information on handling, storage and conditions to be avoided.

Printing date 08/19/2016 Version Number 1.3 Reviewed on 08/19/2016

Trade name: *LGA N 50 SP (CT-1899)* 

(Cont. from page 5)

# 11 Toxicological information

Delayed and immediate effects and chronic effects from short or long term exposure May cause damage to organs through prolonged or repeated exposure.

# **Information on toxicological effects**

#### Acute toxicity:

LD/LC50 values relevant for classification:			
111-46-6 Diethylene glycol			
Oral	LD50	1120 mg/kg (human)	
102-71-0	102-71-6 Triethanolamine		
Oral	LD50	5300 mg/kg (guinea pig)	
		6400 mg/kg (rat - male)	
Dermal	LD50	>10000 mg/kg (rabbit)	
	LC50, 96h	11800 mg/l (fish)	

### **Primary irritant effect:**

on the skin: Irritating to skin.

**on the eye:** No irritating effect expected **inhalation:** No irritating effect expected

Ingestion: May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

Additional toxicological informa	ation:
----------------------------------	--------

#### 102-71-6 Triethanolamine

NOEC/NOEL 16 mg/l (crustaceans) (Chronic NOEC)

#### Carcinogenic categories

IARC (International Agency for Research on Cancer) Human Carcinogenicity:

Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable

102-71-6 Triethanolamine

3

NTP (National Toxicology Program)

K-Known to be carcinogenic, R-May reasonably be anticipated to be carcinogenic

None of the ingredients is listed.

#### OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# 12 Ecological information

#### **Toxicity**

Aquatic	toxicity:
---------	-----------

### 102-71-6 Triethanolamine

EC50, 48h | 609.88 mg/l (daphnia magna)

EC50, 72h | 512 mg/l (algae)

**Persistence and degradability** No further relevant information available.

### **Behavior in environmental systems:**

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

(Cont. on page 7)

Printing date 08/19/2016 Version Number 1.3 Reviewed on 08/19/2016

**Trade name:** *LGA N 50 SP (CT-1899)* 

(Cont. from page 6)

# Additional ecological information:

General notes: Not known to be hazardous to water.

### Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

# 13 Disposal considerations

Waste treatment methods Comply with Federal, State and local regulations.

# **Recommendation:**



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

# **Uncleaned packagings:**

**Recommendation:** Disposal must be made according to official regulations.

Transport information	
UN-Number DOT, IMDG, IATA	Not applicable.
UN proper shipping name DOT, IMDG, IATA	Not applicable.
Transport hazard class(es)	
DOT, IMDG, IATA Class	Not applicable.
Packing group DOT, IMDG, IATA	Not applicable.
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.
Transport/Additional informati	ion: Not classified as a dangerous good for transport by road, rail or air.
DOT Remarks:	Not Regulated.
UN "Model Regulation":	Not applicable.

USGHS

(Cont. on page 8)

Printing date 08/19/2016 Version Number 1.3 Reviewed on 08/19/2016

**Trade name:** *LGA N 50 SP (CT-1899)* 

(Cont. from page 7)

### 15 Regulatory information

### SARA (Superfund Amendments and Reauthorization Act)

Section 302/304 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

107-21-1 Ethylene glycol

1.4%

#### SARA Section 312/Tier I & II Hazard Categories:

Health Hazard - Specific target organ toxicity (single or repeated exposure)

#### **North America Chemical Inventory Status**

#### TSCA (Toxic Substances Control Act - United States):

All ingredients are listed or exempt from listing unless otherwise noted below.

#### **CEPA (Canadian DSL):**

All ingredients are listed or exempt from listing unless otherwise noted below.

### California Proposition 65

#### Chemicals known to cause cancer:

None of the ingredients is listed.

#### Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

#### Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

#### Chemicals known to cause developmental toxicity:

107-21-1 Ethylene glycol

#### **Carcinogenicity Categories**

#### EPA (Environmental Protection Agency)

None of the ingredients is listed.

#### TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)

Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable

Triethanolamine A3
Ethylene glycol A4

# NIOSH-Cancer (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

### Volatile Organic Compounds (VOC) reported per the Emission Standards.

If no g/L value is provided this product is not subject to above standard.

### 16 Other information

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

#### **Department issuing SDS:**

GCP Applied Technologies 62 Whittemore Avenue

Cambridge, MA 02140 USA

USA: +1-617-876-1400 (24 hours)

+1-800-354-5414

Date of preparation / last revision 08/19/2016 / 1.2

(Cont. on page 9)

Printing date 08/19/2016 Version Number 1.3 Reviewed on 08/19/2016

Trade name: *LGA N 50 SP (CT-1899)* 

(Cont. from page 8)

The first date of preparation 03/03/2014

Number of revision times and the latest revision date  $1.3 \ / \ 08/19/2016$ 

USGHS •