

Printing date 08/19/2016 Version Number 1.0 Reviewed on 08/19/2016

## 1 Identification

#### **Product identifier**

Trade name: LGA N 50-D CT-1984

SDS ID Number: 65173

Relevant identified uses of the substance or mixture, and uses advised against

Specialty construction product. Not intended for other uses

## Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA

GCP Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

#### **Information department:**

Environmental Health & Safety USA: +1-617-876-1400 (24 hours)

+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts

CAN: 1-905-683-8561 (24 hours) Email address: msds.gcp@gcpat.com

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

### 2 Hazard(s) identification

#### Classification of the substance or mixture

Causes serious eve damage.

May cause damage to the kidneys through prolonged or

repeated exposure. Route of exposure: Oral.

Label elements: The product is classified and labeled according to the Globally Harmonized System (GHS)

### Hazard pictograms





GHS05 GHS08

Danger

#### **Hazard statements**

Causes serious eye damage.

May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

## **Precautionary statements**

Wear eye protection / face protection.

Do not breathe dust/fume/gas/mist/vapors/spray.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

(Cont. on page 2)

(Cont. from page 1)

## **Safety Data Sheet**

Printing date 08/19/2016 Version Number 1.0 Reviewed on 08/19/2016

Trade name: LGA N 50-D CT-1984

Immediately call a POISON CENTER/doctor.

Get medical advice/attention if you feel unwell.

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### NFPA ratings (scale 0 - 4)



 $\begin{aligned} & Health = 3 \\ & Fire = 1 \\ & Reactivity = 0 \end{aligned}$ 

### HMIS-ratings (scale 0 - 4)



Health = \*3 Flammability = 1 Reactivity = 0

#### Other hazards

Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

### 3 Composition/information on ingredients

#### **Chemical characterization: Mixtures**

**Description:** Mixture of the substances listed below with additional nonhazardous ingredients.

Hazardous components:			
102-71-6	Triethanolamine	10-20%	
111-46-6	Diethylene glycol	10-20%	
64-19-7	Acetic acid	3.0-5.0%	
111-42-2	Diethanolamine	1.0-3.0%	
107-21-1	Ethylene glycol	1.0-3.0%	

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

## 4 First-aid measures

### **Description of first aid measures**

General information: Get medical advice/attention if you feel unwell.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

**After skin contact:** Generally the product does not irritate the skin.

After eye contact: Rinse cautiously with water for several minutes.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

#### **Information for doctor:**

Most important symptoms and effects, both acute and delayed Irritating to eyes.

(Cont. on page 3)

Printing date 08/19/2016 Version Number 1.0 Reviewed on 08/19/2016

**Trade name:** *LGA N 50-D CT-1984* 

(Cont. from page 2)

# Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **5** Fire-fighting measures

**Special hazards arising from the substance or mixture** No further relevant information available.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

### 6 Accidental release measures

## Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

**Environmental precautions:** Avoid release to the environment.

#### Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

Dispose contaminated material as waste according to section 13 of the SDS.

### Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### 7 Handling and storage

#### **Handling:**

#### **Precautions for safe handling**

Prevent formation of aerosols.

Avoid contact with eyes, skin and clothing.

Do not take internally.

Practice good personal hygiene to avoid ingestion.

Use only with adequate ventilation.

Wash clothing before reuse.

FOR PROFESSIONAL USE ONLY. KEEP OUT OF CHILDREN'S REACH.

Avoid contact with eves.

Information about protection against explosions and fires: No special measures required.

#### Conditions for safe storage, including any incompatibilities

**Storage:** 

Information about storage in one common storage facility: No special measures required.

Further information about storage conditions: Keep receptacle tightly sealed.

**Specific end use(s)** No further relevant information available.

HSCHS

Printing date 08/19/2016 Version Number 1.0 Reviewed on 08/19/2016

**Trade name:** *LGA N 50-D CT-1984* 

(Cont. from page 3)

### 8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

#### **Control parameters**

Control parameters				
Components with limit values that require monitoring at the workplace:				
102-71-6 Triethanolamine				
TLV (USA)	Long-term value: 5 mg/m <sup>3</sup>			
111-46-6 Diet	111-46-6 Diethylene glycol			
WEEL (USA) Long-term value: 10 mg/m <sup>3</sup>				
64-19-7 Acetic acid				
PEL (USA)	Long-term value: 25 mg/m³, 10 ppm			
REL (USA)	Short-term value: 37 mg/m³, 15 ppm			
	Long-term value: 25 mg/m³, 10 ppm			
TLV (USA)	Short-term value: 37 mg/m³, 15 ppm			
	Long-term value: 25 mg/m³, 10 ppm			
111-42-2 Diethanolamine				
REL (USA)	Long-term value: 15 mg/m <sup>3</sup> , 3 ppm			
TLV (USA)	Long-term value: 1* mg/m³, 0.2* ppm			
	Skin; *inhalable fraction and vapor			
107-21-1 Ethylene glycol				
TLV (USA)	Short-term value: NIC-127* NIC-10** mg/m³, NIC-50* ppm			
	Long-term value: NIC-63.5* mg/m³, NIC-25* ppm			
	Ceiling limit value: (100) mg/m <sup>3</sup>			
	(H); *inh. fraction + vapor,P:**inh. fraction, H			

**Additional information:** The lists that were valid during the creation were used as basis.

#### **Exposure controls**

## Personal protective equipment:

### General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

#### **Breathing equipment:**

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Rubber or other impervious gloves should be worn to prevent skin contact.

Material of gloves Nitrile rubber.

#### **Eye protection:**



Safety glasses with side shield protection.



A face shield should also be worn if there is potential exposure to splash or spray.

(Cont. on page 5)

Printing date 08/19/2016 Version Number 1.0 Reviewed on 08/19/2016

Trade name: *LGA N 50-D CT-1984* 

(Cont. from page 4)

## **Body protection:**

Use personal protective equipment as required.

Take off contaminated clothing.

9 Physical and chemical properties					
Information on basic physical and chemical properties					
General Information Appearance: Form: Color: Odor: Odor threshold:	Liquid According to product specification Characteristic Not determined.				
<b>pH-value</b> (~) at 20 °C (68 °F):	5				
Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point:	Undetermined. >100 °C (>212 °F) >200 °C (>392 °F)				
Flammability (solid, gaseous):	Not applicable.				
Decomposition temperature: Auto igniting: Danger of explosion:	Not determined. Product is not selfigniting. Product does not present an explosion hazard.				
Explosion limits: Lower: Upper: VOC Content (max):	1.8 Vol % 12.2 Vol % Not determined.				
Vapor pressure: Density: (~) at 20 °C (68 °F) Relative density Vapor density Evaporation rate	Not determined. 1.1 g/cm³ (9.18 lbs/gal) Not determined. Not determined. Not determined.				
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.				
Partition coefficient (n-octanol/water	er): Not determined.				
Viscosity: Dynamic: Kinematic: Molecular weight	Not determined. Not determined. Not applicable.				
Other information	No further relevant information available.				

# 10 Stability and reactivity

**Reactivity** Stable under normal conditions.

Chemical stability

Thermal decomposition: No decomposition if used according to specifications.

(Cont. on page 6)

Printing date 08/19/2016 Version Number 1.0 Reviewed on 08/19/2016

**Trade name:** *LGA N 50-D CT-1984* 

(Cont. from page 5)

**Conditions to avoid** No further relevant information available.

**Incompatible materials:** No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

## 11 Toxicological information

Delayed and immediate effects and chronic effects from short or long term exposure

May cause damage to organs through prolonged or repeated exposure.

## **Information on toxicological effects**

Acute toxicity:

LD/LC50 values relevant for classification:						
102-71-0	102-71-6 Triethanolamine					
Oral	LD50	5300 mg/kg (guinea pig)				
		6400 mg/kg (rat - male)				
Dermal	LD50	>10000 mg/kg (rabbit)				
	LC50, 96h	11800 mg/l (fish)				
111-46-0	111-46-6 Diethylene glycol					
Oral	LD50	1120 mg/kg (human)				
64-19-7	64-19-7 Acetic acid					
Dermal	LD50	3310 mg/kg (rat)				
111-42-2 Diethanolamine						
Oral	LD50	710 mg/kg (rat)				

### **Primary irritant effect:**

on the skin: No irritating effect expectedon the eye: Causes serious eye damage.inhalation: No irritating effect expected

**Ingestion:** May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

Additional toxicological information:		
102-71-6 Triethanolamine		
NOEC/NOEL	16 mg/l (crustaceans) (Chronic NOEC)	

#### Carcinogenic categories

IARC (International Agency for Research on Cancer) Human Carcinogenicity: Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable		
102-71-6 Triethanolamine	3	
111-42-2 Diethanolamine	2B	
NTP (National Toxicology Program)		

K-Known to be carcinogenic, R-May reasonably be anticipated to be carcinogenic

None of the ingredients is listed.

### OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

Printing date 08/19/2016 Version Number 1.0 Reviewed on 08/19/2016

Trade name: *LGA N 50-D CT-1984* 

(Cont. from page 6)

## 12 Ecological information

### **Toxicity**

#### **Aquatic toxicity:**

#### 102-71-6 Triethanolamine

EC50, 72h 512 mg/l (algae)

EC50, 48h 609.88 mg/l (daphnia magna)

**Persistence and degradability** No further relevant information available.

### **Behavior in environmental systems:**

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

## Additional ecological information:

General notes: Not known to be hazardous to water.

#### Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

## 13 Disposal considerations

## Waste treatment methods

### **Recommendation:**



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

## **Uncleaned packagings:**

**Recommendation:** Disposal must be made according to official regulations.

## 14 Transport information

**Environmental hazards:** Not applicable.

Special precautions for user Not applicable.

Segregation groups Acids

**UN "Model Regulation":** Not applicable.

# 15 Regulatory information

**SARA** (Superfund Amendments and Reauthorization Act)

Section 302/304 (extremely hazardous substances):

None of the ingredients is listed.

(Cont. on page 8)

Printing date 08/19/2016 Version Number 1.0 Reviewed on 08/19/2016

Trade name: *LGA N 50-D CT-1984* 

	(Cont. from page 7)
Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):	
111-42-2 Diethanolamine	2.8%
107-21-1 Ethylene glycol	1.7%
SARA Section 312/Tier I & II Hazard Categories:	
Health Hazard - Serious eye damage or eye irritation	
Health Hazard - Specific target organ toxicity (single or repeated exposure)	
North America Chemical Inventory Status	
TSCA (Toxic Substances Control Act - United States):	
All ingredients are listed or exempt from listing unless otherwise noted below.	
CEPA (Canadian DSL):	
All ingredients are listed or exempt from listing unless otherwise noted below.	
Right to Know Ingredient Disclosure:	
23251-72-1 Diethanolamine acetate	
Proprietary Acetate Salt	
112-27-6 Triethylene glycol	
112-60-7 Tetraethylene glycol	
7732-18-5 Water	
California Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
107-21-1 Ethylene glycol	
Carcinogenicity Categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists) Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable	
Triethanolamine	A3
Ethylene glycol	A4
	A4
NIOSH-Cancer (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
Volatile Organic Compounds (VOC) reported per the Emission Standards.  If no g/L value is provided this product is not subject to above standard.	

## 16 Other information

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

## **Department issuing SDS:**

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA

(Cont. on page 9)

Printing date 08/19/2016 Version Number 1.0 Reviewed on 08/19/2016

Trade name: *LGA N 50-D CT-1984* 

USA: +1-617-876-1400 (24 hours)

+1-800-354-5414

Date of preparation / last revision 08/19/2016 / -

The first date of preparation 08/04/2015

Number of revision times and the latest revision date  $1.0 \ / \ 08/19/2016$ 

(Cont. from page 8)