



NOTES:

1. VISIT GCPAT.COM FOR THE MOST CURRENT DETAILS AND INSTALLATION VIDEO
2. REFER TO PRODUCT DATA SHEETS ON WEBSITE FOR FURTHER INFORMATION
3. EXTEND GCP ROOF DETAIL MEMBRANE ON THE WALL SHEATHING ABOVE THE HIGHEST EXPECTED LEVEL OF SNOW AND ICE
4. EXTEND GCP ROOF DETAIL MEMBRANE ON THE ROOF DECK ABOVE THE HIGHEST EXPECTED LEVEL OF WATER BACK-UP FROM ICE DAMS
5. EXTEND UNDERLAYMENT BEYOND EAVE ONTO VERTICAL SIDE WALL FOR PROTECTION AGAINST RUN-OFF FROM ROOF
6. THE METAL FLASHING IS INSTALLED OVER THE UNDERLAYMENT AND GCP ROOF DETAIL MEMBRANE
7. INSTALL UNDERLAYMENT AND GCP ROOF DETAIL MEMBRANE IN ORDER AS SHOWN BY NUMBERS
8. INTEGRATE GCP ROOF DETAIL MEMBRANE AND UNDERLAYMENT TO FORM WATER-SHEDDING LAPS



VERTICAL SIDE WALL
GCP ROOF DETAIL MEMBRANE

Drawing: RDMDDET-103
Scale: Not to scale
Effective Date: 01/22/18
Supersedes: 02/20/07