

Printing date 06/24/2022

Version Number 1.0

Reviewed on 03/27/2017

Page 1/8

1 Identification

Product identifier

Trade name: DENEPOX 40 Component A

SDS ID Number: 2477

Relevant identified uses of the substance or mixture, and uses advised against: Waterproofing.

Specialty construction product. Not intended for other uses.

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GCP Applied Technologies 2325 Lakeview Pkwy Alpharetta GA 30009 USA

GCP Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

Information department:

Environmental Health & Safety USA: +1-617-876-1400 (24 hours) +1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts CAN: 1-905-683-8561 (24 hours) Email address: msds.gcp@gcpat.com email: msds.gcp@gcpat.com

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

2 Hazard(s) identification

Classification of the substance or mixture

Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction.

Label elements:

Hazard pictograms



Warning

Hazard statements Causes skin irritation. Causes serious eye irritation. May cause an allergic skin reaction. Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray Wash thoroughly after handling. Wear protective gloves / eye protection / face protection. If on skin: Wash with plenty of water. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Reviewed on 03/27/2017

Trade name: DENEPOX 40 Component A

If skin irritation or rash occurs: Get medical advice/attention. If eye irritation persists: Get medical advice/attention. Take off contaminated clothing and wash it before reuse. Wash contaminated clothing before reuse. Dispose of contents/container in accordance with local/regional/national/international regulations.	(Cont. from page 1
Hazard description: NFPA ratings (scale 0 - 4)	
$\frac{1}{2} \frac{1}{0} $ Health = 2 Fire = 1 Reactivity = 0	
HMIS-ratings (scale 0 - 4)	
HEALTH*2FIRE1REACTIVITY0	
Other hazards	
Results of PBT and vPvB assessment	
PBT: Not applicable. vPvB: Not applicable.	

3 Composition/information on ingredients

Chemical characterization: Mixture

Description: Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

Hazardous components:	
16096-31-4 1,6-bis(2,3-epoxypropoxy)hexane	30-50%
25068-38-6 Reaction product: Bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)	25-30%
55492-52-9 Epoxy resin	20-25%

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

4 First-aid measures

Description of first aid measures

General information: Get medical advice/attention if you feel unwell.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

After eye contact: Rinse cautiously with water for several minutes.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Information for doctor:

Most important symptoms and effects, both acute and delayed Irritating to eyes.

(Cont. on page 3) USGHS

1)

Reviewed on 03/27/2017

Trade name: DENEPOX 40 Component A

(Cont. from page 2)

Page 3/8

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

Sweep up spilled product into receptacles.

Dispose contaminated material as waste according to section 13 of the SDS.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Avoid contact with skin.

Prevent formation of aerosols.

Avoid contact with eyes.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Information about storage in one common storage facility: No special measures required.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

Version Number 1.0

Reviewed on 03/27/2017

Trade name: DENEPOX 40 Component A

(Cont. from page 3)

Page 4/8

Exposure controls

Personal protective equipment:

General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.

Breathing equipment:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Material of gloves Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Eye protection:



Safety glasses with side shield protection.

Safety glasses with side shields should be worn to prevent contact due to splashing. Under high vapor mist concentrations, tightly sealed goggles should be worn.



A face shield should also be worn if there is potential exposure to splash or spray.

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing.

9 Physical and chemical properties

General Information Appearance:		
Form:	Liquid	
Color:	Yellowish	
Odor:	Characteristic	
Odor threshold:	Not determined.	
pH-value (~):	Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point:	Undetermined. > 200 °C (> 392 °F) > 100 °C (> 212 °F)	
Flammability (solid, gaseous):	Not applicable.	
Ignition temperature:	Undetermined.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not self-igniting.	
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
Vapor pressure:	Not determined.	

Reviewed on 03/27/2017

Trade name: DENEPOX 40 Component A

		(Cont. from page 4)
Density: (~) at 20 °C (68 °F)	1.1 g/cm ³ (9.2 lbs/gal)	
Relative density	Not determined. Not determined.	
Vapor density Evaporation rate	Not determined.	
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wa	ter): Not determined.	
Viscosity:		
Dynamic at 20 °C (68 °F):	90 mPas	
Kinematic:	Not determined.	
Molecular weight	Not determined.	
Other information	No further relevant information available.	

10 Stability and reactivity

Reactivity Stable under normal conditions.

Chemical stability

Thermal decomposition: No decomposition if used according to specifications.

Possibility of hazardous reactions

No dangerous reactions known.

No further relevant information available.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

Additional information: See section 7 for information on handling, storage and conditions to be avoided.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values relevant for classification:

25068-38-6 Reaction product: Bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)

LC50, 96h 220 mg/l (algae) 3.6 mg/l (bacterial) 2.4 mg/l (fish)

LC50, 48h 2.8 mg/l (daphnia magna)

Primary irritant effect:

on the skin: Causes skin irritation.

on the eye: Causes serious eye irritation.

inhalation: No irritating effect expected

Sensitization: May cause an allergic skin reaction.

(Cont. on page 6) USGHS Printing date 06/24/2022

Trade name: DENEPOX 40 Component A

(Cont. from page 5)

Reviewed on 03/27/2017

Additional toxicological information:

Carcinogenic categories

IARC (International Agency for Research on Cancer) Human Carcinogenicity:

Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable

None of the ingredients are listed.

NTP (National Toxicology Program)

K-Known to be carcinogenic, R-May reasonably be anticipated to be carcinogenic

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity:

16096-31-4 1,6-bis(2,3-epoxypropoxy)hexane

EC50, 96h 30 mg/l (fish) (OECD 203)

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Toxic for aquatic organisms

Also poisonous for fish and plankton in water bodies.

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Disposal methods:

Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing product for disposal. Dispose of waste in accordance with all applicable regulations.

Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Dispose of contents/container in accordance with local/regional/national/international regulations.

(Cont. on page 7)

*

Version Number 1.0

Reviewed on 03/27/2017

Trade name: DENEPOX 40 Component A

(Cont. from page 6)

4 Transport information	
UN-Number DOT IMDG, IATA	Not applicable. UN3082
UN proper shipping name DOT IMDG	Not applicable. ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN (Number average MW ≤ 700), MARINE POLLUTANT
ΙΑΤΑ	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN (Number average $MW \le 700$)
Transport hazard class(es)	
DOT Class	Not applicable.
IMDG, IATA	
Class Label	9 Miscellaneous 9
Packing group DOT IMDG, IATA	Not applicable. III
Environmental hazards:	Product contains environmentally hazardous substances: Reaction product: Bisphenol-A-(epichlorhydrin); epoxy resin (number average molecular weight 700)
Marine pollutant:	Yes Symbol (fish and tree)
Special marking (ADR): Special marking (IATA):	Symbol (fish and tree) Symbol (fish and tree)
Special precautions for user Hazard identification number (Kemler code) EMS Number:	Warning: Miscellaneous 90 F-A,S-F
Transport/Additional information:	
DOT Remarks:	Not Regulated.
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml
UN "Model Regulation":	UN3082, Environmentally hazardous substances, liquid, n.o.s. (EPOXY RESI (Number average MW \leq 700), 9, III

15 Regulatory information

Other regulations in domestic and foreign countries

SARA (Superfund Amendments and Reauthorization Act)

Section 302/304 (extremely hazardous substances):

None of the ingredients is listed.

(Cont. on page 8) USGHS

Page 7/8

Page 8/8

USGHS

Trade name: DENEPOX 40 Component A

	ont. from page 7)
Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):	
None of the ingredients is listed.	
SARA Section 312/Tier I & II Hazard Categories:	
Health Hazard - Skin Corrosion or Irritation Health Hazard - Respiratory or Skin Sensitization	
Health Hazard - Serious eye damage or eye irritation	
North America Chemical Inventory Status	
TSCA (Toxic Substances Control Act - United States):	
All ingredients are listed or exempt from listing unless otherwise noted below.	
CEPA (Canadian DSL):	
All ingredients are listed or exempt from listing unless otherwise noted below.	
California Proposition 65: (Substances <0.1% unless noted in Section 3)	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients are listed.	
Carcinogenicity Categories	
TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists) Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable	
None of the ingredients are listed.	
NIOSH-Cancer (National Institute for Occupational Safety and Health)	
None of the ingredients are listed.	
Volatile Organic Compounds (VOC) reported per the Emission Standards. If no g/L value is provided this product is not subject to above standard.	

16 Other information

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

Department issuing SDS: GCP Applied Technologies 2325 Lakeview Pkwy Alpharetta GA, 30009 USA USA: +1-617-876-1400 (24 hours) +1-800-354-5414

Contact:

The first date of preparation 05/18/2015

Number of revision times and the latest revision date 1.0 / 03/27/2017



Printing date 03/27/2017

Version Number 1.0

Reviewed on 03/27/2017

Page 1/9

1 Identification

Product identifier

Trade name: DENEPOX 40 Component B

SDS ID Number: 2478

Relevant identified uses of the substance or mixture, and uses advised against

Waterproofing. Specialty construction product. Not intended for other uses

Details of the supplier of the safety data sheet

Manufacturer/Supplier: GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA

GCP Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

Information department:

Environmental Health & Safety USA: +1-617-876-1400 (24 hours) +1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts CAN: 1-905-683-8561 (24 hours) Email address: msds.gcp@gcpat.com

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

2 Hazard(s) identification

Classification of the substance or mixture

Harmful if swallowed. Harmful in contact with skin. Causes severe skin burns and eye damage. Causes serious eye damage. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child.

Label elements:

Hazard pictograms



Danger

Hazard statements Harmful if swallowed. Harmful in contact with skin. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Suspected of damaging fertility or the unborn child.

(Cont. on page 2)

Version Number 1.0

Printing date 03/27/2017

Reviewed on 03/27/2017

Trade name: DENEPOX 40 Component B

(Cont. from page 1)

Precautionary statements Avoid breathing dust/fume/gas/mist/vapors/spray Wear protective gloves/protective clothing/eye protection/face protection. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell. If swallowed: Rinse mouth. Do NOT induce vomiting. IF INHALED: Remove person to fresh air and keep comfortable for breathing. Hazard description: Corrosive NFPA ratings (scale 0 - 4) Health = 3Fire = 1Reactivity = 0HMIS-ratings (scale 0 - 4) HEALTH *3 Health = *3FIRE 1 Flammability = 1Reactivity = 0REACTIVITY 0 Other hazards **Results of PBT and vPvB assessment PBT:** Not applicable. vPvB: Not applicable.

3 Composi	tion/information on ingredients	
Chemica	l characterization: Mixture	
Descriptio	n : Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.	
	s components:	
2855-13-2	Isophorondiamine	50-100%
100-51-6	Benzyl alcohol	5.0-10.0%
90-72-2	2,4,6-tris(dimethylaminomethyl)phenol	5.0-10.0%
80-05-7	bisphenol A	5.0-10.0%

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

4 First-aid measures

Description of first aid measures

General information: Get medical advice/attention if you feel unwell.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

After eye contact: Rinse cautiously with water for several minutes.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Printing date 03/27/2017

Version Number 1.0

Reviewed on 03/27/2017

Trade name: DENEPOX 40 Component B

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

Information for doctor:

Most important symptoms and effects, both acute and delayed Harmful if swallowed.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Special hazards arising from the substance or mixture No further relevant information available.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

Use neutralizing agent.

Sweep up spilled product into receptacles.

Dispose contaminated material as waste according to section 13 of the SDS.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Risk of serious damage to eyes.

Prevent formation of aerosols.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Information about storage in one common storage facility: No special measures required.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

(Cont. on page 4) USGHS

(Cont. from page 2)

Reviewed on 03/27/2017

Trade name: DENEPOX 40 Component B

(Cont. from page 3)

Control parameters

Components with limit values that require monitoring at the workplace:

100-51-6 Benzyl alcohol

WEEL (USA) Long-term value: 10 ppm

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.

Breathing equipment:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Material of gloves Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Eye protection:



Safety glasses with side shield protection.

Safety glasses with side shields should be worn to prevent contact due to splashing. Under high vapor mist concentrations, tightly sealed goggles should be worn.



A face shield should also be worn if there is potential exposure to splash or spray.

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing.

9 Physical and chemical properties

General Information		
Appearance:		
Form:	Liquid	
Color:	Yellowish	
Odor:	Amine-like	
Odor threshold:	Not determined.	
pH-value (~):	Not determined.	
Change in condition		
Melting point/Melting range:	Undetermined.	
Boiling point/Boiling range:	> 200 °C (> 392 °F)	
Flash point:	> 100 °C (> 212 °F)	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature:	Not determined.	
Auto igniting:	Product is not self-igniting.	

Reviewed on 03/27/2017

Page 5/9

Trade name: DENEPOX 40 Component B

		(Cont. from page 4)
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
VOC Content (max):	0.00 %	
Vapor pressure:	Not determined.	
Density: (~) at 20 °C (68 °F)	0.9 g/cm ³ (7.511 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	er): Not determined.	
Viscosity:		
Dynamic at 20 °C (68 °F):	25 mPas	
Kinematic:	Not determined.	
Molecular weight	Not applicable.	
Other information	No further relevant information available.	

10 Stability and reactivity

Reactivity Stable under normal conditions.

Chemical stability

Thermal decomposition: No decomposition if used according to specifications.

Possibility of hazardous reactions No further relevant information available.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

Additional information: See section 7 for information on handling, storage and conditions to be avoided.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50	values relevant for cl	assification:	
2855-13-2	2 Isophorondiamine		
Oral	LD50	1030 mg/kg (rat) (OECD 401)	
Dermal	LD50	1840 mg/kg (rabbit)	
100-51-6	Benzyl alcohol		
Dermal	LD50	1230 mg/kg (rat)	
90-72-2 2	,4,6-tris(dimethylamiı	nomethyl)phenol	
Oral	LD50	2169 mg/kg (rat) (OECD 401)	
Dermal	LD50	1242 mg/kg (rabbit)	
80-05-7 b	isphenol A		
Oral	LD50	>2000 mg/kg (rat) (OECD 401)	
Dermal	LD50	3250 mg/kg (rat)	
	LD50	3000 mg/kg (rabbit)	
·		·	(Cont. on page 6) USGHS

Reviewed on 03/27/2017

Trade name: DENEPOX 40 Component B

(Cont. from page 5)
Inhalation LC50, 6h 170 mg/m ³ (rat)
LC50, 96h (dynamic) 9.4 mg/l (fish) (OECD 203)
Primary irritant effect:
on the skin:
Harmful in contact with skin. Causes severe skin burns and eye damage.
on the eye: Causes serious eye damage.
inhalation: No irritating effect expected
Ingestion: Harmful if swallowed.
Sensitization: May cause an allergic skin reaction.
Additional toxicological information: Suspected of damaging fertility or the unborn child.
Carcinogenic categories
IARC (International Agency for Research on Cancer) Human Carcinogenicity: Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable
None of the ingredients is listed.
NTP (National Toxicology Program) K–Known to be carcinogenic, R–May reasonably be anticipated to be carcinogenic
None of the ingredients is listed.
OSHA-Ca (Occupational Safety & Health Administration)
None of the ingredients is listed.

12 Ecological information

Toxicity

Aquatic toxicity:

90-72-2 2,4,6-tris(dimethylaminomethyl)phenol

EC50, 72h 84 mg/l (algae) (OECD 201)

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Ecotoxical effects:

Remark: Harmful to fish

Additional ecological information:

General notes:

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Harmful to aquatic organisms

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

USGHS (Cont. on page 7)

Reviewed on 03/27/2017

Trade name: DENEPOX 40 Component B

(Cont. from page 6)

Page 7/9

13 Disposal considerations

Disposal methods:

Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing product for disposal. Dispose of waste in accordance with all applicable regulations.

Recommendation:



*

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Dispose of contents/container in accordance with local/regional/national/international regulations.

Transport information	
UN-Number DOT, IMDG, IATA	UN1760
UN proper shipping name DOT IMDG, IATA	Corrosive liquids, n.o.s. (Isophorondiamine) CORROSIVE LIQUID, N.O.S. (Isophorondiamine)
Transport hazard class(es)
DOT	
CORROSIVE 8	
Class	8 Corrosive substances
Label	8
IMDG, IATA	
Class Label	8 Corrosive substances 8
Packing group DOT, IMDG, IATA	III
Environmental hazards:	
Marine pollutant:	No
Special precautions for use Danger code (Kemler): EMS Number:	er Warning: Corrosive substances 80 F-A,S-B
Transport/Additional info	ormation:
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

Version Number 1.0

Reviewed on 03/27/2017

Trade name: DENEPOX 40 Component B

UN "Model Regulation": UN1760, Corrosive liquids, n.o.s. (Isophorondiamine), 8, III

15 Regulatory information	
SARA (Superfund Amendments and Reauthorization Act)	
Section 302/304 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):	
80-05-7 bisphenol A	7.5%
SARA Section 312/Tier I & II Hazard Categories: Health Hazard - Acute toxicity (any route of exposure) Health Hazard - Reproductive toxicity Health Hazard - Skin Corrosion or Irritation Health Hazard - Respiratory or Skin Sensitization Health Hazard - Serious eye damage or eye irritation	
North America Chemical Inventory Status	
TSCA (Toxic Substances Control Act - United States):	
All ingredients are listed or exempt from listing unless otherwise noted below.	
CEPA (Canadian DSL):	
All ingredients are listed or exempt from listing unless otherwise noted below.	
California Proposition 65	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
80-05-7 bisphenol A	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients is listed.	
Chemicals known to cause developmental toxicity:	
None of the ingredients is listed.	
Carcinogenicity Categories	
EPA (Environmental Protection Agency)	
None of the ingredients is listed.	
TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists) Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable	
None of the ingredients is listed.	
NIOSH-Cancer (National Institute for Occupational Safety and Health)	
None of the ingredients is listed.	
Volatile Organic Compounds (VOC) reported per the Emission Standards.	

If no g/L value is provided this product is not subject to above standard.

16 Other information

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

Department issuing SDS:

(Cont. on page 9) USGHS

(Cont. from page 7)

Printing date 03/27/2017

Trade name: DENEPOX 40 Component B

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA USA: +1-617-876-1400 (24 hours) +1-800-354-5414 Date of preparation / last revision 03/27/2017 / -The first date of preparation 05/18/2015 Number of revision times and the latest revision date 1.0 / 03/27/2017

USGHS

(Cont. from page 8)

Reviewed on 03/27/2017