

Printing date 02/09/2023

Safety Data Sheet

Version Number 1.0

Reviewed on 02/09/2023

Page 1/8

### **1** Identification

#### **Product identifier**

Trade name: EXP CA-3826

SDS ID Number: 648

**Relevant identified uses of the substance or mixture, and uses advised against:** Specialty construction product. Not intended for other uses.

#### Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

GCP Applied Technologies 2325 Lakeview Pkwy Alpharetta GA 30009 USA

GCP Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

#### **Information department:**

Environmental Health & Safety USA: +1-617-876-1400 (24 hours) +1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts CAN: 1-905-683-8561 (24 hours) Email address: msds.gcp@gcpat.com

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

### 2 Hazard(s) identification

#### Classification of the substance or mixture

Causes serious eye irritation.

Label elements: The product is classified and labeled according to the Globally Harmonized System (GHS)

#### Hazard pictograms



Warning

Hazard statements Causes serious eye irritation. Precautionary statements Wash thoroughly after handling. Wear eye protection / face protection. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.

#### Hazard description: NFPA ratings (scale 0 - 4)

Health = 3 Fire = 1 Reactivity = 0

# Safety Data Sheet

Version Number 1.0

### Trade name: EXP CA-3826

#### HMIS-ratings (scale 0 - 4)

HEALTH3FIRE1Flammability = 1REACTIVITY 0Reactivity = 0

# Other hazards

#### Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

## 3 Composition/information on ingredients

# **Chemical characterization: Mixture**

Description: Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

Hazardou	is components:	
111-46-6	Diethylene glycol	10-<15%
122-20-3	Triisopropanolamine	10-<15%
102-71-6	Triethanolamine	5-<7.5%
126-71-6	Triisobutyl phosphate	0.1-<1%
67-56-1	Methanol	0.1-<1%

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

### **4** First-aid measures

#### **Description of first aid measures**

General information: Get medical advice/attention if you feel unwell.

After inhalation: No special measures required.

After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

After eye contact: Rinse cautiously with water for several minutes.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Information for doctor:

Most important symptoms and effects, both acute and delayed Irritating to eyes.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

### **5** Fire-fighting measures

#### **Extinguishing media**

Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray.

#### Special hazards arising from the substance or mixture

Combustion products may include toxic gases such as carbon monoxide and smoke.

(Cont. on page 3)

Reviewed on 02/09/2023

(Cont. from page 1)

Printing date 02/09/2023

Trade name: EXP CA-3826

Reviewed on 02/09/2023

(Cont. from page 2)

# Advice for firefighters

Protective equipment: Wear personal protective equipment.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

# 6 Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

# Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

#### **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

Precautionary Measures : May degrade Polyvinylchloride (PVC) and other plastic materials.

### Handling:

Precautions for safe handling Avoid contact with eyes, skin and clothing. Do not take internally. Practice good personal hygiene to avoid ingestion. Use only with adequate ventilation. Wash clothing before reuse. FOR PROFESSIONAL USE ONLY. KEEP OUT OF CHILDREN'S REACH.

Information about protection against explosions and fires: No special measures required.

## Conditions for safe storage, including any incompatibilities

Storage:

Information about storage in one common storage facility: No special measures required.

Further information about storage conditions: Keep receptacle tightly sealed.

**Specific end use(s)** No further relevant information available.

## 8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

#### **Control parameters**

Components with limit values that require monitoring at the workplace:

111-46-6 Diethylene glycol

WEEL (USA) Long-term value: 10 mg/m<sup>3</sup>

### 102-71-6 Triethanolamine

EL (Canada) Long-term value: 5 mg/m<sup>3</sup>

EV (Canada) Long-term value: 3.1 mg/m<sup>3</sup>, 0.5 ppm

TLV (USA) Long-term value: 5 mg/m<sup>3</sup>

(Cont. on page 4) USGHS

Trade name: EXP CA-3826

	(Cont. from page :
67-56-1 Meth	
EL (Canada)	Short-term value: 250 ppm Long-term value: 200 ppm Skin
EV (Canada)	Short-term value: 325 mg/m <sup>3</sup> , 250 ppm Long-term value: 260 mg/m <sup>3</sup> , 200 ppm Skin
PEL (USA)	Long-term value: 260 mg/m <sup>3</sup> , 200 ppm
REL (USA)	Short-term value: 325 mg/m <sup>3</sup> , 250 ppm Long-term value: 260 mg/m <sup>3</sup> , 200 ppm Skin
TLV (USA)	Short-term value: 250 ppm Long-term value: 200 ppm Skin; BEI
Ingredients w	ith biological limit values:
67-56-1 Meth	anol
Т	5 mg/L Iedium: urine ime: end of shift arameter: Methanol (background, nonspecific)
Additional in	formation:
	vere valid during the creation were used as basis. loyers must consult the exposure limits in their province.
Exposure c	ontrols
Personal prot	ective equipment:
General prote	ective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.
Broothing og	vinmont:

#### **Breathing equipment:**

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Material of gloves Butyl rubber, BR

Eye protection:



Safety glasses with side shield protection.



A face shield should also be worn if there is potential exposure to splash or spray.

#### **Body protection:**

Use personal protective equipment as required.

Take off contaminated clothing.

Reviewed on 02/09/2023

Trade name: EXP CA-3826

(Cont. from page 4)

Page 5/8

9 Physical and chemical propert	9 Physical and chemical properties					
Information on basic physical and chemical properties						
General Information Appearance:						
Form:	Liquid					
Color: Odor:	Brown Characteristic					
Odor threshold:	Not applicable.					
pH-value (~) at 20 °C (68 °F):	9					
Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point:	Undetermined. 100 °C (212 °F) Not applicable.					
Flammability (solid, gaseous):	Not applicable.					
Ignition temperature:	Undetermined.					
Decomposition temperature: Auto igniting: Danger of explosion:	Not applicable under normal storage conditions. Product is not self-igniting. Product does not present an explosion hazard.					
Explosion limits: Lower: Upper:	Not applicable. Not applicable.					
Vapor pressure: Density: (~) Vapor density Evaporation rate	Not determined. Not determined. Not determined. Not applicable.					
Solubility in / Miscibility with Water:	Fully miscible.					
Partition coefficient (n-octanol/water): Not determined.						
Viscosity: Dynamic: Kinematic: Molecular weight	Not determined. Not determined. Not determined.					
Other information	No further relevant information available.					

# **10 Stability and reactivity**

#### Reactivity

Stable under normal conditions. No further relevant information available.

#### **Chemical stability**

Thermal decomposition: No decomposition if used according to specifications.

#### **Possibility of hazardous reactions**

No dangerous reactions known. No further relevant information available.

Conditions to avoid No further relevant information available.

Incompatible materials: May degrade Polyvinylchloride (PVC) and other plastic materials

Hazardous decomposition products: Carbon monoxide and carbon dioxide

USGHS (Cont. on page 6)

Trade name: EXP CA-3826

Reviewed on 02/09/2023

(Cont. from page 5)

Information on toxicological effects	
Acute toxicity:	
LD/LC50 values relevant for classification:	
102-71-6 Triethanolamine	
Oral LD50 5,300 mg/kg (guinea pig)   6,400 mg/kg (rat - male) 6,400 mg/kg (rabbit)	
LC50, 96h 11,800 mg/l (fish)	
Primary irritant effect:	
on the skin: No irritating effect expected	
on the eye: Causes serious eye irritation.	
inhalation: No irritating effect expected	
Additional toxicological information:	
102-71-6 Triethanolamine	
NOEC/NOEL 16 mg/l (crustaceans) (Chronic NOEC)	
Carcinogenic categories	
IARC (International Agency for Research on Cancer) Human Carcinogenicity: Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable	
102-71-6 Triethanolamine	
NTP (National Toxicology Program) K–Known to be carcinogenic, R–May reasonably be anticipated to be carcinogenic	
None of the ingredients are listed.	
OSHA-Ca (Occupational Safety & Health Administration)	
None of the ingredients are listed.	

# **12 Ecological information**

Toxicity

Aquatic toxicity:

102-71-6 Triethanolamine

EC50, 72h 512 mg/l (algae)

EC50, 48h 609.88 mg/l (daphnia magna)

Persistence and degradability No further relevant information available.

**Behavior in environmental systems:** 

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes: Not known to be hazardous to water.

**Results of PBT and vPvB assessment** 

**PBT:** Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

USGHS (Cont. on page 7)

Reviewed on 02/09/2023

(Cont. from page 6)

Page 7/8

# Trade name: EXP CA-3826

# **13 Disposal considerations**

### **Disposal methods:**

Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing product for disposal. Dispose of waste in accordance with all applicable regulations.

#### **Recommendation:**



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

# **Uncleaned packagings:**

Recommendation: Dispose of contents/container in accordance with local/regional/national/international regulations.

14 Transport information	
UN-Number DOT, IMDG, IATA	Not applicable.
UN proper shipping name DOT, IMDG, IATA	Not applicable.
Transport hazard class(es)	)
DOT, IMDG, IATA Class	Not applicable.
Packing group DOT, IMDG, IATA	Not applicable.
Environmental hazards:	Not applicable.
Special precautions for use	e <b>r</b> Not applicable.
Transport/Additional info	rmation:
DOT Remarks:	Not Regulated.

## **15 Regulatory information**

Other regulations in domestic and foreign countries SARA (Superfund Amendments and Reauthorization Act)

Section 302/304 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

None of the ingredients is listed.

SARA Section 312/Tier I & II Hazard Categories: Health Hazard - Serious eye damage or eye irritation

North America Chemical Inventory Status

TSCA (Toxic Substances Control Act - United States):

All ingredients are listed or exempt from listing unless otherwise noted below.

**CEPA (Canadian DSL):** 

All ingredients are listed or exempt from listing unless otherwise noted below.

### **Right to Know Ingredient Disclosure:**

7732-18-5 Water

# **Safety Data Sheet**

Version Number 1.0

Reviewed on 02/09/2023

Page 8/8

USGHS

# Trade name: EXP CA-3826

56 91 5 Channel	(Cont. from page
56-81-5 Glycerol	
57-50-1 Sucrose	
112-27-6 Triethylene glycol	
California Proposition 65: (Substances <0.1% unless noted in Section 3)	
Chemicals known to cause cancer:	
None of the ingredients is listed.	
Chemicals known to cause reproductive toxicity for females:	
None of the ingredients are listed.	
Chemicals known to cause reproductive toxicity for males:	
None of the ingredients are listed.	
Chemicals known to cause developmental toxicity:	
107-21-1 Ethylene glycol	
67-56-1 Methanol	
Carcinogenicity Categories	
TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists) Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable	
Sucrose	A
Triethanolamine	А
NIOSH-Cancer (National Institute for Occupational Safety and Health)	
None of the ingredients are listed.	
<b>Volatile Organic Compounds (VOC) reported per the Emission Standards.</b> If no g/L value is provided this product is not subject to above standard.	

## **16 Other information**

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

# **Department issuing SDS:**

GCP Applied Technologies 2325 Lakeview Pkwy Alpharetta GA, 30009 USA USA: +1-617-876-1400 (24 hours) +1-800-354-5414

#### **Contact:**

The first date of preparation 08/17/2021 Number of revision times and the latest revision date 1.0 / 02/09/2023