

Safety Data Sheet

Printing date 11/28/2023 Version Number 1.0 Reviewed on 11/28/2023

1 Identification

Product identifier

Trade name: EXP CA-3957

SDS ID Number: 1355

Relevant identified uses of the substance or mixture, and uses advised against:

Specialty construction product. Not intended for other uses.

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GCP Applied Technologies 2325 Lakeview Pkwy Alpharetta GA 30009 USA

GCP Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

Information department:

Environmental Health & Safety: USA: +1-617-876-1400 (24 hours)

+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts

CAN: 1-905-683-8561 (24 hours) Email address: msds.gcp@gcpat.com

Transport Emergency: Chemtrec: +1-800-424-9300 (24 hours)

2 Hazard(s) identification

Classification of the substance or mixture

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause damage to the kidneys through prolonged or repeated

exposure. Route of exposure: Oral.

Label elements: The product is classified and labeled according to the Globally Harmonized System (GHS)

Hazard pictograms





Warning

Hazard statements

Causes serious eye irritation.

May cause an allergic skin reaction.

May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Get medical advice/attention if you feel unwell.

(Cont. on page 2)

(Cont. from page 1)

Safety Data Sheet

Version Number 1.0 Printing date 11/28/2023 Reviewed on 11/28/2023

Trade name: EXP CA-3957

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard description:

NFPA ratings (scale 0 - 4)



Health = 2Fire = 1Reactivity = 0

HMIS-ratings (scale 0 - 4)



Health = *2Flammability = 1Reactivity = 0

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixture

Description: Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

Hazardous components:				
140-07-8	Tetrahydroxyethylenediamine	15-<22%		
111-46-6	Diethylene glycol	15-<22%		
126-71-6	Triisobutyl phosphate	1-<3%		

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

4 First-aid measures

Description of first aid measures

General information: Get medical advice/attention if you feel unwell.

After inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

After eye contact: Rinse cautiously with water for several minutes.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Immediately call a doctor.

Information for doctor:

Most important symptoms and effects, both acute and delayed

Allergic reactions

Irritating to eyes.

(Cont. on page 3)

Printing date 11/28/2023 Version Number 1.0 Reviewed on 11/28/2023

Trade name: EXP CA-3957

(Cont. from page 2)

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray.

Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Combustion products may include toxic gases such as carbon monoxide and smoke.

Advice for firefighters

Protective equipment: Wear personal protective equipment.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Precautionary Measures: May degrade Polyvinylchloride (PVC) and other plastic materials.

Handling:

Precautions for safe handling

Prevent formation of aerosols.

Avoid contact with eyes, skin and clothing.

Do not take internally.

Practice good personal hygiene to avoid ingestion.

Use only with adequate ventilation.

Wash clothing before reuse.

FOR PROFESSIONAL USE ONLY. KEEP OUT OF CHILDREN'S REACH.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Information about storage in one common storage facility: Keep respirator available.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

USGHS

Printing date 11/28/2023 Version Number 1.0 Reviewed on 11/28/2023

Trade name: EXP CA-3957

(Cont. from page 3)

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see section 7.

Control parameters

Components with limit values that require monitoring at the workplace:

111-46-6 Diethylene glycol

WEEL (USA) Long-term value: 10 mg/m³

Additional information:

The lists that were valid during the creation were used as basis.

Canadian employers must consult the exposure limits in their province.

Exposure controls

Personal protective equipment:

General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.

Breathing equipment:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Material of gloves Butyl rubber, BR

Eye protection:



Safety glasses with side shield protection.



A face shield should also be worn if there is potential exposure to splash or spray.

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing.

9 Physical and chemical properties

General Information	
Appearance:	Limid
Form:	Liquid
Color:	Brown
Odor:	Characteristic
Odor threshold:	Not applicable.
pH-value (~) at 20 °C (68 °F):	9.5
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	100 °C (212 °F)

(Cont. on page 5)

Safety Data Sheet

Printing date 11/28/2023 Version Number 1.0 Reviewed on 11/28/2023

Trade name: EXP CA-3957

		(Cont. from page 4)		
Flammability (solid, gaseous):	Not applicable.			
Auto igniting:	Undetermined.			
Decomposition temperature:	Not applicable under normal storage conditions.			
Ignition temperature:	Product is not self-igniting.			
Danger of explosion:	Product does not present an explosion hazard.			
Explosion limits:				
Lower:	1.8 Vol %			
	Not applicable.			
Upper:	12.2 Vol %			
	Not applicable.			
Vapor pressure:	Not determined.			
Density: (~)	Not determined.			
Vapor density	Not determined.			
Evaporation rate	Not applicable.			
Solubility in / Miscibility with				
Water:	Fully miscible.			
Partition coefficient (n-octanol/water): Not determined.				
Viscosity:				
Dynamic:	Not determined.			
Kinematic:	Not determined.			
Molecular weight	Not determined.			
Other information	No further relevant information available.			

10 Stability and reactivity

Reactivity

Stable under normal conditions.

No further relevant information available.

Chemical stability

Thermal decomposition: No decomposition if used according to specifications.

Possibility of hazardous reactions

No dangerous reactions known.

No further relevant information available.

Conditions to avoid No further relevant information available.

Incompatible materials: May degrade Polyvinylchloride (PVC) and other plastic materials

Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

Information on toxicological effects

Acute toxicity:

Primary irritant effect:

on the skin: No irritating effect expected on the eye: Causes serious eye irritation. inhalation: No irritating effect expected

(Cont. on page 6)

Safety Data Sheet

Printing date 11/28/2023 Version Number 1.0 Reviewed on 11/28/2023

Trade name: EXP CA-3957

(Cont. from page 5)

Ingestion: May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

Sensitization: May cause an allergic skin reaction.

Additional toxicological information:

Carcinogenic categories

IARC (International Agency for Research on Cancer) Human Carcinogenicity: Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable				
102-71-6	Triethanolamine	3		
111-42-2	Diethanolamine	2B		

NTP (National Toxicology Program)

K-Known to be carcinogenic, R-May reasonably be anticipated to be carcinogenic

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes: Not known to be hazardous to water.

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

13 Disposal considerations

Disposal methods:

Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing product for disposal. Dispose of waste in accordance with all applicable regulations.

Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Dispose of contents/container in accordance with local/regional/national/international regulations.

14 Transport information

UN-Number

Remarks: Not DOT regulated in drums/totes.

(Cont. on page 7)

(Cont. from page 6)

Printing date 11/28/2023 Version Number 1.0 Reviewed on 11/28/2023

Trade name: EXP CA-3957

DOT UN3082

IMDG, IATA Not applicable.

UN proper shipping name

Remarks:

Not DOT regulated in drums/totes.

DOT Environmentally hazardous substance, liquid, n.o.s. (Diethanolamine)

IMDG, IATA Not applicable.

Transport hazard class(es)

DOT



Class 9 Miscellaneous

Label 9

Remarks: Bulk shipments above 3638 gallons exceeding the reportable quantity for Diethanolamine

(RQ=100 pounds) are regulated as HazMats.

IMDG, IATA

Class Not applicable.

Packing group

DOT

IMDG, IATA Not applicable.

Environmental hazards: Not applicable.

Special precautions for user Not applicable.

Transport/Additional information:

DOT

Remarks:

Not Regulated.

UN "Model Regulation": Not applicable.

15 Regulatory information

Other regulations in domestic and foreign countries

SARA (Superfund Amendments and Reauthorization Act)

Section 302/304 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

None of the ingredients is listed.

SARA Section 312/Tier I & II Hazard Categories:

Health Hazard - Respiratory or Skin Sensitization

Health Hazard - Serious eye damage or eye irritation

Health Hazard - Specific target organ toxicity (single or repeated exposure)

North America Chemical Inventory Status

TSCA (Toxic Substances Control Act - United States):

All ingredients are listed or exempt from listing unless otherwise noted below.

CEPA (Canadian DSL):

All ingredients are listed or exempt from listing unless otherwise noted below.

Right to Know Ingredient Disclosure:

7732-18-5 | Water

68476-78-8 Molasses

6712-98-7 Diethanolisopropanolamine

(Cont. on page 8)

Printing date 11/28/2023 Version Number 1.0 Reviewed on 11/28/2023

Trade name: EXP CA-3957

112-27-6 Triethylene glycol

(Cont. from page 7

California Proposition 65: (Substances <0.1% unless noted in Section 3)

Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

107-21-1 Ethylene glycol

Carcinogenicity Categories

TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)

Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable

None of the ingredients are listed.

NIOSH-Cancer (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

Volatile Organic Compounds (VOC) reported per the Emission Standards.

If no g/L value is provided this product is not subject to above standard.

16 Other information

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

Department issuing SDS:

GCP Applied Technologies 2325 Lakeview Pkwy Alpharetta GA, 30009 USA USA: +1-617-876-1400 (24 hours)

+1-800-354-5414

Contact:

The first date of preparation 11/28/2023

Number of revision times and the latest revision date 1.0 / 11/28/2023

■ USGHS