

Printing date 01/24/2024 Version Number 1.0 Reviewed on 01/24/2024

1 Identification

Product identifier

Trade name: TAVEROTM LGA 8064

SDS ID Number: 1578

Relevant identified uses of the substance or mixture, and uses advised against:

Specialty construction product. Not intended for other uses.

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GCP Applied Technologies 2325 Lakeview Pkwy Alpharetta GA 30009 USA

GCP Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

Information department:

Environmental Health & Safety: USA: +1-617-876-1400 (24 hours)

+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts

CAN: 1-905-683-8561 (24 hours) Email address: msds.gcp@gcpat.com

Transport Emergency: Chemtrec: +1-800-424-9300 (24 hours)

2 Hazard(s) identification

Classification of the substance or mixture

Causes severe skin burns and eye damage.

Causes serious eye damage.

Label elements: The product is classified and labeled according to the Globally Harmonized System (GHS)

Hazard pictograms



Danger

Hazard statements

Causes severe skin burns and eye damage.

Precautionary statements

Do not breathe dusts or mists.

Wash thoroughly after handling.

Wear protective gloves/protective clothing/eye protection/face protection.

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a poison center/doctor.

Wash contaminated clothing before reuse.

(Cont. on page 2)

Printing date 01/24/2024 Version Number 1.0 Reviewed on 01/24/2024

Trade name: TAVEROTM LGA 8064

Dispose of contents/container in accordance with local/regional/national/international regulations.

(Cont. from page 1)

Hazard description:

NFPA ratings (scale 0 - 4)



Health = 3 Fire = 0 Reactivity = 0

HMIS-ratings (scale 0 - 4)



Health = *3 Flammability = 0 Reactivity = 0

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixture

Description: Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

Hazardous components:		
111-46-6	Diethylene glycol	15-<22%
64-19-7	Acetic acid	5-<7.5%
107-21-1	Ethylene glycol	3-<5%

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

4 First-aid measures

Description of first aid measures

General information: Get medical advice/attention if you feel unwell.

After inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

After skin contact

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

After eye contact: Rinse cautiously with water for several minutes.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

Information for doctor:

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

USGHS

Printing date 01/24/2024 Version Number 1.0 Reviewed on 01/24/2024

Trade name: TAVERO™ LGA 8064

(Cont. from page 2)

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray.

Special hazards arising from the substance or mixture

During heating or in case of fire poisonous gases are produced.

Combustion products can include toxic gases such as carbon monoxide and smoke.

Advice for firefighters

Protective equipment: Wear personal protective equipment.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

Use neutralizing agent.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Prevent formation of aerosols.

Avoid contact with eyes, skin and clothing.

Do not take internally.

Practice good personal hygiene to avoid ingestion.

Use only with adequate ventilation.

Wash clothing before reuse.

FOR PROFESSIONAL USE ONLY. KEEP OUT OF CHILDREN'S REACH.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Information about storage in one common storage facility: Keep respirator available.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see section 7.

(Cont. on page 4)

Printing date 01/24/2024 Version Number 1.0 Reviewed on 01/24/2024

Trade name: TAVEROTM LGA 8064

	(Cont. from page 3)				
Control parameters					
Components with limit values that require monitoring at the workplace:					
111-46-6 Diethylene glycol					
WEEL (USA) Long-term value: 10 mg/m³					
64-19-7 Acetic acid					
EL (Canada)	Short-term value: 15 ppm				
	Long-term value: 10 ppm				
EV (Canada)	Short-term value: 37 mg/m³, 15 ppm				
	Long-term value: 25 mg/m³, 10 ppm				
PEL (USA)	Long-term value: 25 mg/m³, 10 ppm				
REL (USA)	Short-term value: 37 mg/m³, 15 ppm				

107-21-1 Ethylene glycol

TLV (USA)

EL (Canada)	Short-term value: 20* mg/m ³
	Long-term value: 10* mg/m ³
	Ceiling limit value: 100* mg/m³, 50** ppm
	*total, aerosol only; **Vapour
EV (Canada)	Ceiling limit value: 100 mg/m³
TLV (USA)	Short-term value: 10** mg/m³, 50* ppm
	I am a tame value 25* mmm

Long-term value: 25 mg/m³, 10 ppm

Short-term value: 15 ppm Long-term value: 10 ppm

Long-term value: 25* ppm *vapor fraction:**inh. fraction, aerosol only, A4

WEEL (USA) I (2)

Additional information:

The lists that were valid during the creation were used as basis. Canadian employers must consult the exposure limits in their province.

Exposure controls

Personal protective equipment:

General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.

Breathing equipment:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Material of gloves

Nitrile rubber.

Rubber or other impervious gloves should be worn to prevent skin contact.

Eye protection:



Safety glasses with side shield protection.



A face shield should also be worn if there is potential exposure to splash or spray.

Printing date 01/24/2024 Version Number 1.0 Reviewed on 01/24/2024

Trade name: TAVEROTM LGA 8064

(Cont. from page 4)

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing.

O Dhysical and shawical mean seties					
	9 Physical and chemical properties Information on basic physical and chemical properties				
General Information	Information on basic physical and chemical properties				
Appearance:					
Form:	Liquid				
Color:	Brown Characteristic				
Odor: Odor threshold:	Not applicable.				
pH-value (~) at 20 °C (68 °F):	5				
Change in condition					
Melting point/Melting range:	Undetermined.				
Boiling point/Boiling range:	Undetermined.				
Flash point:	Not applicable.				
Flammability (solid, gaseous):	Not applicable.				
Auto igniting:	Undetermined.				
Decomposition temperature:	Not applicable under normal storage conditions.				
Ignition temperature:	Product is not self-igniting.				
Danger of explosion:	Product does not present an explosion hazard.				
Explosion limits:	N-41:1:1-				
Lower: Upper:	Not applicable. Not applicable.				
Vapor pressure:	Not determined.				
Density: (~) at 20 °C (68 °F)	1.1 g/cm³ (9.2 lbs/gal)				
Vapor density	Not determined.				
Evaporation rate	Not applicable.				
Solubility in / Miscibility with					
Water:	Fully miscible.				
Partition coefficient (n-octanol/water	Partition coefficient (n-octanol/water): Not determined.				
Viscosity:					
Dynamic:	Not determined.				
Kinematic: Molecular weight	Not determined.				
Other information	No further relevant information available.				

10 Stability and reactivity

Reactivity

Stable under normal conditions.

No further relevant information available.

Chemical stability

Thermal decomposition: No decomposition if used according to specifications.

Possibility of hazardous reactions

No dangerous reactions known.

No further relevant information available.

(Cont. on page 6)

Printing date 01/24/2024 Version Number 1.0 Reviewed on 01/24/2024

Trade name: TAVEROTM LGA 8064

(Cont. from page 5)

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values relevant for classification:		
111-46-6 Diethylene glycol		
Oral LD50 1,120 mg/kg (human)		
64-19-7 Acetic acid		
Dermal LD50 3,310 mg/kg (rat)		
107-21-1 Ethylene glycol		
Oral LD50 2,000 mg/kg (rat)		
Dermal LD50 3,550 mg/kg (mouse)		

Primary irritant effect:

on the skin: Causes severe skin burns and eye damage.

on the eye: Causes serious eye damage. inhalation: No irritating effect expected Additional toxicological information:

Carcinogenic categories

IARC (International Agency for Research on Cancer) Human Carcinogenicity:

Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable

None of the ingredients are listed.

NTP (National Toxicology Program)

K-Known to be carcinogenic, R-May reasonably be anticipated to be carcinogenic

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes: Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Results of PBT and vPvB assessment

PBT: Not applicable.

(Cont. on page 7)

Printing date 01/24/2024 Version Number 1.0 Reviewed on 01/24/2024

Trade name: TAVEROTM LGA 8064

vPvB: Not applicable.

(Cont. from page 6)

13 Disposal considerations

Disposal methods:

Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing product for disposal. Dispose of waste in accordance with all applicable regulations.

Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Dispose of contents/container in accordance with local/regional/national/international regulations.

14 Transport information

Environmental hazards: Not applicable.

Special precautions for user Not applicable. **Segregation groups** (SGG1) Acids

15 Regulatory information

Other regulations in domestic and foreign countries

SARA (Superfund Amendments and Reauthorization Act)

Section 302/304 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

107-21-1 Ethylene glycol

4.0%

SARA Section 312/Tier I & II Hazard Categories:

Health Hazard - Skin Corrosion or Irritation

Health Hazard - Serious eye damage or eye irritation

North America Chemical Inventory Status

TSCA (Toxic Substances Control Act - United States):

All ingredients are listed or exempt from listing unless otherwise noted below.

CEPA (Canadian DSL):

All ingredients are listed or exempt from listing unless otherwise noted below.

Right to Know Ingredient Disclosure:

23251-72-1 D	iethanolamine	acetate
----------------	---------------	---------

7732-18-5 Water

Proprietary Amine acetate - NJTSN801416173

54300-24-2 Ethanolamine acetate

112-27-6 Triethylene glycol

California Proposition 65: (Substances <0.1% unless noted in Section 3)

Chemicals known to cause cancer:

acetaldehyde

(Cont. on page 8)

Printing date 01/24/2024 Version Number 1.0 Reviewed on 01/24/2024

Trade name: TAVEROTM LGA 8064

(Cont. from page 7)

A4

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

107-21-1 Ethylene glycol

Carcinogenicity Categories

TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)

Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable

Ethylene glycol

NIOSH-Cancer (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

Volatile Organic Compounds (VOC) reported per the Emission Standards.

If no g/L value is provided this product is not subject to above standard.

16 Other information

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

Department issuing SDS:

GCP Applied Technologies 2325 Lakeview Pkwy Alpharetta GA, 30009 USA USA: +1-617-876-1400 (24 hours)

+1-800-354-5414

The first date of preparation 01/16/2024

Number of revision times and the latest revision date 1.0 / 01/24/2024

USGHS