

Printing date 11/30/2023 Version Number 1.0 Reviewed on 11/30/2023

1 Identification

Product identifier

Trade name: DARASET 400 PRE-MIX

SDS ID Number: 60045

Relevant identified uses of the substance or mixture, and uses advised against:

Specialty construction product. Not intended for other uses.

Product category Concrete Admixture

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GCP Applied Technologies 2325 Lakeview Pkwy Alpharetta GA 30009 USA

GCP Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

Information department:

Environmental Health & Safety: USA: +1-617-876-1400 (24 hours)

+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts

CAN: 1-905-683-8561 (24 hours) Email address: msds.gcp@gcpat.com

Transport Emergency: Chemtrec: +1-800-424-9300 (24 hours)

2 Hazard(s) identification

Classification of the substance or mixture

Harmful if swallowed.

Harmful if inhaled.

Causes serious eye irritation.

Label elements: The product is classified and labeled according to the Globally Harmonized System (GHS)

Hazard pictograms



Warning

Hazard statements

Harmful if swallowed.

Harmful if inhaled.

Causes serious eye irritation.

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Do not eat, drink or smoke when using this product.

Wear eye protection / face protection.

If swallowed: Call a poison center/doctor if you feel unwell.

(Cont. on page 2)

(Cont. from page 1)

Safety Data Sheet

Printing date 11/30/2023 Version Number 1.0 Reviewed on 11/30/2023

Trade name: DARASET 400 PRE-MIX

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

G .: . .

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Rinse mouth.

If eye irritation persists: Get medical advice/attention.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard description:

NFPA ratings (scale 0 - 4)



 $\begin{aligned} & \text{Health} = 2 \\ & \text{Fire} = 1 \\ & \text{Reactivity} = 0 \end{aligned}$

HMIS-ratings (scale 0 - 4)



Health = 2 Flammability = 1 Reactivity = 0

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixture

Description: Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

Hazardo	is components:	
540-72-7	Sodium thiocyanate	50-<60%
102-71-6	Triethanolamine	7.5-<10%

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

4 First-aid measures

Description of first aid measures

General information: Get medical advice/attention if you feel unwell.

After inhalation:

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

IF INHALED: Call a doctor if you feel unwell.

After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

After eye contact:

Rinse cautiously with water for several minutes.

Seek immediate medical advice.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

(Cont. on page 3)

Printing date 11/30/2023 Version Number 1.0 Reviewed on 11/30/2023

Trade name: DARASET 400 PRE-MIX

(Cont. from page 2)

Information for doctor:

Most important symptoms and effects, both acute and delayed

Harmful if swallowed.

Irritating to eyes.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fires with water spray.

Special hazards arising from the substance or mixture

Combustion products may include toxic gases such as carbon monoxide and smoke.

Advice for firefighters

Protective equipment: Wear personal protective equipment.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Prevent formation of aerosols.

Avoid contact with eyes, skin and clothing.

Do not take internally.

Practice good personal hygiene to avoid ingestion.

Use only with adequate ventilation.

Wash clothing before reuse.

FOR PROFESSIONAL USE ONLY. KEEP OUT OF CHILDREN'S REACH.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Information about storage in one common storage facility: No special measures required.

Further information about storage conditions: Keep receptacle tightly sealed.

(Cont. on page 4)

Printing date 11/30/2023 Version Number 1.0 Reviewed on 11/30/2023

Trade name: DARASET 400 PRE-MIX

(Cont. from page 3)

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see section 7.

Control parameters

Components with limit values that require monitoring at the workplace:

102-71-6 Triethanolamine

EL (Canada) Long-term value: 5 mg/m³

EV (Canada) Long-term value: 3.1 mg/m³, 0.5 ppm

TLV (USA) | Long-term value: 5 mg/m³

Additional information:

The lists that were valid during the creation were used as basis.

Canadian employers must consult the exposure limits in their province.

Exposure controls

Personal protective equipment:

General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.

Breathing equipment:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Material of gloves Rubber or other impervious gloves should be worn to prevent skin contact.

Eye protection:



Safety glasses with side shield protection.



A face shield should also be worn if there is potential exposure to splash or spray.

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing.

9 Physical and chemical properties

General Information

Appearance:

Form: Liquid

Color: According to product specification

Odor: Characteristic
Odor threshold: Not applicable.

(Cont. on page 5)

Printing date 11/30/2023 Version Number 1.0 Reviewed on 11/30/2023

Trade name: DARASET 400 PRE-MIX

		(Cont. from page 4)	
pH-value (~) at 20 °C (68 °F):	10		
Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point:	Undetermined. Undetermined. Not applicable.		
Flammability (solid, gaseous):	Not applicable.		
Auto igniting:	Undetermined.		
Decomposition temperature: Ignition temperature: Danger of explosion:	Not applicable under normal storage conditions. Product is not self-igniting. Product does not present an explosion hazard.		
Explosion limits: Lower: Upper:	Not applicable. Not applicable.		
Vapor pressure: Density: (~) at 20 °C (68 °F) Relative density Vapor density Evaporation rate	Not determined. 1.3 g/cm³ (10.8 lbs/gal) Not determined. Not determined. Not applicable.		
Solubility in / Miscibility with Water: Not miscible or difficult to mix.			
Partition coefficient (n-octanol/water): Not determined.			
Viscosity: Dynamic: Kinematic: Molecular weight	Not determined. Not determined. Not determined.		
Other information	Other information No further relevant information available.		

10 Stability and reactivity

Reactivity

Stable under normal conditions.

No further relevant information available.

Chemical stability

Thermal decomposition: No decomposition if used according to specifications.

Possibility of hazardous reactions

No dangerous reactions known.

No further relevant information available.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

USGHS

Printing date 11/30/2023 Version Number 1.0 Reviewed on 11/30/2023

Trade name: DARASET 400 PRE-MIX

(Cont. from page 5)

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values relevant for classification:					
102-71-6 Triethanolamine					
Oral	LD50	5,300 mg/kg (guinea pig)			
		6,400 mg/kg (rat - male)			
Dermal	LD50	>10,000 mg/kg (rabbit)			
	LC50, 96h	11,800 mg/l (fish)			

Primary irritant effect:

on the skin: No irritating effect expected on the eye: Causes serious eye irritation.

inhalation: Harmful if inhaled.

Ingestion:

May be fatal if swallowed and enters airways.

Harmful if swallowed.

Additional toxicological information:

102-71-6 Triethanolamine

NOEC/NOEL 16 mg/l (crustaceans) (Chronic NOEC)

Carcinogenic categories

IARC (International Agency for Research on Cancer) Human Carcinogenicity:

Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable

102-71-6 Triethanolamine

|3

NTP (National Toxicology Program)

K-Known to be carcinogenic, R-May reasonably be anticipated to be carcinogenic

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

A	1	Įι	ıa	tic	: t	O	cic	ity:	
-	_	_		_	_		_		

102-71-6 Triethanolamine

EC50, 72h 512 mg/l (algae)

EC50, 48h | 609.88 mg/l (daphnia magna)

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes: Not known to be hazardous to water.

Results of PBT and vPvB assessment

PBT: Not applicable.

(Cont. on page 7)

Printing date 11/30/2023 Version Number 1.0 Reviewed on 11/30/2023

Trade name: DARASET 400 PRE-MIX

vPvB: Not applicable.

(Cont. from page 6)

13 Disposal considerations

Disposal methods:

Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing product for disposal. Dispose of waste in accordance with all applicable regulations.

Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Dispose of contents/container in accordance with local/regional/national/international regulations.

	A D		P	4 ·
	rong	nort in	orma	TOB
_		port in		
_		JUL V III.		

UN-Number DOT, IMDG, IATA	Not applicable.		
UN proper shipping name DOT, IMDG, IATA	Not applicable.		
Transport hazard class(es)			
DOT, IMDG, IATA Class	Not applicable.		
Packing group DOT, IMDG, IATA	Not applicable.		
Environmental hazards: Marine pollutant:	No		
Special precautions for user Not applicable.			
Transport/Additional information: Not classified as a dangerous good for transport by road, rail or air.			
DOT Remarks:	Not Regulated.		

15 Regulatory information

Other regulations in domestic and foreign countries

SARA (Superfund Amendments and Reauthorization Act)

Section 302/304 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

None of the ingredients is listed.

SARA Section 312/Tier I & II Hazard Categories:

Health Hazard - Acute toxicity (any route of exposure)

Health Hazard - Serious eye damage or eye irritation

(Cont. on page 8)

Printing date 11/30/2023 Version Number 1.0 Reviewed on 11/30/2023

Trade name: DARASET 400 PRE-MIX

(Cont. from page 7)

North America Chemical Inventory Status

TSCA (Toxic Substances Control Act - United States):

All ingredients are listed or exempt from listing unless otherwise noted below.

CEPA (Canadian DSL):

All ingredients are listed or exempt from listing unless otherwise noted below.

Right to Know Ingredient Disclosure:

7732-18-5 Water

California Proposition 65: (Substances < 0.1% unless noted in Section 3)

Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Carcinogenicity Categories

TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)

Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable

Triethanolamine

NIOSH-Cancer (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

Volatile Organic Compounds (VOC) reported per the Emission Standards.

If no g/L value is provided this product is not subject to above standard.

16 Other information

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

Department issuing SDS:

GCP Applied Technologies 2325 Lakeview Pkwy Alpharetta GA, 30009 USA USA: +1-617-876-1400 (24 hours)

+1-800-354-5414

1 000

Contact:

The first date of preparation 03/29/2012

Number of revision times and the latest revision date 1.0 / 11/30/2023

■ USGHS

A3