

SAFETY DATA SHEET

1. Identification

Product identifier	PERM-A-BARRIER HRA
Other means of identification	
Synonyms	Hot Applied Waterproofing Membrane
Recommended use	Hot applied waterproofing for buried application
Recommended restrictions	No other uses are advised.
Manufacturer/Importer/Supplier/	Distributor information
Manufacturer	
Company name	GCP Applied Technologies
Address	2325 Lakeview Pkwy
	Alpharetta, GA 30009
	United States
Telephone	+1 866-333-3726
E-mail	Not available.
Emergency phone number	3E Global Incident Hotline
	1 760 476 3962
	1 866 519 4752 (Toll Free)

Access Code: 336250

2. Hazard(s) identification

Physical hazards	Not classified.
Health hazards	Not classified.
Environmental hazards	Not classified.
OSHA defined hazards	Not classified.
Label elements	
Hazard symbol	None.
Signal word	None.
Hazard statement	The product does not meet the criteria for classification.
Precautionary statement	
Prevention	Observe good industrial hygiene practices.
Response	Take off contaminated clothing and wash it before reuse.
Storage	Store away from incompatible materials.
Disposal	Dispose of waste and residues in accordance with local authority requirements.
Hazard(s) not otherwise classified (HNOC)	None known.
Supplemental information	None.

3. Composition/information on ingredients

Mixtures			
Chemical name	Common name and synonyms	CAS number	%
Asphalt		8052-42-4	40 - 70
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC		64742-52-5	0 - 25
Composition comments	The exact concentrations of the above listed All concentrations are in percent by weight. In non-respirable form of the product.		
4. First-aid measures			
Inhalation	Move to fresh air. Call a physician if sympton	ns develop or persist.	
Material name: DEBM & PARRIER U	۸ د		0.00

Skin contact	Wash off with soap and water. Get medical attention if irritation develops and persists.
Eye contact	Rinse with water. Get medical attention if irritation develops and persists.
Ingestion	Rinse mouth. Get medical attention if symptoms occur.
Most important symptoms/effects, acute and delayed	Direct contact with eyes may cause temporary irritation.
Indication of immediate medical attention and special treatment needed	Treat symptomatically.
General information	Ensure that medical personnel are aware of the material(s) involved, and take precautions to protect themselves.

5. Fire-fighting measures

Suitable extinguishing media Unsuitable extinguishing media	Foam. Dry powder. Carbon dioxide (CO2). Do not use water jet as an extinguisher, as this will spread the fire.
Specific hazards arising from the chemical	During fire, gases hazardous to health may be formed.
Special protective equipment and precautions for firefighters	Self-contained breathing apparatus and full protective clothing must be worn in case of fire.
Fire fighting equipment/instructions	Move containers from fire area if you can do so without risk.
Specific methods General fire hazards	Use standard firefighting procedures and consider the hazards of other involved materials. No unusual fire or explosion hazards noted.

6. Accidental release measures

Personal precautions, protective equipment and emergency procedures	Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.
Methods and materials for containment and cleaning up	Stop the flow of material, if this is without risk. Following product recovery, flush area with water. For waste disposal, see section 13 of the SDS.
Environmental precautions	Avoid discharge into drains, water courses or onto the ground.

7. Handling and storage

Precautions for safe handling	Avoid prolonged exposure. Observe good industrial hygiene practices.
Conditions for safe storage, including any incompatibilities	Store in tightly closed container. Store away from incompatible materials (see Section 10 of the SDS).

8. Exposure controls/personal protection

Occupational exposure limits

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

Components	Туре	Contaminants (29 CFR 1910. Value	Form
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5)	PEL	5 mg/m3	Mist.
		2000 mg/m3	
		500 ppm	
US. ACGIH Threshold Limit Value	s (TLV)		
	s (TLV) Type	Value	Form
US. ACGIH Threshold Limit Value Components Asphalt (CAS 8052-42-4)	· · /	Value 0.5 mg/m3	Form Inhalable fume.

NIOSH. Immediately Dang Components	gerous to Life or Healt Type			Value	
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5)	IDLŀ	1		2500 mg/m3	
US. NIOSH: Pocket Guide Components	e to Chemical Hazards Type		-	ts (REL) Value	Form
Asphalt (CAS 8052-42-4)	Ceili	ing		5 mg/m3	Fume.
DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5)	Ceili	ing		1800 mg/m3	
	STE	L		10 mg/m3	Mist.
iological limit values ACGIH Biological Exposu Components	ıre Indices (BEI) Value	Determinant	Specimen	Sampling T	ïme
Asphalt (CAS 8052-42-4)	2.5 µg/l	1-Hydroxypyre ne, with hydrolysis (1-HP)	Urine	*	
* - For sampling details, ple	ease see the source do	· · · ·			
ppropriate engineering ontrols	applicable, use pro maintain airborne l	ocess enclosures, lo	cal exhaust v nended expos	entilation, or othe sure limits. If expo	matched to conditions. If r engineering controls to sure limits have not been
dividual protection measure	s, such as personal p	protective equipme	nt		
Eye/face protection	Wear safety glasse	es with side shields	(or goggles).		
Skin protection Hand protection	Wear appropriate o gloves.	chemical resistant g	loves. When	handling hot mate	rial, use heat resistant
Other	Wear appropriate of	Wear appropriate chemical resistant clothing. Use of an impervious apron is recommended.			
Respiratory protection	In case of insufficie	ent ventilation, wear	suitable resp	iratory equipment	
Thermal hazards	Wear appropriate t	thermal protective cl	othing, when	necessary.	
eneral hygiene onsiderations		drinking, and/or smo			after handling the materia othing and protective
. Physical and chemica	I properties				
ppearance					
Physical state	Solid.				
Form	Solid.				

Physical state	Solid.
Form	Solid.
Color	Dark brown. Black.
Odor	Burnt Tar.
Odor threshold	Not available.
рН	Not available.
Melting point/freezing point	150 - 250 °F (65.56 - 121.11 °C) ASTM D36 Softening Point
Initial boiling point and boiling range	>800 °F (>426.67 °C)
Flash point	>400.0 °F (>204.4 °C)
Evaporation rate	Not available.
Flammability (solid, gas)	Not available.
Upper/lower flammability or exp	losive limits
Explosive limit - lower (%)	Not available.

ot available. ot available. ot available. ot available.
ot available. ot available.
ot available.
ot available.
ot available.
ot available.
700 °F (>371.11 °C)
ot available.
ot available.
ot explosive.
ot oxidizing.
%
- 1.9
0 0 %

10. Stability and reactivity

Reactivity	The product is stable and non-reactive under normal conditions of use, storage and transport.
Chemical stability	Material is stable under normal conditions.
Possibility of hazardous reactions	No dangerous reaction known under conditions of normal use.
Conditions to avoid	Contact with incompatible materials.
Incompatible materials	Strong oxidizing agents.
Hazardous decomposition products	No hazardous decomposition products are known.

11. Toxicological information

Information on likely routes of exposure

internation on intery realed of	
Inhalation	Prolonged inhalation may be harmful.
Skin contact	No adverse effects due to skin contact are expected. Thermal burn hazard - contact with hot material may cause thermal burns.
Eye contact	Direct contact with eyes may cause temporary irritation.
Ingestion	Expected to be a low ingestion hazard.
Symptoms related to the physical, chemical and toxicological characteristics	Direct contact with eyes may cause temporary irritation.

Information on toxicological effects

Acute toxicity Not known.

Components	Species	Test Results	
Asphalt (CAS 8052-42-4)			
<u>Acute</u>			
Dermal			
LD50	Rabbit	> 2000 mg/kg	
Oral			
LD50	Rat	> 5000 mg/kg	
Skin corrosion/irritation	Prolonged skin contact may cause temporary irritation.		
Serious eye damage/eye irritation	Due to partial or complete lack of data the classification is not possible.		
Respiratory or skin sensitizatio	n		
Respiratory sensitization	Due to partial or complete la	ck of data the classification is not possible.	
Skin sensitization	Due to partial or complete lac	ck of data the classification is not possible.	

Germ cell mutagenicity	No data available to indicate p mutagenic or genotoxic.	product or any components present at greater than 0.1% are		
Carcinogenicity	Reference to chemical component(s) listed are based on unbound respirable particles and are not generally applicable to product as supplied.			
IARC Monographs. Overall Evaluation of Carcinogenicity				
Asphalt (CAS 8052-42-4) DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5)		2B Possibly carcinogenic to humans. 3 Not classifiable as to carcinogenicity to humans.		
OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)				
Not listed. US. National Toxicology Program (NTP) Report on Carcinogens				
Asphalt (CAS 8052-42-4)		Known To Be Human Carcinogen.		
Reproductive toxicity	This product is not expected to	o cause reproductive or developmental effects.		
Specific target organ toxicity - single exposure	Due to partial or complete lack	< of data the classification is not possible.		
Specific target organ toxicity - repeated exposure	Due to partial or complete lack	< of data the classification is not possible.		
Aspiration hazard	Due to partial or complete lack	 of data the classification is not possible. 		
Chronic effects	Prolonged inhalation may be harmful. Prolonged exposure may cause chronic effects.			
Further information	This product has no known ad	verse effect on human health.		

12. Ecological information

Ecotoxicity	The product is not classified as environmentally hazardous. However, this does not exclude the possibility that large or frequent spills can have a harmful or damaging effect on the environment.
Persistence and degradability	No data is available on the degradability of any ingredients in the mixture.
Bioaccumulative potential	No data available.
Mobility in soil	No data available.
Other adverse effects	No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

Disposal instructions	Collect and reclaim or dispose in sealed containers at licensed waste disposal site.
Local disposal regulations	Dispose in accordance with all applicable regulations.
Hazardous waste code	The waste code should be assigned in discussion between the user, the producer and the waste disposal company.
Waste from residues / unused products	Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see: Disposal instructions).
Contaminated packaging	Since emptied containers may retain product residue, follow label warnings even after container is emptied. Empty containers should be taken to an approved waste handling site for recycling or disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

Not regulated as dangerous goods.

IMDG

Not regulated as dangerous goods.

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

15. Regulatory information

US federal regulations

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard Communication Standard, 29 CFR 1910.1200.

Toxic Substances Control Act (TSCA)

All components of the mixture on the TSCA 8(b) inventory are designated "active".

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D) Not regulated. CERCLA Hazardous Substance List (40 CFR 302.4) Not listed. SARA 304 Emergency release notification Not regulated. OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053) Not listed. Superfund Amendments and Reauthorization Act of 1986 (SARA) SARA 302 Extremely hazardous substance Not listed. SARA 311/312 Hazardous Yes chemical **Classified hazard** Skin corrosion or irritation Germ cell mutagenicity categories Carcinogenicity Reproductive toxicity SARA 313 (TRI reporting) Not regulated. Other federal regulations Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List Asphalt (CAS 8052-42-4) Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130) Not regulated. Safe Drinking Water Act Not regulated. (SDWA) US state regulations US. California. Candidate Chemicals List. Safer Consumer Products Regulations (Cal. Code Regs, tit. 22, 69502.3, subd. (a)) Asphalt (CAS 8052-42-4) DISTILLATES (PETROLEUM), HYDROTREATED HEAVY NAPHTHENIC (CAS 64742-52-5) **California Proposition 65** WARNING: This product can expose you to Asphalt, which is known to the State of California to cause cancer. For more information go to www.P65Warnings.ca.gov. California Proposition 65 - CRT: Listed date/Carcinogenic substance Asphalt (CAS 8052-42-4) Listed: January 1, 1990 International Inventories Country(s) or region Inventory name On inventory (yes/no)* Australia Australian Inventory of Industrial Chemicals (AICIS) Canada Domestic Substances List (DSL) Canada Non-Domestic Substances List (NDSL) China Inventory of Existing Chemical Substances in China (IECSC) Europe European Inventory of Existing Commercial Chemical Substances (EINECS) Europe European List of Notified Chemical Substances (ELINCS)

No Inventory of Existing and New Chemical Substances (ENCS) Japan Yes Korea Existing Chemicals List (ECL) Yes New Zealand New Zealand Inventory Yes Philippines Philippine Inventory of Chemicals and Chemical Substances Yes (PICCS) Taiwan Chemical Substance Inventory (TCSI) Taiwan Yes Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

Yes

Yes

No

Yes

Yes

16. Other information, including date of preparation or last revision

available.

Issue date	02-26-2024
Version #	01
Disclaimer	GCP Applied Technologies cannot anticipate all conditions under which this information and its product, or the products of other manufacturers in combination with its product, may be used. It is the user's responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the sheet was written based on the best knowledge and experience currently