

Printing date 01/24/2025

Version Number 1.1

Reviewed on 01/24/2025

1 Identification **Product identifier** Trade name: Eliminator Part B Yellow **SDS ID Number: 80108** Relevant identified uses of the substance or mixture, and uses advised against: Specialty construction product. Not intended for other uses. Relevant identified uses of the substance or mixture: Waterproofing Identified uses advised against: Details of the supplier of the safety data sheet Manufacturer/Supplier: GCP Applied Technologies (UK) Ltd (formerly Stirling Lloyd Polychem Ltd) Gateway Gate Street Dukinfield **SK16 4RU** UNITED KINGDOM T: +44 (0)1565 633111 (Technical/Commercial enquiries) F: +44 (0)1565 633555 ****** De Neef Construction Chemicals BVBA Industriepark 8, 2220 Heist-op-den-Berg, Belgium. Tel: +32 15 24 93 60 Fax: +32 15 24 80 72 Information department: APMSDS@gcpat.com **Emergency telephone number:** For Chemical Emergency: (Spill, Leak, Fire, Exposure or Accident) - Call CHEMTREC (Day/Night) on: Within USA & Canada : 800-424-9300, Outside USA & Canada : +1 703-741-5970 2 Hazard(s) identification Classification of the substance or mixture

Highly flammable liquid and vapor.

Causes skin irritation.

May cause an allergic skin reaction.

Page 1/10

Printing date 01/24/2025

Version Number 1.1

Reviewed on 01/24/2025

Trade name: Eliminator Part B Yellow

(Cont. from page 1)

May cause respiratory irritation.

Label elements: The product is classified and labeled according to the Globally Harmonized System (GHS)

Hazard pictograms



Signal word Danger

Hazard statements

Highly flammable liquid and vapor. Causes skin irritation. May cause an allergic skin reaction. May cause respiratory irritation.

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Call a poison center/doctor if you feel unwell.

If skin irritation or rash occurs: Get medical advice/attention.

Take off contaminated clothing and wash it before reuse.

Store in a well-ventilated place. Keep cool.

Hazard description: Flammable NFPA ratings (scale 0 - 4)



HMIS-ratings (scale 0 - 4)

HEALTH2Health = 2FIRE3Flammability = 3REACTIVITY0Reactivity = 0

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixture

Description: Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

Hazardous components:

80-62-6 Methyl methacrylate

30)-<,	40	1%

(Cont. on page 3)

Printing date 01/24/2025

Version Number 1.1

Reviewed on 01/24/2025

Trade name: Eliminator Part B Yellow

97-88-1 n-butyl methacrylate

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

4 First-aid measures

Description of first aid measures

General information: Get medical advice/attention if you feel unwell.

After inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

After skin contact: Wash with plenty of soap and water.

After eye contact: Rinse cautiously with water for several minutes.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Information for doctor:

Most important symptoms and effects, both acute and delayed Allergic reactions

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents:

CO2, extinguishing powder or water spray. Fight larger fire with alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: Water with full jet

Special hazards arising from the substance or mixture No further relevant information available.

Advice for firefighters

Protective equipment: Wear self-contained respiratory protective device.

Additional information

Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

(Cont. on page 4)

Version Number 1.1

Trade name: Eliminator Part B Yellow

(Cont. from page 3)

Reviewed on 01/24/2025

Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Prevent formation of aerosols.

Flammable mixtures with air can be formed in emptied containers. Do not puncture, cut, drill, heat or weld uncleaned drums.

Do not eat, drink or smoke when using this product.

Keep only in original container.

Use only outdoors or in a well-ventilated area.

Information about protection against explosions and fires:



Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Use explosion-proof apparatus / fittings and spark-proof tools.

Empty containers may retain hazardous residue, both liquid and vapor.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

Ground/bond container and receiving equipment.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Store in a cool location.

Further information about storage conditions:

Keep receptacle tightly sealed.

Protect from frost.

Store in a dry place.

Keep cool.

Specific end use(s) No further relevant information available.

USGHS (Cont. on page 5)

(Cont. from page 4)

Reviewed on 01/24/2025

Trade name: *Eliminator Part B Yellow*

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see section 7.

Control parameters

Components with limit values that require monitoring at the workplace:			
80-62-6 Meth	80-62-6 Methyl methacrylate		
EL (Canada)	Short-term value: 100 ppm Long-term value: 50 ppm S(D)		
EV (Canada)	Short-term value: 100 ppm Long-term value: 50 ppm		
PEL (USA)	Long-term value: 410 mg/m³, 100 ppm		
REL (USA)	Long-term value: 410 mg/m³, 100 ppm		
TLV (USA)	Short-term value: 100 ppm Long-term value: 50 ppm DSEN, A4		
97-88-1 n-bu	tyl methacrylate		
EL (Canada)	Long-term value: 50 ppm		

Additional information:

The lists that were valid during the creation were used as basis. Canadian employers must consult the exposure limits in their province.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Breathing equipment:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Protective gloves.

Material of gloves

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Safety glasses with side shield protection.

(Cont. on page 6)

Version Number 1.1

Reviewed on 01/24/2025

Trade name: Eliminator Part B Yellow

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing.

9 Physical and chemical proper	rties
Information on basic physical	I and chemical properties
General Information Appearance: Form: Color: Odor:	Viscous liquid Yellow Characteristic
Odor threshold:	Not determined.
pH-value (~):	Not determined.
Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point:	Undetermined. ~100 °C (~212 °F) ~16 °C (~60.8 °F)
Flammability (solid, gaseous):	Highly flammable.
Auto igniting:	~430 °C (~806 °F)
Decomposition temperature: Ignition temperature: Danger of explosion: Lower: Upper:	Not determined. Not determined. In use, may form flammable/explosive vapor-air mixture. 2 Vol % 13 Vol %
Vapor pressure: Density: (~) Relative density Vapor density Evaporation rate	Not determined. Not determined. ~1.1 Not determined. Not determined.
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/wate	er): Not determined.
Viscosity: Dynamic: Kinematic: Molecular weight	Not determined. Not determined. Not determined.
Other information	No further relevant information available.

10 Stability and reactivity

Reactivity Will exothermically polymerize in the presence of initiators.

Chemical stability Stable in the presence of inhibitor.

(Cont. from page 5)

Printing date 01/24/2025

Version Number 1.1

Reviewed on 01/24/2025

Trade name: Eliminator Part B Yellow

(Cont. from page 6)

Thermal decomposition: No decomposition if used according to specifications.

Possibility of hazardous reactions

Susceptible to polymerization initiated by prolonged storage or the presence of catalyst.

Conditions to avoid Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Incompatible materials:

Polymerization catalysts, such as peroxy or azo compounds, strong acids, alkalis and oxidizing agents. Oxides and salts of

transition metals. Organic Nitrogen containing compounds. Cyclohexanone/Cyclohexenol tautomer.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

Information on toxicological effects

Acute tox	icity:		
LD/LC50	alues rele	evant for classification:	
97-88-1 n-	butyl met	hacrylate	
Dermal	LD50	22,600 mg/kg (rat)	
	LD50	11,300 mg/kg (rabbit)	
Inhalation	LC50, 4h	4,910 mg/l (rat)	
Primary ir	ritant effe	ct:	
on the ski	i n: Causes	skin irritation.	
on the eye	e: No irritat	ting effect expected	
inhalation	: May cau	se respiratory irritation.	
Sensitizat	t ion: May o	cause an allergic skin reaction.	
Additiona	l toxicolog	gical information:	
Carcinoge			
		Agency for Research on Cancer) Human Carcinogenicity: Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable	
80-62-6 N	lethyl meth	nacrylate	3
97-88-1 n	-butyl meth	nacrylate	2B
		cology Program) cinogenic, R–May reasonably be anticipated to be carcinogenic	
None of th	e ingredier	nts are listed.	
	<u>\</u>	ional Safety & Health Administration)	
None of th	e ingredier	nts are listed.	

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

(Cont. on page 8) USGHS

Printing date 01/24/2025

Version Number 1.1

Reviewed on 01/24/2025

Trade name: Eliminator Part B Yellow

(Cont. from page 7)

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes: Not known to be hazardous to water.

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

13 Disposal considerations

Disposal methods:

Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation:

Dispose of contents/container in accordance with local/regional/national/international regulations.

Transport information		
UN-Number DOT, IMDG, IATA	UN1866	
UN proper shipping name DOT IMDG, IATA	Resin solution RESIN SOLUTION	
Transport hazard class(es)		
DOT		
RAMMARE LOOD		
Class	3 Flammable liquids	
Label	3	

Version Number 1.1

Reviewed on 01/24/2025

Trade name: Eliminator Part B Yellow

IMDG, IATA		
Class Label	3 Flammable liquids 3	
Packing group DOT, IMDG, IATA	II	
Environmental hazards:	Not applicable.	
Special precautions for user Hazard identification number (Kemler code) EMS Number: Stowage Category	Warning: Flammable liquids : 33 F-E, <u>S-E</u> B	
Transport/Additional information:		
IMDG Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E2 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml	
Regulatory information		

Section 302/304 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

80-62-6 Methyl methacrylate

SARA Section 312/Tier I & II Hazard Categories:

Physical Hazard - Flammable (gases, aerosols, liquids, or solids)

Health Hazard - Skin Corrosion or Irritation

Health Hazard - Respiratory or Skin Sensitization

Health Hazard - Specific target organ toxicity (single or repeated exposure)

North America Chemical Inventory Status

TSCA (Toxic Substances Control Act - United States):

All ingredients are listed or exempt from listing unless otherwise noted below.

CEPA (Canadian DSL):

All ingredients are listed or exempt from listing unless otherwise noted below.

Right to Know Ingredient Disclosure:

Proprietary Polyurethane Polymer - NJTSN801416143

1317-65-3 Calcium carbonate

112945-52-5 Amorphous Silica Dioxide

(Cont. on page 10)

33.2%

USGHS

Printing date 01/24/2025

Version Number 1.1

Reviewed on 01/24/2025

Trade name: Eliminator Part B Yellow

(Cont. from page 9)

A4

USGHS

California Proposition 65: (Substances <0.1% unless noted in Section 3)

Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Carcinogenicity Categories

TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)

Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable

Methyl methacrylate

NIOSH-Cancer (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

Volatile Organic Compounds (VOC) reported per the Emission Standards.

If no g/L value is provided this product is not subject to above standard.

16 Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Department issuing SDS:

Product Stewardship Department GCP Applied Technologies (UK) Limited 487/488 Ipswich Road, Slough, Berkshire SL1 4EP

Tel: +44 (0)1753 490 000 GCP Applied Technologies 2325 Lakeview Pkwy Alpharetta GA, 30009 USA USA: +1-617-876-1400 (24 hours) +1-800-354-5414

The first date of preparation 03/09/2023

Number of revision times and the latest revision date 1.1 / 01/24/2025