## SAFETY DATA SHEET



1. Identification

Product identifier Bituthene HRA Protection G

Other means of identification

Synonyms Flintlastic Base 20

Recommended use Modified bitumen protection membrane for hot rubber systems

Recommended restrictions None known.

Manufacturer/Importer/Supplier/Distributor information

Manufacturer

Company name GCP

Address 20 Moores Rd.

Malvern, PA 19355

**United States** 

Telephone +1 866-333-3726
Website www.gcpat.com
E-mail Not available.

Emergency phone number 3E Global Incident Hotline

1 760 476 3962

1 866 519 4752 (Toll Free) Access Code: 336250

## 2. Hazard(s) identification

Physical hazards Not classified.

Health hazards Not classified.

Environmental hazards Not classified.

OSHA defined hazards Not classified.

Label elements

Hazard symbol None.
Signal word None.

**Hazard statement** The product does not meet the criteria for classification.

**Precautionary statement** 

**Prevention** Observe good industrial hygiene practices.

**Response** Wash hands after handling.

**Storage** Store away from incompatible materials.

**Disposal** Dispose of waste and residues in accordance with local authority requirements.

Hazard(s) not otherwise

classified (HNOC)

None known.

Supplemental information None.

### 3. Composition/information on ingredients

#### **Mixtures**

Chemical name	Common name and synonyms	CAS number	%
Asphalt		8052-42-4	25 - 55
Quartz		14808-60-7	5 - 35

Material name: Bituthene HRA Protection G 6656 Version #: 01 Issue date: 05-12-2025

The exact concentrations of the above listed chemicals are being withheld as a trade secret. Composition comments

All concentrations are in percent by weight.

Non-classification as a carcinogen is based on the non-respirable form of the product.

### 4. First-aid measures

Inhalation Move to fresh air. Call a physician if symptoms develop or persist.

Skin contact Wash off with soap and water. Get medical attention if irritation develops and persists.

Eye contact Rinse with water. Get medical attention if irritation develops and persists.

Ingestion Rinse mouth. Get medical attention if symptoms occur.

Coughing.

Most important

symptoms/effects, acute and

delayed

Indication of immediate medical

attention and special treatment needed

General information

Treat symptomatically.

Ensure that medical personnel are aware of the material(s) involved, and take precautions to

protect themselves.

## 5. Fire-fighting measures

Foam. Dry powder. Carbon dioxide (CO2). Suitable extinguishing media

Unsuitable extinguishing media Do not use water jet as an extinguisher, as this will spread the fire.

Specific hazards arising from

the chemical

During fire, gases hazardous to health may be formed.

Special protective equipment and precautions for firefighters Self-contained breathing apparatus and full protective clothing must be worn in case of fire.

Fire fighting

equipment/instructions

Move containers from fire area if you can do so without risk.

Specific methods Use standard firefighting procedures and consider the hazards of other involved materials.

General fire hazards No unusual fire or explosion hazards noted.

### 6. Accidental release measures

Personal precautions, protective equipment and emergency procedures

Keep unnecessary personnel away. For personal protection, see section 8 of the SDS.

Methods and materials for containment and cleaning up Stop the flow of material, if this is without risk. Following product recovery, flush area with water.

Value

Value

For waste disposal, see section 13 of the SDS. The product is insoluble in water.

**Environmental precautions** Avoid discharge into drains, water courses or onto the ground.

### 7. Handling and storage

Precautions for safe handling

Avoid prolonged exposure. Observe good industrial hygiene practices.

Conditions for safe storage. including any incompatibilities Store in a dry place. Store in a well-ventilated place.

## 8. Exposure controls/personal protection

## Occupational exposure limits

Components

Components

The following constituents are the only constituents of the product which have a PEL, TLV or other recommended exposure limit. At this time, the other constituents have no known exposure limits.

### US. OSHA Table Z-1 Permissible Exposure Limits (PEL) for Air Contaminants (29 CFR 1910.1000)

Quartz (CAS 14808-60-7)	PEL	0.05 mg/m3	Respirable dust.		
US. OSHA Table Z-3 Permissible Exposure Limits (PEL) for Mineral Dusts (29 CFR 1910.1000)					

Type

Type

Quartz (CAS 14808-60-7) **TWA** 0.1 mg/m3 Respirable. 2.4 mppcf Respirable.

Material name: Bituthene HRA Protection G 6656 Version #: 01 Issue date: 05-12-2025 **Form** 

**Form** 

**US. ACGIH Threshold Limit Values (TLV)** 

ComponentsTypeValueFormAsphalt (CAS 8052-42-4)TWA0.5 mg/m3Inhalable fume.Quartz (CAS 14808-60-7)TWA0.025 mg/m3Respirable fraction.

NIOSH. Immediately Dangerous to Life or Health (IDLH) Values, as amended

 Components
 Type
 Value

 Quartz (CAS 14808-60-7)
 IDLH
 50 mg/m3

US. NIOSH: Pocket Guide to Chemical Hazards Recommended Exposure Limits (REL)

 Components
 Type
 Value
 Form

 Asphalt (CAS 8052-42-4)
 Ceiling
 5 mg/m3
 Fume.

Quartz (CAS 14808-60-7) TWA 0.05 mg/m3 Respirable dust.

### **Biological limit values**

**ACGIH Biological Exposure Indices (BEI)** 

Components	Value	Determinant	Specimen	Sampling Time
Asphalt (CAS 8052-42-4)	2.5 µg/l	1-Hydroxypyren e, with hydrolysis (1-HP)	Urine	*

<sup>\* -</sup> For sampling details, please see the source document.

# Appropriate engineering controls

Good general ventilation should be used. Ventilation rates should be matched to conditions. If applicable, use process enclosures, local exhaust ventilation, or other engineering controls to maintain airborne levels below recommended exposure limits. If exposure limits have not been established, maintain airborne levels to an acceptable level.

### Individual protection measures, such as personal protective equipment

**Eye/face protection** Wear safety glasses with side shields (or goggles).

Skin protection

**Hand protection** Wear appropriate chemical resistant gloves.

Other Wear suitable protective clothing.

**Respiratory protection** In case of insufficient ventilation, wear suitable respiratory equipment.

**Thermal hazards** Wear appropriate thermal protective clothing, when necessary.

General hygiene considerations Always observe good personal hygiene measures, such as washing after handling the material

and before eating, drinking, and/or smoking. Routinely wash work clothing and protective

equipment to remove contaminants.

### 9. Physical and chemical properties

### **Appearance**

Physical state Solid.
Form Solid.
Color Black

Odor Petroleum-like.
Odor threshold Not available.
pH Not available.
Melting point/freezing point Not available.
Initial boiling point and boiling Not available.

range

Flash point

Evaporation rate

Flammability (solid, gas)

Not available.

Not available.

Upper/lower flammability or explosive limits

Explosive limit - lower (%) Not available.

Explosive limit - upper (%) Not available. Vapor pressure Not available. Vapor density Not available. Relative density Not available.

Solubility(ies)

Solubility (water) Insoluble Partition coefficient Not available.

(n-octanol/water)

Not available. **Auto-ignition temperature** Not available. **Decomposition temperature Viscosity** Not available.

Other information

**Explosive properties** Not explosive.

**Explosivity** Product does not present an explosion hazard.

Oxidizing properties Not oxidizing.

## 10. Stability and reactivity

Reactivity The product is stable and non-reactive under normal conditions of use, storage and transport.

**Chemical stability** Material is stable under normal conditions.

Possibility of hazardous

reactions

No dangerous reaction known under conditions of normal use.

Conditions to avoid Contact with incompatible materials.

Powerful oxidizers. Chlorine. Incompatible materials

Hazardous decomposition

products

No hazardous decomposition products are known.

## 11. Toxicological information

Information on likely routes of exposure

Inhalation Under normal conditions of intended use, this material is not expected to be an inhalation

hazard.

Skin contact No adverse effects due to skin contact are expected. Eye contact Direct contact with eyes may cause temporary irritation.

Ingestion Expected to be a low ingestion hazard.

Symptoms related to the physical, chemical and toxicological characteristics Not available.

Information on toxicological effects

**Acute toxicity** Not known.

**Test Results** Components **Species** 

Asphalt (CAS 8052-42-4)

**Acute** 

Dermal

LD50 Rabbit > 2000 mg/kg

Oral

LD50 Rat > 5000 mg/kg

Skin corrosion/irritation Due to partial or complete lack of data the classification is not possible. Serious eye damage/eye

irritation

Due to partial or complete lack of data the classification is not possible.

Respiratory or skin sensitization

Respiratory sensitization Due to partial or complete lack of data the classification is not possible. **Skin sensitization** Due to partial or complete lack of data the classification is not possible.

Germ cell mutagenicity Due to partial or complete lack of data the classification is not possible.

Carcinogenicity Reference to chemical component(s) listed are based on unbound respirable particles and are

not generally applicable to product as supplied.

IARC Monographs. Overall Evaluation of Carcinogenicity

Asphalt (CAS 8052-42-4) 2B Possibly carcinogenic to humans.

Quartz (CAS 14808-60-7) 1 Carcinogenic to humans.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Quartz (CAS 14808-60-7) Cancer

US. National Toxicology Program (NTP) Report on Carcinogens

Asphalt (CAS 8052-42-4) Known To Be Human Carcinogen. Quartz (CAS 14808-60-7) Known To Be Human Carcinogen.

**Reproductive toxicity**Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

single exposure

Due to partial or complete lack of data the classification is not possible.

Specific target organ toxicity -

repeated exposure

Not classified.

**Aspiration hazard**Due to partial or complete lack of data the classification is not possible.

**Chronic effects** Not expected to be hazardous by OSHA criteria.

12. Ecological information

**Ecotoxicity** The product is not classified as environmentally hazardous. However, this does not exclude the

possibility that large or frequent spills can have a harmful or damaging effect on the environment.

Persistence and degradability No data is available on the degradability of any ingredients in the mixture.

Bioaccumulative potential No data available.

Mobility in soil No data available.

Other adverse effects No other adverse environmental effects (e.g. ozone depletion, photochemical ozone creation

potential, endocrine disruption, global warming potential) are expected from this component.

13. Disposal considerations

**Disposal instructions**Collect and reclaim or dispose in sealed containers at licensed waste disposal site.

**Local disposal regulations** Dispose in accordance with all applicable regulations.

Hazardous waste code The waste code should be assigned in discussion between the user, the producer and the

waste disposal company.

Waste from residues / unused

products

Dispose of in accordance with local regulations. Empty containers or liners may retain some product residues. This material and its container must be disposed of in a safe manner (see:

Disposal instructions).

**Contaminated packaging** Since emptied containers may retain product residue, follow label warnings even after container

is emptied. Empty containers should be taken to an approved waste handling site for recycling or

disposal.

14. Transport information

DOT

Not regulated as dangerous goods.

**IATA** 

Not regulated as dangerous goods.

**IMDG** 

Not regulated as dangerous goods.

Transport in bulk according to Not applicable.

Annex II of MARPOL 73/78 and

the IBC Code

Material name: Bituthene HRA Protection G 6656 Version #: 01 Issue date: 05-12-2025

## 15. Regulatory information

This product is not known to be a "Hazardous Chemical" as defined by the OSHA Hazard US federal regulations

Communication Standard, 29 CFR 1910.1200.

"active".

TSCA Section 12(b) Export Notification (40 CFR 707, Subpt. D)

Not regulated.

**Toxic Substances Control Act (TSCA)** 

**CERCLA Hazardous Substance List (40 CFR 302.4)** 

Not listed.

SARA 304 Emergency release notification

Not regulated.

OSHA Specifically Regulated Substances (29 CFR 1910.1001-1053)

Quartz (CAS 14808-60-7)

lung effects

immune system effects

All components of the mixture on the TSCA 8(b) inventory are designated

kidney effects

Superfund Amendments and Reauthorization Act of 1986 (SARA)

Nο

SARA 302 Extremely hazardous substance

Not listed.

SARA 311/312 Hazardous

chemical

SARA 313 (TRI reporting)

Not regulated.

Other federal regulations

Clean Air Act (CAA) Section 112 Hazardous Air Pollutants (HAPs) List

Asphalt (CAS 8052-42-4)

Clean Air Act (CAA) Section 112(r) Accidental Release Prevention (40 CFR 68.130)

Not regulated.

Safe Drinking Water Act

Not regulated.

(SDWA)

**US** state regulations

**California Proposition 65** 



WARNING: This product can expose you to chemicals including Asphalt, which is known to the State of

California to cause cancer. For more information go to www.P65Warnings.ca.gov.

## California Proposition 65 - CRT: Listed date/Carcinogenic substance

Asphalt (CAS 8052-42-4) Listed: January 1, 1990 Quartz (CAS 14808-60-7) Listed: October 1, 1988

## **International Inventories**

Country(s) or region	Inventory name	On inventory (yes/no)*
Australia	Australian Inventory of Industrial Chemicals (AICIS)	Yes
Canada	Domestic Substances List (DSL)	Yes
Canada	Non-Domestic Substances List (NDSL)	No
China	Inventory of Existing Chemical Substances in China (IECSC)	Yes
Europe	European Inventory of Existing Commercial Chemical Substances (EINECS)	Yes
Europe	European List of Notified Chemical Substances (ELINCS)	No
Japan	Inventory of Existing and New Chemical Substances (ENCS)	Yes
Korea	Existing Chemicals List (ECL)	Yes
New Zealand	New Zealand Inventory	Yes
Philippines	Philippine Inventory of Chemicals and Chemical Substances (PICCS)	Yes

Material name: Bituthene HRA Protection G

Country(s) or region Inventory name On inventory (yes/no)\*

Taiwan Taiwan Chemical Substance Inventory (TCSI) Yes

United States & Puerto Rico Toxic Substances Control Act (TSCA) Inventory

Yes

\*A "Yes" indicates that all components of this product comply with the inventory requirements administered by the governing country(s) A "No" indicates that one or more components of the product are not listed or exempt from listing on the inventory administered by the governing country(s).

## 16. Other information, including date of preparation or last revision

**Issue date** 05-12-2025

Version # 01

**Disclaimer** GCP cannot anticipate all conditions under which this information and its product, or the products

of other manufacturers in combination with its product, may be used. It is the user's

responsibility to ensure safe conditions for handling, storage and disposal of the product, and to assume liability for loss, injury, damage or expense due to improper use. The information in the

sheet was written based on the best knowledge and experience currently available.

Material name: Bituthene HRA Protection G 6656 Version #: 01 Issue date: 05-12-2025