



Printing Date: 05.07.2023 Version Number: 1.1 (replaces version 1.0) Revision Date: 05.07.2023

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier:

Trade name: SAFETRACK MTI (HM) NEUTRAL

UFI: 86G1-E0VM-C00D-QCAM

1.2 Relevant identified uses of the substance or mixture, and uses advised against:

Relevant identified uses of the substance or mixture: Waterproofing. Identified uses advised against: No further relevant information available.

1.3 Details of the supplier of the safety data sheet:

Manufacturer/supplier:

GCP Applied Technologies (UK) Ltd (formerly Stirling Lloyd Polychem Ltd) Gateway Gate Street Dukinfield SK16 4RU UNITED KINGDOM

T: +44 (0)1565 633111 (Technical/Commercial enquiries)

F: +44 (0)1565 633555

De Neef Construction Chemicals BVBA Industriepark 8, 2220 Heist-op-den-Berg, Belgium.

Tel: +32 15 24 93 60 Fax: +32 15 24 80 72

1.4 Emergency telephone number:

For Chemical Emergency: (Spill, Leak, Fire, Exposure or Accident) - Call CHEMTREC (Day/Night) on:

Within USA & Canada: 800-424-9300, Outside USA & Canada: +1 703-741-5970

National emergency telephone number: CHEMTREC UK +(44)-870-8200418

For Chemical Emergency: (Spill, Leak, Fire, Exposure or Accident) - Call CHEMTREC (Day/Night) on:

Within USA & Canada: 800-424-9300, Outside USA & Canada: +1 703-741-5970

National emergency telephone number: CHEMTREC UK +(44)-870-8200418

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture:

Classification according to Regulation (EC) No 1272/2008

Flam. Liq. 2 H225 Highly flammable liquid and vapour.

Skin Irrit. 2 H315 Causes skin irritation.

Skin Sens. 1 H317 May cause an allergic skin reaction.

(Contd. on page 2)

Printing Date: 05.07.2023 Version Number: 1.1 (replaces version 1.0) **Revision Date: 05.07.2023**

Trade name: SAFETRACK MTI (HM) NEUTRAL

(Contd. of page 1)

2.2 Label elements:

Labelling according to Regulation (EC) No 1272/2008

The product is classified and labelled according to the GB CLP regulation.

Hazard pictograms





GHS02

GHS07

Signal word Danger

Hazard-determining components of labelling:

Methyl methacrylate n-butyl methacrylate 2-ethylhexyl acrylate

Hazard statements

H225 Highly flammable liquid and vapour.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

Precautionary statements

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

Wear protective gloves/protective clothing/eye protection/face protection/hearing protection. P280

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water [or shower].

P333+P313 If skin irritation or rash occurs: Get medical advice/attention. P362+P364 Take off contaminated clothing and wash it before reuse.

Hazard description: Flammable

2.3 Other hazards:

Results of PBT and vPvB assessment:

PBT: Not applicable. vPvB: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description:

Mixture of substances listed below with non-hazardous additions.

For further information, please refer to the product technical data sheet.

Dangerous components:				
CAS: 80-62-6 EINECS: 201-297-1 Index number: 607-035-00-6 Reg.nr.: 01-2119452498-28- XXXX	Methyl methacrylate Flam. Liq. 2, H225 Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	5-<10%		
CAS: 97-88-1 EINECS: 202-615-1 Index number: 607-033-00-5 Reg.nr.: 01-2119486394-28-XXXX	n-butyl methacrylate Flam. Liq. 3, H226 Skin Irrit. 2, H315; Eye Irrit. 2, H319; Skin Sens. 1, H317; STOT SE 3, H335	3-<5%		
CAS: 103-11-7 EINECS: 203-080-7 Index number: 607-107-00-7 Reg.nr.: 01-2119453158-37-XXXX	2-ethylhexyl acrylate Skin Irrit. 2, H315; Skin Sens. 1, H317; STOT SE 3, H335	1-<3%		
CAS: 38668-48-3 EINECS: 254-075-1 Reg.nr.: 01-2119980937-17-XXXX	1,1'-(p-tolylimino)dipropan-2-ol Acute Tox. 2, H300 Eye Irrit. 2, H319 Aquatic Chronic 3, H412	0.1-<0.3%		

Printing Date: 05.07.2023 Version Number: 1.1 (replaces version 1.0) Revision Date: 05.07.2023

Trade name: SAFETRACK MTI (HM) NEUTRAL

(Contd. of page 2)

SECTION 4: First aid measures

4.1 Description of first aid measures:

General information: Get medical advice/attention if you feel unwell.

After inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

After skin contact: Wash with plenty of soap and water.

After eye contact: Rinse cautiously with water for several minutes.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed: May cause sensitisation by skin contact.

4.3 Indication of any immediate medical attention and special treatment needed:

No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media:

Suitable extinguishing agents: CO2, extinguishing powder or water spray. Fight larger fire with alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: Water jet.

5.2 Special hazards arising from the substance or mixture: No further relevant information available.

5.3 Advice for firefighters:

Protective equipment: Wear self-contained respiratory protective device.

Additional information: Collect contaminated fire fighting water separately. It must not enter the sewage system.

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and emergency procedures:

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.

6.3 Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

6.4 Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling:

Flammable mixtures with air can be formed in emptied containers. Do not puncture, cut, drill, heat or weld uncleaned drums.

Do not eat, drink or smoke when using this product.

Store in a well-ventilated place. Keep container tightly closed.

Keep only in original packaging.

Use only outdoors or in a well-ventilated area.

(Contd. on page 4)

Printing Date: 05.07.2023 Version Number: 1.1 (replaces version 1.0) Revision Date: 05.07.2023

Trade name: SAFETRACK MTI (HM) NEUTRAL

(Contd. of page 3)

Information about fire - and explosion protection:



Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Use explosion-proof apparatus / fittings and spark-proof tools.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

Ground and bond container and receiving equipment.

7.2 Conditions for safe storage, including any incompatibilities:

STORAGE

Requirements to be met by storerooms and receptacles: Store in a cool location.

Further information about storage conditions:

Keep container tightly sealed.

Protect from frost.

Store in a dry place.

Keep cool.

7.3 Specific end use(s): No further relevant information available.

SECTION 8: Exposure controls/personal protection

8.1 Control parameters:

Ingredients with limit values that require monitoring at the workplace:				
80-62-6 Methyl methacrylate				
WEL Short-term value: 416 mg/m³, 100 ppm Long-term value: 208 mg/m³, 50 ppm				
DNELs				
97-88-1 n-	-butyl methacrylate			
Dermal	DNEL long term syst.	3 mg/kg bw/d (general population)		
		5 mg/kg bw/d (workers)		
Inhalative	DNEL long term local eff	366.4 mg/m³ (general population)		
		409 mg/m³ (workers)		
	DNEL long term syst.	66.5 mg/m3 (general population)		
		415.9 mg/m3 (workers)		
PNECs	1			
80-62-6 Methyl methacrylate				

PNECs				
80-62-6 Methyl methacrylate				
PNEC freshwater	0.94 mg/l			
PNEC marine water	0.094 mg/l			
PNEC soil	1.47 mg/kg			
97-88-1 n-butyl methacrylate				
PNEC freshwater	0.17 mg/l			

Additional information: Based on the lists valid at the date of SDS creation.

8.2 Exposure controls:

Appropriate engineering controls No further data; see item 7.

Individual protection measures, such as personal protective equipment

General protective and hygienic measures:

The usual precautionary measures are to be adhered to when handling chemicals.

(Contd. on page 5)

(Contd. of page 4)

Safety data sheet according to 1907/2006/EC, Article 31

Printing Date: 05.07.2023 Version Number: 1.1 (replaces version 1.0) **Revision Date: 05.07.2023**

Trade name: SAFETRACK MTI (HM) NEUTRAL

Respiratory protection:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

EN 143.

Hand protection

Protective gloves.

EN 374.

Material of gloves: Rubber gloves. Penetration time of glove material:

The exact breakthrough time has to be determined by the manufacturer of the protective gloves and has to be observed.

Eye/face protection



Safety glasses with side shield protection.

EN 166.

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing.

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties:

GENERAL INFORMATION

Physical state

According to product specification. Colour:

Odour: Characteristic. Not determined. **Odour threshold:** Melting point/freezing point: Undetermined. Boiling point or initial boiling point and boiling range Not determined. Highly flammable.

Flammability

Flammability Limits:

Lower and upper explosion limit

Lower: Not determined. Upper: Not determined.

19 °C Flash point: Method:

Ignition temperature: Not determined. Not determined. **Decomposition temperature:**

pН Not determined. VISCOSITY

Not determined. Kinematic viscosity **Dynamic:** Not determined. **Solubility**

Not miscible or difficult to mix. Water:

Not determined. Partition coefficient n-octanol/water (log value) Not determined. Vapour pressure:

Density and/or relative density

Density at 20 °C: 1.9 g/cm³ Not determined. Vapour density: Particle characteristics Not applicable.

(Contd. on page 6)

Printing Date: 05.07.2023 Version Number: 1.1 (replaces version 1.0) Revision Date: 05.07.2023

Trade name: SAFETRACK MTI (HM) NEUTRAL

(Contd. of page 5)

9.2 Other information:

Appearance:

Form: Liquid.

Important information on protection of health and

environment, and on safety:

Auto-ignition temperature: Not determined.

Explosive properties: In use, may form flammable/explosive vapour-air mixture.

Change in conditions:-

Evaporation rate:Molecular weight
Not determined.
Not determined.

Information with regard to physical hazard classes

ExplosivesNot applicable.Flammable gasesNot classified.AerosolsNot classified.Oxidising gasesNot classified.Gases under pressureNot classified.

Flammable liquids Highly flammable liquid and vapour.

Flammable solids
Self-reactive substances and mixtures
Pyrophoric liquids
Pyrophoric solids
Not classified.
Not classified.
Not classified.
Self-heating substances and mixtures
Not classified.
Not classified.

Substances and mixtures, which emit flammable gases in

contact with water

Oxidising liquids
Oxidising solids
Organic peroxides
Corrosive to metals
Desensitised explosives

Not classified.
Not classified.
Not classified.
Not classified.
Not classified.
Not classified.

SECTION 10: Stability and reactivity

10.1 Reactivity: Will exothermically polymerise in the presence of initiators.

10.2 Chemical stability: Stable in the presence of inhibitor.

Thermal decomposition / conditions to be avoided: No decomposition if used according to specifications.

10.3 Possibility of hazardous reactions

Susceptible to polymerisation initiated by prolonged storage or the presence of catalyst.

10.4 Conditions to avoid:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5 Incompatible materials:

Polymerisation catalysts, such as peroxy or azo compounds, strong acids, alkalis and oxidising agents. Oxides and salts of transition metals. Organic Nitrogen containing compounds. Cyclohexanone/Cyclohexenol tautomer.

10.6 Hazardous decomposition products: Carbon monoxide and carbon dioxide

SECTION 11: Toxicological information

11.1 Information on hazard classes as defined in Regulation (EC) No 1272/2008

ACUTE TOXICITY Based on available data, the classification criteria are not met.

LD/LC50	LD/LC50 values relevant for classification:			
97-88-1 n-	97-88-1 n-butyl methacrylate			
Dermal	LD50	22,600 mg/kg (rat)		
	LD50	11,300 mg/kg (rabbit)		
Inhalative	LC50, 4h	4,910 mg/l (rat)		

(Contd. on page 7)

Printing Date: 05.07.2023 Version Number: 1.1 (replaces version 1.0) Revision Date: 05.07.2023

Trade name: SAFETRACK MTI (HM) NEUTRAL

38668-48-3 1,1'-(p-tolylimino)dipropan-2-ol

Oral LD50 25 mg/kg (rat)

Skin corrosion/irritation Causes skin irritation.

Serious eye damage/irritation Based on available data, the classification criteria are not met.

Respiratory or skin sensitisation May cause an allergic skin reaction.

Germ cell mutagenicity Based on available data, the classification criteria are not met.

Carcinogenicity Based on available data, the classification criteria are not met.

Reproductive toxicity Based on available data, the classification criteria are not met.

STOT-single exposure Based on available data, the classification criteria are not met.

STOT-repeated exposure Based on available data, the classification criteria are not met.

Aspiration hazard Based on available data, the classification criteria are not met.

11.2 Information on other hazards

Endocrine disrupting properties

None of the ingredients is listed.

SECTION 12: Ecological information

12.1 Toxicity:

AQUATIC TOXICITY No further relevant information available.

- **12.2 Persistence and degradability:** No further relevant information available.
- **12.3 Bioaccumulative potential:** No further relevant information available.
- **12.4 Mobility in soil:** No further relevant information available.
- 12.5 Results of PBT and vPvB assessment:

PBT: Not applicable.

vPvB: Not applicable.

12.6 Endocrine disrupting properties

The product does not contain substances with endocrine disrupting properties.

12.7 Other adverse effects:

ADDITIONAL ECOLOGICAL INFORMATION

General notes: Not known to be hazardous to water.

SECTION 13: Disposal considerations

13.1 Waste treatment methods:

Recommendation:



Must not be disposed together with household garbage. Do not allow product to reach sewage system.

UNCLEANED PACKAGING

Recommendation: Disposal must be made according to official regulations.

SECTION 14: Transport information

14.1 UN number or ID number

ADR, IMDG, IATA

UN1866

(Contd. on page 8)

Printing Date: 05.07.2023 Version Number: 1.1 (replaces version 1.0) Revision Date: 05.07.2023

Trade name: SAFETRACK MTI (HM) NEUTRAL

		(Contd. of page 7)
14.2 UN proper shipping name		
ADR, IMDG, IATA	RESIN SOLUTION	!
14.3 Transport hazard class(es)		
ADR, IMDG, IATA		
Class Label	3 Flammable liquids.	
14.4 Packing group ADR, IMDG, IATA	П	
14.5 Environmental hazards:	Not applicable.	
14.6 Special precautions for user:	Warning: Flammable liquids.	
Hazard identification number (Kemler code): EMS Number:	33 F-E,S-E	
Stowage Category	г- <u>г.,з-г</u> В	
14.7 Maritime transport in bulk according	to	
IMO instruments	Not Regulated	
Transport/Additional information:		
ADR		
Limited quantities (LQ) Excepted quantities (EQ)	5L Code: E2	
Excepted quantities (EQ)	Maximum net quantity per inner packaging: 30 ml	
	Maximum net quantity per outer packaging: 500 ml	
Transport category Tunnel restriction code	2 D/E	
IMDG		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture:

5L

Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

See Section 2 for hazard identification.

Directive 2012/18/EU

Limited quantities (LQ)

Excepted quantities (EQ)

Named dangerous substances - ANNEX I None of the ingredients is listed.

Seveso category P5c FLAMMABLE LIQUIDS

Qualifying quantity (tonnes) for the application of lower-tier requirements 5,000 t Qualifying quantity (tonnes) for the application of upper-tier requirements 50,000 t REGULATION (EC) No 1907/2006 ANNEX XVII Conditions of restriction: 3, 52b

DIRECTIVE 2011/65/EU on the restriction of the use of certain hazardous substances in electrical and electronic equipment – Annex II

None of the ingredients is listed.

REGULATION (EU) 2019/1148

Annex I - RESTRICTED EXPLOSIVES PRECURSORS (Upper limit value for the purpose of licensing under Article 5(3))

None of the ingredients is listed.

Annex II - REPORTABLE EXPLOSIVES PRECURSORS

None of the ingredients is listed.

(Contd. on page 9)

Printing Date: 05.07.2023 Version Number: 1.1 (replaces version 1.0) Revision Date: 05.07.2023

Trade name: SAFETRACK MTI (HM) NEUTRAL

(Contd. of page 8)

Regulation (EC) No 273/2004 on drug precursors

None of the ingredients is listed.

Regulation (EC) No 111/2005 laying down rules for the monitoring of trade between the Community and third countries in drug precursors

None of the ingredients is listed.

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases:

H225 Highly flammable liquid and vapour.

H226 Flammable liquid and vapour.

H300 Fatal if swallowed.

H315 Causes skin irritation.

H317 May cause an allergic skin reaction.

H319 Causes serious eye irritation.

H335 May cause respiratory irritation.

H412 Harmful to aquatic life with long lasting effects.

Department issuing SDS:

Product Stewardship Department GCP Applied Technologies (UK) Limited 487/488 Ipswich Road, Slough, Berkshire SL1 4EP

Tel: +44 (0)1753 490 000

Date of previous version: 28.06.2023 Version number of previous version: 1.0 The first date of preparation: 28.06.2023

Number of revision times and the latest revision date: 1.1 / 05.07.2023

GB