


Stonecutters Bridge chooses high performance waterproofing system

ELIMINATOR® system protects mega structure in extreme weather conditions.

Project	Stonecutters Bridge, Hong Kong
Client	Government of Hong Kong Special Administrative Region, Highways Department
Contractor	Maeda-Hitachi-Yokogawa-Hsin Chong Joint Venture
Authorized Contractor (Waterproofing Applicator)	ASTEL
GCP Solutions	ELIMINATOR® Waterproofing System, ZED S94, Tack Coat No.2, BRIDGEMASTER® System, METASET® concrete Sytem



Project Profile

Second longest cable-stayed bridge spans the Rambler Channel

Stonecutters Bridge in Hong Kong, the second longest spanning cable-stayed bridge in the world, epitomizes the latest in bridge engineering. The dual three-lane crossing utilizes 33,500 tonnes of structural steel in the bridge deck, 32,000m³ of concrete in the towers, and the 65 steel deck units rely on 224 cables.


The waterproofing system chosen was required to effectively protect the new mega structure from the weather extremes experienced in Hong Kong, from monsoon rains to extreme heat, as well as the high levels of traffic travelling to and from Chek Lap Kok airport and the region's container port. This elegant asset will fulfill its important strategic function for many years to come.

Waterproofing system withstands harsh climate

The **ELIMINATOR**[®] waterproofing system has been used to protect numerous new steel highway bridges in Hong Kong. Developed by Stirling Lloyd (now GCP Applied Technologies), this spray applied waterproofing system has a notable track record of performance in these challenging conditions such as high temperatures.

Extensive pre-construction testing confirmed that the **ELIMINATOR**[®] system could achieve the specified tensile and shear adhesion strengths to the mastic asphalt used in the surfacing material. Based on unique **ESSELAC**[®] advanced resin technology, the **ELIMINATOR**[®] system's conformance to the bridge deck waterproofing standard BD47 meant it met the strict criteria for the Stonecutters project.

The **BRIDGEMASTER**[®] system was also used on the "outer edges" of the decks which are used by maintenance personnel. Specification in this area not only required an effective waterproofing system but one that incorporated an anti-skid surface. Consequently, the **BRIDGEMASTER**[®] lightweight waterproofing and wearing course system was selected.





Spray applied products simplify application

The deck was primed with anti-corrosive ZED S94 primer, and the **ELIMINATOR**[®] system was sprayed on 47,500m² of surface area. Electrical holiday testing was done to confirm the integrity and water tightness of the system. Tack Coat No.2 was then roller applied onto the **ELIMINATOR**[®] membrane. Adhesion tests were completed to confirm the high adhesion values between the waterproofing and surfacing achieved in the pre-construction testing were also met on-site.

The **BRIDGEMASTER**[®] system was spread on 5,000m² of the outer edges of the deck up to the stainless steel parapet that separates the main carriageway. In addition, **METASET**[®] resifilla repair mortar was used to build up the 1,000m² of the inner edge of the bridge's two decks. Its viscosity enabled a triangular shape to be created, so that water travels away from the deck.

The **ELIMINATOR**[®] system met the strict design criteria led for important, high profile structure. The quick curing nature of the products and their rapid application ensured that this element of the project was completed ahead of the scheduled programme and within budget.

BLUE360SM Total Business Advantage.

The power of GCP products, performance and people

North America customer service: 1-877-4AD-MIX (1-877-423-6491)

GCP Applied Technologies Inc., 2325 Lakeview Parkway, Suite 400, Alpharetta, GA 30009, USA

GCP Canada, Inc., 294 Clements Road, West, Ajax, Ontario, Canada L1S 3C6

This document is only current as of the last updated date stated below and is valid only for use in the United States. It is important that you always refer to the currently available information at the URL below to provide the most current product information at the time of use. Additional literature such as Contractor Manuals, Technical Bulletins, Detail Drawings and detailing recommendations and other relevant documents are also available on www.gcpat.com. Information found on other websites must not be relied upon, as they may not be up-to-date or applicable to the conditions in your location and we do not accept any responsibility for their content. If there are any conflicts or if you need more information, please contact GCP Customer Service.

Last Updated: 2025-05-13

gcpat.com/about/project-profiles/stonecutters-bridge-chooses-high-performance-waterproofing-system