

Printing date 04/10/2017 Version Number 1.0 Reviewed on 04/10/2017

## 1 Identification

#### **Product identifier**

Trade name: Silcor<sup>TM</sup> Primer EPS Part A

SDS ID Number: 2553

Relevant identified uses of the substance or mixture, and uses advised against

Waterproofing

Specialty construction product. Not intended for other uses

# Details of the supplier of the safety data sheet

### Manufacturer/Supplier:

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA

GCP Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

# **Information department:**

Environmental Health & Safety USA: +1-617-876-1400 (24 hours)

+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts

CAN: 1-905-683-8561 (24 hours) Email address: msds.gcp@gcpat.com

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

# 2 Hazard(s) identification

## Classification of the substance or mixture

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

**Label elements:** The product is classified and labeled according to the Globally Harmonized System (GHS)

## Hazard pictograms



#### Warning

#### **Hazard statements**

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

### Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves / eye protection / face protection.

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN: Wash with plenty of water.

(Cont. on page 2)

(Cont. from page 1)

## **Safety Data Sheet**

Printing date 04/10/2017 Version Number 1.0 Reviewed on 04/10/2017

Trade name: Silcor<sup>TM</sup> Primer EPS Part A

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

NFPA ratings (scale 0 - 4)



 $\begin{aligned} & Health = 2 \\ & Fire = 1 \\ & Reactivity = 0 \end{aligned}$ 

## HMIS-ratings (scale 0 - 4)



Health = \*2 Flammability = 1 Reactivity = 0

# Other hazards

Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

# 3 Composition/information on ingredients

### **Chemical characterization: Mixture**

**Description:** Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

Hazardous components:				
25068-38-6	Reaction product: bisphenol A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)	50-100%		
68609-97-2	oxirane, mono[(C12-14-alkyloxy)methyl] derivs	10-20%		

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

# 4 First-aid measures

# **Description of first aid measures**

**General information:** Get medical advice/attention if you feel unwell.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

#### After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

After eye contact: Rinse cautiously with water for several minutes.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

# **Information for doctor:**

Most important symptoms and effects, both acute and delayed Irritating to eyes.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

USGHS =

Printing date 04/10/2017 Version Number 1.0 Reviewed on 04/10/2017

Trade name: Silcor<sup>TM</sup> Primer EPS Part A

(Cont. from page 2)

# **5** Fire-fighting measures

# Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

# 6 Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

# Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

Sweep up spilled product into receptacles.

Dispose contaminated material as waste according to section 13 of the SDS.

## Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

### **Handling:**

#### **Precautions for safe handling**

Prevent formation of aerosols.

Avoid contact with skin.

Avoid contact with eyes.

Information about protection against explosions and fires: No special measures required.

## Conditions for safe storage, including any incompatibilities

Storage:

**Information about storage in one common storage facility:** Storage temperature 5-30 °C.

Further information about storage conditions: Keep receptacle tightly sealed.

**Specific end use(s)** No further relevant information available.

# 8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

#### **Control parameters**

#### Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

**Additional information:** The lists that were valid during the creation were used as basis.

# **Exposure controls**

#### **Personal protective equipment:**

General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.

Cont. on page 4)

Printing date 04/10/2017 Version Number 1.0 Reviewed on 04/10/2017

Trade name: Silcor<sup>TM</sup> Primer EPS Part A

(Cont. from page 3)

#### **Breathing equipment:**

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Material of gloves Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

## Eye protection:



Safety glasses with side shield protection.

Safety glasses with side shields should be worn to prevent contact due to splashing. Under high vapor mist concentrations, tightly sealed goggles should be worn.



A face shield should also be worn if there is potential exposure to splash or spray.

## **Body protection:**

Use personal protective equipment as required.

Take off contaminated clothing.

A Dlawer of	0.70 0	le oree i oo	l properties
9 Physical			

71 hysical and chemical properties				
Information on basic physical	Information on basic physical and chemical properties			
General Information Appearance: Form: Color: Odor: Odor threshold:	Liquid According to product specification Typical. Not determined.			
pH-value (~):	Not determined.			
Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point:	Undetermined. Undetermined. Not applicable.			
Flammability (solid, gaseous):	Not applicable.			
Decomposition temperature: Auto igniting: Danger of explosion:	Not determined. Product is not self-igniting. Product does not present an explosion hazard.			
Explosion limits: Lower: Upper:	Not determined. Not determined.			
Vapor pressure: Density: (~) Relative density Vapor density Evaporation rate	< 1 mbar at 20 °C Not determined. Not determined. Not determined. Not determined.			

(Cont. on page 5)

Printing date 04/10/2017 Version Number 1.0 Reviewed on 04/10/2017

Trade name: Silcor<sup>TM</sup> Primer EPS Part A

Solubility in / Miscibility with
Water: Not miscible or difficult to mix.

Partition coefficient (n-octanol/water): Not determined.

Viscosity:
Dynamic: Not determined.
Kinematic: Not determined.
Molecular weight Not applicable.

Other information No further relevant information available.

# 10 Stability and reactivity

**Reactivity** Stable under normal conditions.

Chemical stability

**Thermal decomposition:** No decomposition if used according to specifications.

Possibility of hazardous reactions Reacts with oxidising agents, alcohols, amines, alkalines.

Conditions to avoid No further relevant information available.

**Incompatible materials:** No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

Additional information: See section 7 for information on handling, storage and conditions to be avoided.

# 11 Toxicological information

# Information on toxicological effects

**Acute toxicity:** 

#### LD/LC50 values relevant for classification:

# 25068-38-6 Reaction product: bisphenol A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)

LC50, 96h 220 mg/l (algae)

3.6 mg/l (bacterial)

2.4 mg/l (fish)

LC50, 48h 2.8 mg/l (daphnia magna)

### Primary irritant effect:

on the skin: Causes skin irritation.

**on the eye:** Causes serious eye irritation. **inhalation:** No irritating effect expected

Sensitization: May cause an allergic skin reaction.

# Additional toxicological information:

Carcinogenic categories

IARC (International Agency for Research on Cancer) Human Carcinogenicity:

Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable

None of the ingredients is listed.

### NTP (National Toxicology Program)

K-Known to be carcinogenic, R-May reasonably be anticipated to be carcinogenic

None of the ingredients is listed.

(Cont. on page 6)

Printing date 04/10/2017 Version Number 1.0 Reviewed on 04/10/2017

Trade name: Silcor<sup>TM</sup> Primer EPS Part A

(Cont. from page 5)

### OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# 12 Ecological information

# **Toxicity**

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

# **Behavior in environmental systems:**

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

#### Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

# 13 Disposal considerations

## **Disposal methods:**

Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing product for disposal. Dispose of waste in accordance with all applicable regulations.

#### **Recommendation:**



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

## **Uncleaned packagings:**

Special precautions for user Not applicable.

Recommendation: Dispose of contents/container in accordance with local/regional/national/international regulations.

## 14 Transport information

UN-Number DOT, IMDG, IATA	Not applicable.
UN proper shipping name	**
DOT, IMDG, IATA	Not applicable.
Transport hazard class(es)	
DOT, IMDG, IATA	N
Class	Not applicable.
Packing group DOT, IMDG, IATA	Not applicable.
Environmental hazards:	Not applicable.

(Cont. on page 7)

Printing date 04/10/2017 Version Number 1.0 Reviewed on 04/10/2017

Trade name: Silcor<sup>TM</sup> Primer EPS Part A

(Cont. from page 6)

# **Transport/Additional information:**

DOT

Remarks: Not Regulated.

**UN "Model Regulation":** Not applicable.

# 15 Regulatory information

#### **SARA (Superfund Amendments and Reauthorization Act)**

#### Section 302/304 (extremely hazardous substances):

None of the ingredients is listed.

#### Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

None of the ingredients is listed.

#### SARA Section 312/Tier I & II Hazard Categories:

Health Hazard - Skin Corrosion or Irritation

Health Hazard - Respiratory or Skin Sensitization

Health Hazard - Serious eye damage or eye irritation

#### **North America Chemical Inventory Status**

#### TSCA (Toxic Substances Control Act - United States):

All ingredients are listed or exempt from listing unless otherwise noted below.

#### **CEPA (Canadian DSL):**

All ingredients are listed or exempt from listing unless otherwise noted below.

#### California Proposition 65

#### Chemicals known to cause cancer:

None of the ingredients is listed.

#### Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

#### Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

#### Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

#### **Carcinogenicity Categories**

#### **EPA (Environmental Protection Agency)**

None of the ingredients is listed.

# TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)

Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable

None of the ingredients is listed.

#### NIOSH-Cancer (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

Volatile Organic Compounds (VOC) reported per the Emission Standards. 97 g/l as applied.

#### 16 Other information

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

## **Department issuing SDS:**

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA

(Cont. on page 8)

Printing date 04/10/2017 Version Number 1.0 Reviewed on 04/10/2017

Trade name: Silcor<sup>TM</sup> Primer EPS Part A

USA: +1-617-876-1400 (24 hours)

+1-800-354-5414

Date of preparation / last revision 04/10/2017 / -

The first date of preparation 09/08/2015

Number of revision times and the latest revision date 1.0 / 04/10/2017

(Cont. from page 7)