

Safety Data Sheet

Printing date 08/02/2016 Version Number 1.0 Reviewed on 08/02/2016

1 Identification

Product identifier

Trade name: Preprufe® Grout EG 75 - Hardener

SDS ID Number: 2669

Relevant identified uses of the substance or mixture, and uses advised against

Specialty construction product. Not intended for other uses

Details of the supplier of the safety data sheet

Manufacturer/Supplier: GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA

GCP Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

Information department:

Environmental Health & Safety USA: +1-617-876-1400 (24 hours)

+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts

CAN: 1-905-683-8561 (24 hours)

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

2 Hazard(s) identification

Classification of the substance or mixture

Harmful in contact with skin.

Causes severe skin burns and eye damage.

Causes serious eye damage.

May cause allergy or asthma symptoms or breathing

difficulties if inhaled.

May cause an allergic skin reaction.

Label elements: The product is classified and labeled according to the Globally Harmonized System (GHS)

Hazard pictograms







GHS05 G

GHS07

GHS08

Danger

Hazard statements

Harmful in contact with skin.

Causes severe skin burns and eye damage.

May cause allergy or asthma symptoms or breathing difficulties if inhaled.

May cause an allergic skin reaction.

(Cont. on page 2)

Printing date 08/02/2016 Version Number 1.0 Reviewed on 08/02/2016

Trade name: Preprufe® Grout EG 75 - Hardener

(Cont. from page 1)

Precautionary statements

[In case of inadequate ventilation] wear respiratory protection.

Wear protective gloves / protective clothing.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

If swallowed: Rinse mouth. Do NOT induce vomiting.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If experiencing respiratory symptoms: Call a POISON CENTER/doctor.

Hazard description: Corrosive

NFPA ratings (scale 0 - 4)



Health = 3Fire = 1Reactivity = 1

HMIS-ratings (scale 0 - 4)



Health = 3Flammability = 1Reactivity = 1

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixtures

Description: Mixture of the substances listed below with additional nonhazardous ingredients.

			
Hazardous components:			
112-24-3	3,6-diazaoctanethylenediamin	50-100%	
90-72-2	2,4,6-tris(dimethylaminomethyl)phenol	10-20%	

Additional information: For the wording of the listed hazard phrases refer to section 16.

4 First-aid measures

Description of first aid measures

General information: Get medical advice/attention if you feel unwell.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After skin contact: Generally the product does not irritate the skin.

After eye contact: Rinse cautiously with water for several minutes.

After swallowing: Drink copious amounts of water and provide fresh air. Immediately call a doctor.

(Cont. on page 3)

Printing date 08/02/2016 Version Number 1.0 Reviewed on 08/02/2016

Trade name: Preprufe® Grout EG 75 - Hardener

(Cont. from page 2)

Information for doctor:

Most important symptoms and effects, both acute and delayed May cause sensitization by skin contact.

Indication of any immediate medical attention and special treatment needed

No further relevant information available.

5 Fire-fighting measures

Special hazards arising from the substance or mixture No further relevant information available.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Environmental precautions: Avoid release to the environment.

Methods and material for containment and cleaning up:

Use neutralizing agent.

Dispose contaminated material as waste according to section 13 of the SDS.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Risk of serious damage to eyes.

Prevent formation of aerosols.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Information about storage in one common storage facility: No special measures required.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

(Cont. on page 4)

Printing date 08/02/2016 Version Number 1.0 Reviewed on 08/02/2016

Trade name: Preprufe® Grout EG 75 - Hardener

(Cont. from page 3)

Control parameters

Components with limit values that require monitoring at the workplace:

112-24-3 3,6-diazaoctanethylenediamin

WEEL (USA) Long-term value: 6 mg/m³, 1 ppm

Skii

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Breathing equipment:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Not required.

Material of gloves Nitrile rubber.

Eye protection: Goggles recommended during refilling.

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing.

\mathbf{a}			-	•		•
T.	 hwerea	and		namica	l propert	TAC
						7 (90

7 Injuscul una enomical properties				
Information on basic physical and chemical properties				
General Information				
Appearance:				
Form:	Liquid			
Color:	According to product specification			
Odor:	Characteristic			
Odor threshold:	Not determined.			
pH-value (~):	Not determined.			
Change in condition				
Melting point/Melting range:	Undetermined.			
Boiling point/Boiling range:	Undetermined.			
Flash point:	204 °C (399 °F)			
Flammability (solid, gaseous):	Not applicable.			
Decomposition temperature:	Not determined.			
Auto igniting:	Product is not selfigniting.			
Danger of explosion:	Product does not present an explosion hazard.			
Explosion limits:				
Lower:	Not determined.			
Upper:	Not determined.			
	(Cont. on			

(Cont. on page 5)

Safety Data Sheet

Printing date 08/02/2016 Version Number 1.0 Reviewed on 08/02/2016

Trade name: Preprufe® Grout EG 75 - Hardener

	(Cont. fr	om page 4
VOC Content (max):	Not determined.	
Vapor pressure: Not determined.		
Density: (~) at 20 °C (68 °F)	1 g/cm ³ (8.345 lbs/gal)	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/water): Not determined.		
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Molecular weight	Not applicable.	
Other information	No further relevant information available.	

10 Stability and reactivity

Reactivity Stable under normal conditions.

Chemical stability

Thermal decomposition: No decomposition if used according to specifications.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC	LD/LC50 values relevant for classification:		
90-72-2	90-72-2 2,4,6-tris(dimethylaminomethyl)phenol		
Oral	LD50	2169 mg/kg (rat) (OECD 401)	
Dermal	LD50	1242 mg/kg (rabbit)	

Primary irritant effect:

on the skin: Harmful in contact with skin. on the eye: Causes serious eye damage.

inhalation: May cause allergy or asthma symptoms or breathing difficulties if inhaled.

Sensitization: May cause an allergic skin reaction.

Additional toxicological information:

Carcinogenic categories

IARC (International Agency for Research on Cancer) Human Carcinogenicity: Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable

None of the ingredients is listed.

(Cont. on page 6)

Safety Data Sheet

Printing date 08/02/2016 Version Number 1.0 Reviewed on 08/02/2016

Trade name: Preprufe® Grout EG 75 - Hardener

(Cont. from page 5)

NTP (National Toxicology Program)

K-Known to be carcinogenic, R-May reasonably be anticipated to be carcinogenic

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

Toxicity

Aquatic toxicity:

90-72-2 2,4,6-tris(dimethylaminomethyl)phenol

EC50, 72h 84 mg/l (algae) (OECD 201)

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Waste treatment methods

Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Disposal must be made according to official regulations.

14 Transport information

UN-Number

DOT, IMDG, IATA UN2735

(Cont. on page 7)

Printing date 08/02/2016 Version Number 1.0 Reviewed on 08/02/2016

Trade name: Preprufe® Grout EG 75 - Hardener

(Cont. from page 6)

UN proper shipping name

DOT

Amines, liquid, corrosive, n.o.s. (Triethylenetetramine, 2,4,6-tris(dimethylamino-

methyl)phenol)

IMDG, IATA AMINES, LIQUID, CORROSIVE, N.O.S. (TRIETHYLENETETRAMINE, 2,4,6-

tris(dimethylaminomethyl)phenol)

Transport hazard class(es)

DOT



Class 8 Corrosive substances

Label 8

IMDG, IATA



Class 8 Corrosive substances

Label 8

Packing group

DOT, IMDG, IATA

Environmental hazards: Not applicable.

Special precautions for user Warning: Corrosive substances

Danger code (Kemler):

EMS Number: F-A,S-B

Segregation groups Alkalis **Stowage Category** A

Segregation Code SG35 Stow "separated from" acids.

Transport/Additional information:

IMDG

Limited quantities (LQ)

Excepted quantities (EQ) Code: E2

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 500 ml

UN "Model Regulation": UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S.

(TRIETHYLENETETRAMINE, 2,4,6-TRIS(DIMETHYLAMINOMETHYL)

PHENOL), 8, II

15 Regulatory information

SARA (Superfund Amendments and Reauthorization Act)

Section 302/304 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

None of the ingredients is listed.

(Cont. on page 8)

(Cont. from page 7)

Printing date 08/02/2016 Version Number 1.0 Reviewed on 08/02/2016

Trade name: Preprufe® Grout EG 75 - Hardener

SARA Section 312/Tier I & II Hazard Categories: Health Delayed (chronic)

Yes Yes

Health Immediate (acute) Flammable No Reactive No Pressure No

North America Chemical Inventory Status

TSCA (Toxic Substances Control Act - United States):

All ingredients are listed or exempt from listing unless otherwise noted below.

CEPA (Canadian DSL):

All ingredients are listed or exempt from listing unless otherwise noted below.

California Proposition 65

Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Carcinogenicity Categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)

Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable

None of the ingredients is listed.

NIOSH-Cancer (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

Volatile Organic Compounds (VOC) reported per the Emission Standards.

If no g/L value is provided this product is not subject to above standard.

16 Other information

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

Department issuing SDS:

GCP Applied Technologies

62 Whittemore Avenue

Cambridge, MA 02140 USA

USA: +1-617-876-1400 (24 hours)

+1-800-354-5414

Date of preparation / last revision 08/02/2016 / -

The first date of preparation 07/25/2016

Number of revision times and the latest revision date 1.0 / 08/02/2016