

Printing date 08/25/2015

Version Number 1.0

Reviewed on 08/25/2015

### **1 Identification**

#### **Product identifier**

Trade name: Silcor® Primer EPF (Part B)

SDS ID Number: 2548

#### Relevant identified uses of the substance or mixture, and uses advised against

Waterproofing. Specialty construction product. Not intended for other uses

#### Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

W.R. Grace & Co. -Conn. 62 Whittemore Avenue Cambridge, MA 02140 USA

Grace Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

www.graceconstruction.com

#### **Information department:**

Environmental Health & Safety USA: +1-617-876-1400 (24 hours) +1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts CAN: 1-905-683-8561 (24 hours)

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

### 2 Hazard(s) identification

#### Classification of the substance or mixture

Harmful if swallowed. Causes severe skin burns and eye damage. Causes serious eye damage. May cause an allergic skin reaction. Suspected of causing genetic defects. May cause damage to lungs through prolonged or repeated exposure by way of inhalation.

Label elements: The product is classified and labeled according to the Globally Harmonized System (GHS)

Hazard pictograms



Danger

(Cont. on page 2)

Version Number 1.0

Reviewed on 08/25/2015

## Trade name: Silcor® Primer EPF (Part B)

(Cont. from page 1)

#### Hazard statements Harmful if swallowed. Causes severe skin burns and eye damage. May cause an allergic skin reaction. Suspected of causing genetic defects. May cause damage to lungs through prolonged or repeated exposure by way of inhalation. **Precautionary statements** Wear eye protection / face protection. IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If skin irritation or rash occurs: Get medical advice/attention. If swallowed: Call a poison center/doctor if you feel unwell. If swallowed: Rinse mouth. Do NOT induce vomiting. IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Hazard description: Corrosive NFPA ratings (scale 0 - 4) Health = 3Fire = 1Reactivity = 0HMIS-ratings (scale 0 - 4) HEALTH \*3 Health = \*31 FIRF Flammability = 1REACTIVITY 0 Reactivity = 0Other hazards **Results of PBT and vPvB assessment PBT:** Not applicable. vPvB: Not applicable.

## **3** Composition/information on ingredients

## **Chemical characterization: Mixtures**

Description: Mixture of the substances listed below with additional nonhazardous ingredients.

| Hazardous | s components:                         |           |
|-----------|---------------------------------------|-----------|
| 100-51-6  | Benzyl alcohol                        | 5.0-10.0% |
| 1477-55-0 | m-phenylenebis (methylamine)          | 5.0-10.0% |
| 108-95-2  | phenol                                | 2.0-5.0%  |
| 90-72-2   | 2,4,6-tris(dimethylaminomethyl)phenol | 2.0-5.0%  |

Additional information: For the wording of the listed risk phrases refer to section 16.

## **4 First-aid measures**

### **Description of first aid measures**

General information: Get medical advice/attention if you feel unwell.

(Cont. on page 3) USGHS Version Number 1.0

Reviewed on 08/25/2015

### Trade name: Silcor® Primer EPF (Part B)

#### After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

#### After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

After eye contact: Rinse cautiously with water for several minutes.

After swallowing:

Rinse mouth. Drink copious amounts of water and provide fresh air. Immediately call a doctor.

#### **Information for doctor:**

#### Most important symptoms and effects, both acute and delayed

Causes burns.

May cause sensitization by skin contact.

Harmful if swallowed.

**Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## 5 Fire-fighting measures

Special hazards arising from the substance or mixture No further relevant information available.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

#### 6 Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

### Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

Use neutralizing agent.

Sweep up spilled product into receptacles.

Dispose contaminated material as waste according to section 13 of the SDS.

#### **Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

(Cont. on page 4)

USGHS

(Cont. from page 2)

(Cont. from page 3)

#### Version Number 1.0

Reviewed on 08/25/2015

Trade name: Silcor® Primer EPF (Part B)

## 7 Handling and storage

## Handling:

Precautions for safe handling

Risk of serious damage to eyes.

Prevent formation of aerosols.

Information about protection against explosions and fires: No special measures required.

#### Conditions for safe storage, including any incompatibilities

Storage:

Information about storage in one common storage facility: Storage temperature 5-30 °C.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

## 8 Exposure controls/personal protection

## Additional information about design of technical systems: No further data; see item 7.

#### **Control parameters**

| Components wi   | th limit values that require monitoring at the workplace:  |
|-----------------|--|
| 100-51-6 Benzy  |  |
|                 | _ong-term value: 10 ppm  |
| 1477-55-0 m-ph  | nenylenebis (methylamine)  |
|                 | Ceiling limit value: 0.1 mg/m <sup>3</sup><br>Skin   |
|                 | Ceiling limit value: 0.1 mg/m <sup>3</sup><br>Skin   |
| 108-95-2 phenol | 1  |
|                 | Long-term value: 19 mg/m <sup>3</sup> , 5 ppm<br>Skin  |
| C               | Long-term value: 19 mg/m <sup>3</sup> , 5 ppm<br>Ceiling limit value: 60* mg/m <sup>3</sup> , 15.6* ppm<br>515-min; Skin |
|                 | Long-term value: 19 mg/m³, 5 ppm<br>Skin; BEI  |
| Ingredients wit | h biological limit values:   |
| 108-95-2 phenol | 1  |
| Med<br>Tim      | mg/g creatinine<br>dium: urine<br>he: end of shift<br>ameter: Phenol with hydrolysis (background, nonspecific)           |
|                 | <b>rmation:</b> The lists that were valid during the creation were used as basis.  |
| Exposure con    | ntrols   |

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

(Cont. on page 5)

## Trade name: Silcor® Primer EPF (Part B)

#### **Breathing equipment:**

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

#### **Protection of hands:**

Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

#### Material of gloves

Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

#### Eye protection:



Safety glasses with side shield protection.

Safety glasses with side shields should be worn to prevent contact due to splashing. Under high vapor mist concentrations, tightly sealed goggles should be worn.



A face shield should also be worn if there is potential exposure to splash or spray.

#### **Body protection:**

Use personal protective equipment as required.

Take off contaminated clothing and wash before reuse.

### 9 Physical and chemical properties

#### Information on basic physical and chemical properties

| General Information<br>Appearance:<br>Form:<br>Color:<br>Odor:<br>Odour threshold:                  | Liquid<br>According to product specification<br>Amine-like<br>Not determined.                    |
|---|--|
| pH-value (~) at 20 $^{\circ}$ C (68 $^{\circ}$ F):  | 7  |
| Change in condition<br>Melting point/Melting range:<br>Boiling point/Boiling range:<br>Flash point: | Undetermined.<br>> 200 °C (> 392 °F)<br>> 100 °C (> 212 °F)                                      |
| Flammability (solid, gaseous):  | Not applicable.  |
| Decomposition temperature:<br>Auto igniting:<br>Danger of explosion:                                | Not determined.<br>Product is not selfigniting.<br>Product does not present an explosion hazard. |
| Explosion limits:<br>Lower:<br>Upper:   | Not determined.<br>Not determined.   |
|   | (Cont. on page 6   |

USGHS

(Cont. from page 4)

Reviewed on 08/25/2015

#### Printing date 08/25/2015

#### Version Number 1.0

Reviewed on 08/25/2015

## Trade name: Silcor® Primer EPF (Part B)

|  |  | (Cont. from page 5) |
|--|--|---------------------|
| <b>VOC Content (max):</b>                        | 10.00 %                                    |                     |
| Vapor pressure at 20 $^\circ C$ (68 $^\circ F):$ | 0.1 hPa                                    |                     |
|  | 0,28 hPa at 20 °C                          |                     |
| <b>Density:</b> (~) at 20 °C (68 °F)             | $1.1 \text{ g/cm}^3$ (9.18 lbs/gal)        |                     |
| Relative density                                 | Not determined.                            |                     |
| Vapour density                                   | Not determined.                            |                     |
| Evaporation rate                                 | Not determined.                            |                     |
| Solubility in / Miscibility with                 |  |                     |
| Water:   | Not miscible or difficult to mix.          |                     |
| Partition coefficient (n-octanol/wate            | r): Not determined.                        |                     |
| Viscosity:                                       |  |                     |
| Dynamic:   | Not determined.                            |                     |
| Kinematic:                                       | Not determined.                            |                     |
| Molecular weight                                 | Not applicable.                            |                     |
| Other information                                | No further relevant information available. |                     |

## **10 Stability and reactivity**

**Reactivity** Stable under normal conditions.

**Chemical stability** 

Thermal decomposition: No decomposition if used according to specifications.

Possibility of hazardous reactions Reacts with acids, oxidising agents.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

Additional information: See section 7 for information on handling, storage and conditions to be avoided.

## 11 Toxicological information

Information on toxicological effects

Acute toxicity:

| LD/LC50    | values rele | evant for classification:   |
|------------|-------------|-----------------------------|
| 100-51-6 B | Benzyl alco | bhol                        |
| Dermal     | LD50        | 1230 mg/kg (rat)            |
|            |             | 2000 mg/kg (rabbit)         |
| 1477-55-0  | m-phenyle   | enebis (methylamine)        |
| Oral       | LD50        | 930 mg/kg (rat) (OECD 401)  |
| Dermal     | LD50        | 3100 mg/kg (rat) (OECD 402) |
| Inhalation | LC50, 4h    | 2.4 mg/l (rat) (OECD 403)   |
| 108-95-2 p | henol       |                             |
| Dermal     | LD50        | 300 mg/kg (mus)             |
|            |             | 670 mg/kg (rat)             |
|            | •           | (Cont. on page 7)           |

USGHS

Version Number 1.0

Trade name: Silcor® Primer EPF (Part B)

|             |              |   | (Cont. from page 6) |
|-------------|--------------|---|---------------------|
| Inhalation  | LC50, 4h     | 316 mg/l (rat)  |                     |
| 90-72-2 2,4 | 4,6-tris(dii | nethylaminomethyl)phenol  |                     |
| Oral        | LD50         | 2169 mg/kg (rat) (OECD 401)   |                     |
| Dermal      | LD50         | 1242 mg/kg (rabbit)   |                     |
| Primary in  | rritant effe | ect:  |                     |
| on the ski  | n: Causes s  | evere skin burns and eye damage.  |                     |
| on the eye  | : Causes se  | rious eye damage.   |                     |
| inhalation  | : No irritat | ing effect expected   |                     |
| Ingestion:  | Harmful if   | swallowed.  |                     |
| Sensitizati | on: May ca   | ause an allergic skin reaction.   |                     |
| Additional  | l toxicologi | ical information: Suspected of causing genetic defects.   |                     |
| Carcinoge   | 0            |   |                     |
|             |              | Agency for Research on Cancer) Human Carcinogenicity:<br>roup 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable |                     |
| 108-95-2    | phenol       |   | 3                   |
| K-Known     | to be carc   | cology Program)<br>cinogenic, R–May reasonably be anticipated to be carcinogenic  |                     |
|             |              | ts is listed.   |                     |
|             |              | ional Safety & Health Administration)   |                     |
| None of the | e ingredien  | ts is listed.   |                     |
|             |              |   |                     |

## **12 Ecological information**

Toxicity

Aquatic toxicity:

1477-55-0 m-phenylenebis (methylamine)

EC50, 72h 12 mg/l (algae) (OECD 201)

90-72-2 2,4,6-tris(dimethylaminomethyl)phenol

EC50, 72h 84 mg/l (algae) (OECD 201)

Persistence and degradability No further relevant information available.

#### **Behavior in environmental systems:**

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

## Additional ecological information:

#### **General notes:**

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

#### **Results of PBT and vPvB assessment**

**PBT:** Not applicable. **vPvB:** Not applicable.

(Cont. on page 8) USGHS

Version Number 1.0

Printing date 08/25/2015

Trade name: Silcor® Primer EPF (Part B)

(Cont. from page 7)

Reviewed on 08/25/2015

Other adverse effects No further relevant information available.

## **13 Disposal considerations**

Waste treatment methods Comply with Federal, State and local regulations.

**Recommendation:** 



\*

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

## **Uncleaned packagings:**

Recommendation: Disposal must be made according to official regulations.

| UN-Number   |   |
|---|---|
| DOT, ADR, IMDG, IATA                              | UN2735  |
| UN proper shipping name<br>DOT, ADR<br>IMDG, IATA | Amines, liquid, corrosive, n.o.s. (m-phenylenebis (methylamine), Phenol)<br>AMINES, LIQUID, CORROSIVE, N.O.S. (m-phenylenebis (methylamine),<br>PHENOL) |
| Transport hazard class(es)                        |   |
| DOT   |   |
| Class<br>Label                                    | 8 Corrosive substances  |
| ADR, IMDG, IATA                                   |   |
| Class<br>Label                                    | 8 Corrosive substances<br>8   |
| Packing group<br>DOT, ADR, IMDG, IATA             | Ш   |
| Environmental hazards:<br>Marine pollutant:       | No  |
| Special precautions for use                       | r Warning: Corrosive substances   |

USGHS

## Safety Data Sheet

## Version Number 1.0

Reviewed on 08/25/2015

Trade name: Silcor® Primer EPF (Part B)

|                                 | (Cont. from page 8)  |
|---------------------------------|--|
| Transport/Additional info       | rmation:   |
| ADR<br>Executed quantities (EQ) | Code: E1   |
| Excepted quantities (EQ)        | Maximum net quantity per inner packaging: 30 ml  |
|                                 | Maximum net quantity per outer packaging: 1000 ml  |
| IMDG                            |  |
| Limited quantities (LQ)         | 5L   |
| <b>Excepted</b> quantities (EQ) | Code: E1   |
|                                 | Maximum net quantity per inner packaging: 30 ml  |
|                                 | Maximum net quantity per outer packaging: 1000 ml  |
| UN "Model Regulation":          | UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (M-PHENYLENEBIS (METHYLAMINE), PHENOL), 8, III |

# **15 Regulatory information**

\*

| 108-95-2 phenol   SARA Section 312/Tier I & II Hazard Catege   Health Immediate (acute) Y   Health Delayed (chronic) Y   Flammable N   Reactive N | cals present below reporting threshold are exempt):<br>gories:<br>es<br>Yes<br>No<br>No<br>No<br>No<br>No | 3.5% |
|---|---|------|
| 108-95-2 phenol   SARA Section 312/Tier I & II Hazard Catege   Health Immediate (acute) Y   Health Delayed (chronic) Y   Flammable N   Reactive N | gories:<br>es<br>Ves<br>No<br>No  | 3.5% |
| SARA Section 312/Tier I & II Hazard CategHealth Immediate (acute)YHealth Delayed (chronic)YFlammableNReactiveN                                    | es<br>Yes<br>No<br>No   | 3.5% |
| Health Immediate (acute)YHealth Delayed (chronic)YFlammableNReactiveN   | es<br>Yes<br>No<br>No   |      |
| Health Delayed (chronic)YFlammableNReactiveN  | Tes<br>No<br>No   |      |
| Flammable N<br>Reactive N   | No<br>No  |      |
| Reactive  | No  |      |
|   |   |      |
| riessure in   | 10  |      |
|   |   |      |
| North America Chemical Inventory Status   |   |      |
| TSCA (Toxic Substances Control Act - Unite  | · · · · · · · · · · · · · · · · · · ·   |      |
| All ingredients are listed or exempt from listing   | g unless otherwise noted below.   |      |
| CEPA (Canadian DSL):  |   |      |
| All ingredients are listed or exempt from listing   | g unless otherwise noted below.   |      |
| Right to Know Ingredient Disclosure   |   |      |
| 57214-10-5 Formaldehyde, oligomeric reaction  | n products with phenol and m-phenylenebis(methylamine)  |      |
| California Proposition 65   |   |      |
| Chemicals known to cause cancer:  |   |      |
| None of the ingredients is listed.  |   |      |
| Chemicals known to cause reproductive toxic   | city for females:   |      |
| None of the ingredients is listed.  |   |      |
| Chemicals known to cause reproductive toxic   | city for males:   |      |
| None of the ingredients is listed.  |   |      |
| Chemicals known to cause developmental tox  | xicity:   |      |
| None of the ingredients is listed.  |   |      |
| Carcinogenicity Categories  |   |      |
| EPA (Environmental Protection Agency)   |   |      |

Printing date 08/25/2015

## Safety Data Sheet

Version Number 1.0

Reviewed on 08/25/2015

Trade name: Silcor® Primer EPF (Part B)

TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists) Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable

phenol

NIOSH-Cancer (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

Volatile Organic Compounds (VOC) reported per the Emission Standards. 20 g/L

## **16 Other information**

"The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection."

#### **Department issuing SDS:**

Product Stewardship Department - GRACE, 580-581 Ipswich Road, Slough, Berkshire, SL1 4EQ

Tel: ++44 (0)1753 490 000, Fax: ++44 (0)1753 490 051 **Date of preparation / last revision** 08/25/2015 / -

The first date of preparation 08/20/2015

Number of revision times and the latest revision date 1.0 / 08/25/2015

(Cont. from page 9)

A4

USGHS