

Safety Data Sheet

Printing date 10/18/2017

Version Number 1.2

Reviewed on 10/18/2017

Page 1/8

1 Identification

Product identifier

Trade name: Monokote Z-3306 White

SDS ID Number: 2700

Relevant identified uses of the substance or mixture, and uses advised against: Specialty construction product. Not intended for other uses.

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA

GCP Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

Information department:

Environmental Health & Safety USA: +1-617-876-1400 (24 hours) +1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts CAN: 1-905-683-8561 (24 hours) Email address: msds.gcp@gcpat.com

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

2 Hazard(s) identification

Label elements:

Hazard pictograms



Danger

Hazard statements Causes severe skin burns and eye damage. May cause an allergic skin reaction. May cause cancer. May cause respiratory irritation. **Precautionary statements** Do not handle until all safety precautions have been read and understood. Do not breathe dust. Wear protective gloves/protective clothing/eye protection/face protection. If swallowed: Rinse mouth. Do NOT induce vomiting. If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. IF INHALED: Remove person to fresh air and keep comfortable for breathing. If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. IF exposed or concerned: Get medical advice/attention. If skin irritation or rash occurs: Get medical advice/attention. Dispose of contents/container in accordance with local/regional/national/international regulations.

(Cont. on page 2)

 \mathbf{O}

FIRE

Version Number 1.2

Reviewed on 10/18/2017

Trade name: Monokote Z-3306 White

Additional information: This product should be handled with care to avoid dust generation.

Hazard description: Danger NFPA ratings (scale 0 - 4)

> Health = 2Fire = 0Reactivity = 0

HMIS-ratings (scale 0 - 4)

HEALTH *2 Health = *20 Flammability = 0Reactivity = 0REACTIVITY 0

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixture

Description: Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

Hazardous	components:
-----------	-------------

65997-15-1	Portland cement
------------	-----------------

14808-60-7 Quartz (SiO2)

18450-29-9 Hexavalent Chromium

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

4 First-aid measures

Description of first aid measures

General information: Get medical advice/attention if you feel unwell.

After inhalation:

If symptoms develop, supply fresh air. If required, provide artificial respiration and seek immediate medical treatment.

After skin contact:

Immediately wash with water and soap and rinse thoroughly.

If skin irritation continues, consult a doctor. Wet cement may cause skin irritation or burns.

After eye contact: Rinse opened eye for several minutes under running water. Then consult a doctor.

After swallowing:

Rinse out mouth and then drink plenty of water.

Do not induce vomiting; immediately call for medical help.

Information for doctor:

Most important symptoms and effects, both acute and delayed No further relevant information available.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

USGHS

50 - 90%

0.0-0.1%

< 2.0%

Page 2/8

Reviewed on 10/18/2017

Trade name: *Monokote Z-3306 White*

(Cont. from page 2)

Page 3/8

5 Fire-fighting measures

Special hazards arising from the substance or mixture No further relevant information available.

Additional information No further relevant information available.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away. Avoid formation of dust.

Environmental precautions: Avoid release to the environment.

Methods and material for containment and cleaning up:

Sweep up spilled product into receptacles. Avoid formation of dust. Vacuuming or wet sweeping may be used to avoid dust dispersal.

Dispose contaminated material as waste according to section 13 of the SDS.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Risk of serious damage to eyes.

Avoid contact with skin.

Do not breathe dust.

Fit dust covers to mixers.

Prior to welding or cutting, Monokote must be removed from steel surfaces likely to be exposed to excessive heating. Danger of wet slippery surfaces.

Information about protection against explosions and fires: Keep respiratorator available.

Conditions for safe storage, including any incompatibilities

Storage:

Further information about storage conditions: Store in cool, dry conditions in well sealed original receptacles.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace:

14808-60-7 Quartz (SiO2)

PEL (USA) Long-term value: 0.05 mg/m³

Reviewed on 10/18/2017

Trade name: Monokote Z-3306 White

REL (USA)	Long-term value: 0.05* mg/m ³
	*respirable dust; See Pocket Guide App. A
TLV (USA)	Long-term value: 0.025* mg/m ³
	*as respirable fraction

Additional Occupational Exposure Limit Values for possible hazards during processing:

In addition to the exposure limits referenced above, the following non-specific limits for dust apply to this product; OSHA, 15 mg/m3-TWA for Total Dust and 5 mg/m3-TWA as Respirable Dust, ACGIH, 10 mg/m3-TWA as Total Dust and 3 mg/m3-TWA as Respirable Dust.

Additional information:

The lists that were valid during the creation were used as basis. Canadian employers must consult the exposure limits in their province. **Work/Hygienic Practices:** The usual precautionary measures for handling chemicals should be followed.

Exposure controls

Minimize airborne dust generation. Use process enclosures, local exhaust ventilation or other engineering controls to keep airborne levels below specified exposure limits. If user operations generate dust, or mist, use ventilation to keep exposure to airborne particles below the exposure limit. Apply organizational measures, eg. by isolating personnel from dusty areas. Remove and wash soiled clothing.

Personal protective equipment:

General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

Store protective clothing separately.

Breathing equipment:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands:



Alkaline resistant gloves

Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Material of gloves Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Eye protection:



Safety glasses with side shield protection.

Safety glasses with side shields should be worn to prevent contact due to splashing. Under high vapor mist concentrations, tightly sealed goggles should be worn.

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing.

USGHS (Cont. on page 5)

(Cont. from page 3)

Reviewed on 10/18/2017

Page 5/8

(Cont. from page 4)

Trade name: Monokote Z-3306 White

9 Physical and chemical properties			
Information on basic physical a	Information on basic physical and chemical properties		
General Information Appearance:			
Form:	Powder		
Color: Odor:	According to product specification Characteristic		
Odor threshold:	Not determined.		
pH-value (~):	Not applicable.		
Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point:	Undetermined. Undetermined. Not applicable.		
Flammability (solid, gaseous):	Not determined.		
Ignition temperature:	Undetermined.		
Decomposition temperature: Auto igniting: Danger of explosion:	Not determined. Product is not self-igniting. Product does not present an explosion hazard.		
Explosion limits: Lower: Upper: VOC Content (max):	Not determined. Not determined. Not determined.		
Vapor pressure: Density: (~) at 20°C (68 °F) Relative density Vapor density Evaporation rate	Not applicable. Not applicable. Not determined. Not applicable. Not applicable.		
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.		
Partition coefficient (n-octanol/water	:): Not determined.		
Viscosity: Dynamic: Kinematic: Molecular weight	Not applicable. Not applicable. Not applicable.		
Other information	No further relevant information available.		

10 Stability and reactivity

Reactivity Stable under normal conditions.

Chemical stability

Thermal decomposition: No decomposition if used according to specifications.

Possibility of hazardous reactions No further relevant information available.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products:

Carbon monoxide and carbon dioxide

Cutting or welding may generate Sulfur dioxide.

(Cont. on page 6) USGHS

Reviewed on 10/18/2017

Trade name: Monokote Z-3306 White

(Cont. from page 5)

1

K

Page 6/8

Additional information: See section 7 for information on handling, storage and conditions to be avoided.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

Primary irritant effect:

on the skin: Causes severe skin burns and eye damage.

on the eye: Causes serious eye damage.

inhalation: Causes damage to organs.

Ingestion: May cause burns to mouth, throat, and stomach.

Sensitization: May cause an allergic skin reaction.

Additional toxicological information:

Cementitious grouts and mortars are known to cause both irritant and allergic contact dermatitis. Prolonged skin contact can result in chemical burns.

Prolonged exposure may cause risk of lung disease (i.e. silicosis and/or lung cancer).

Carcinogenic categories

IARC (International Agency for Research on Cancer) Human Carcinogenicity: Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable

14808-60-7 Quartz (SiO2)

9003-53-6 Expanded Polystyrene

NTP (National Toxicology Program)

K-Known to be carcinogenic, R-May reasonably be anticipated to be carcinogenic

14808-60-7 Quartz (SiO2)

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

Toxicity

Aquatic toxicity: No further relevant information available.

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes: Not known to be hazardous to water.

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

(Cont. on page 7)

USGHS

Reviewed on 10/18/2017

Trade name: *Monokote Z-3306 White*

(Cont. from page 6)

Page 7/8

13 Disposal considerations

Disposal methods:

Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing product for disposal. Dispose of waste in accordance with all applicable regulations.

Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Dispose of contents/container in accordance with local/regional/national/international regulations.

14 Transport information	
UN-Number DOT, IMDG, IATA	Not applicable.
UN proper shipping name DOT, IMDG, IATA	Not applicable.
Transport hazard class(es)	
DOT, IMDG, IATA Class	Not applicable.
Packing group DOT, IMDG, IATA	Not applicable.
Environmental hazards: Marine pollutant:	No
Special precautions for user	Not applicable.
Transport/Additional information: Not classified as a dangerous good for transport by road, rail or air.	
DOT Remarks: Note:	Not Regulated. Not Regulated for Canada TDG.
UN "Model Regulation":	Not applicable.

15 Regulatory information

Section 302/304 (extremely hazardous substances):	
None of the ingredients is listed.	
Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):	
None of the ingredients is listed.	
SARA Section 312/Tier I & II Hazard Categories:	
Health Hazard - Carcinogenicity	
Health Hazard - Skin Corrosion or Irritation	
Health Hazard - Respiratory or Skin Sensitization	
Health Hazard - Serious eye damage or eye irritation	
Health Hazard - Specific target organ toxicity (single or repeated exposure)	
	(Cont. on page

USGHS

Version Number 1.2

Printing date 10/18/2017

Trade name: *Monokote Z-3306 White*

North America Chemical Inventory Status TSCA (Toxic Substances Control Act - United States): All ingredients are listed or exempt from listing unless otherwise noted below. CEPA (Canadian DSL): All ingredients are listed or exempt from listing unless otherwise noted below.	
All ingredients are listed or exempt from listing unless otherwise noted below. CEPA (Canadian DSL):	
CEPA (Canadian DSL):	
All ingradiants are listed or avapped from listing unless otherwise noted below.	
An ingredients are listed of exempt from insting unless otherwise noted below.	
Right to Know Ingredient Disclosure:	
65996-61-4 Cellulosic Fiber	
9003-53-6 Expanded Polystyrene	
California Proposition 65: (Substances <0.1% unless noted in Section 3)	
Chemicals known to cause cancer:	
Quartz (SiO2)	
Hexavalent Chromium	
Chemicals known to cause reproductive toxicity for females:	
18450-29-9 Hexavalent Chromium	
Chemicals known to cause reproductive toxicity for males:	
18450-29-9 Hexavalent Chromium	
Chemicals known to cause developmental toxicity:	
18450-29-9 Hexavalent Chromium	
Carcinogenicity Categories	
TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists) Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable	
Quartz (SiO2)	A2
NIOSH-Cancer (National Institute for Occupational Safety and Health)	
14808-60-7 Quartz (SiO2)	
Volatile Organic Compounds (VOC) reported per the Emission Standards. 0 g/L	

16 Other information

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

Date of preparation / last revision 09/07/2017 / 1.0

The first date of preparation 08/08/2016

Number of revision times and the latest revision date 1.2 - 10/18/2017