

Printing date 03/27/2017 Version Number 1.0 Reviewed on 03/27/2017

1 Identification

Product identifier

Trade name: DENEPOX 40 Component A

SDS ID Number: 2477

Relevant identified uses of the substance or mixture, and uses advised against

Waterproofing

Specialty construction product. Not intended for other uses

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA

GCP Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

Information department:

Environmental Health & Safety USA: +1-617-876-1400 (24 hours)

+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts

CAN: 1-905-683-8561 (24 hours) Email address: msds.gcp@gcpat.com

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

2 Hazard(s) identification

Classification of the substance or mixture

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

Label elements:

Hazard pictograms



Warning

Hazard statements

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves / eye protection / face protection.

Wash thoroughly after handling.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN: Wash with plenty of water.

(Cont. on page 2)

(Cont. from page 1)

Safety Data Sheet

Printing date 03/27/2017 Version Number 1.0 Reviewed on 03/27/2017

Trade name: DENEPOX 40 Component A

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

NFPA ratings (scale 0 - 4)



 $\begin{aligned} & Health = 2 \\ & Fire = 1 \\ & Reactivity = 0 \end{aligned}$

HMIS-ratings (scale 0 - 4)



Health = *2 Flammability = 1 Reactivity = 0

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixture

Description: Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

Hazardous components:			
16096-31-4	1,6-bis(2,3-epoxypropoxy)hexane	30-50%	
25068-38-6	Reaction product: bisphenol A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)	25-30%	
55492-52-9	Epoxy resin	20-25%	

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

4 First-aid measures

Description of first aid measures

General information:

Get medical advice/attention if you feel unwell.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

After eye contact: Rinse cautiously with water for several minutes.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Information for doctor:

Most important symptoms and effects, both acute and delayed Irritating to eyes.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

USGHS

Trade name: DENEPOX 40 Component A

(Cont. from page 2)

5 Fire-fighting measures

Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

Sweep up spilled product into receptacles.

Dispose contaminated material as waste according to section 13 of the SDS.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Prevent formation of aerosols.

Avoid contact with skin.

Avoid contact with eyes.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Information about storage in one common storage facility: No special measures required.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.

ont. on page 4)

Trade name: DENEPOX 40 Component A

(Cont. from page 3)

Breathing equipment:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Material of gloves Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Eye protection:



Safety glasses with side shield protection.

Safety glasses with side shields should be worn to prevent contact due to splashing. Under high vapor mist concentrations, tightly sealed goggles should be worn.



A face shield should also be worn if there is potential exposure to splash or spray.

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing.

A Dlarrata	0 70 6	a b array a c	I was a contract
9 PHVSIC			d properties

Information on basic physical and chemical properties		
General Information Appearance: Form: Color: Odor: Odor threshold:	Liquid Yellowish Characteristic Not determined.	
pH-value (~):	Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point:	Undetermined. > 200 °C (> 392 °F) > 100 °C (> 212 °F)	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature: Auto igniting: Danger of explosion:	Not determined. Product is not self-igniting. Product does not present an explosion hazard.	
Explosion limits: Lower: Upper: VOC Content (max):	Not determined. Not determined. 0.00 %	
Vapor pressure: Density: (~) at 20 °C (68 °F) Relative density Vapor density Evaporation rate	Not determined. 1.1 g/cm³ (9.18 lbs/gal) Not determined. Not determined. Not determined.	

(Cont. on page 5)

Printing date 03/27/2017 Version Number 1.0 Reviewed on 03/27/2017

Trade name: DENEPOX 40 Component A

Solubility in / Miscibility with
Water:
Not miscible or difficult to mix.

Partition coefficient (n-octanol/water): Not determined.

Viscosity:
Dynamic at 20 °C (68 °F):
Sinematic:
Not determined.
Molecular weight
Not applicable.

Other information
No further relevant information available.

10 Stability and reactivity

Reactivity Stable under normal conditions.

Chemical stability

Thermal decomposition: No decomposition if used according to specifications.

Possibility of hazardous reactions No further relevant information available.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

Additional information: See section 7 for information on handling, storage and conditions to be avoided.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

LD/LC50 values relevant for classification:

25068-38-6 Reaction product: bisphenol A-(epichlorhydrin); epoxy resin (number average molecular weight ≤ 700)

LC50, 96h 220 mg/l (algae)

3.6 mg/l (bacterial)

2.4 mg/l (fish)

LC50, 48h 2.8 mg/l (daphnia magna)

Primary irritant effect:

on the skin: Causes skin irritation.

on the eye: Causes serious eye irritation. **inhalation:** No irritating effect expected

Sensitization: May cause an allergic skin reaction.

Additional toxicological information:

Carcinogenic categories

IARC (International Agency for Research on Cancer) Human Carcinogenicity:

Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable

None of the ingredients is listed.

NTP (National Toxicology Program)

K-Known to be carcinogenic, R-May reasonably be anticipated to be carcinogenic

None of the ingredients is listed.

(Cont. on page 6)

Version Number 1.0 Printing date 03/27/2017 Reviewed on 03/27/2017

Trade name: DENEPOX 40 Component A

(Cont. from page 5)

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

Toxicity

Aquatic toxicity:

16096-31-4 1,6-bis(2,3-epoxypropoxy)hexane

EC50, 96h 30 mg/l (fish) (OECD 203)

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes:

Toxic for aquatic organisms

Also poisonous for fish and plankton in water bodies.

Results of PBT and vPvB assessment

PBT: Not applicable. vPvB: Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Disposal methods:

Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing product for disposal. Dispose of waste in accordance with all applicable regulations.

Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Dispose of contents/container in accordance with local/regional/national/international regulations.

14 Transport information

UN-Number

DOT Not applicable. UN3082 IMDG, IATA

 $\begin{array}{c} UN \ proper \ shipping \ name \\ DOT \end{array}$

Not applicable.

IMDG ENVĪRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN

(Number average MW ≤ 700), MARINE POLLUTANT

(Cont. on page 7)

Trade name: DENEPOX 40 Component A

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (EPOXY RESIN

(Number average $MW \le 700$)


Transport hazard class(es)

DOT

IATA

Class Not applicable.

IMDG, IATA



Class 9 Miscellaneous dangerous substances and articles

Label 9

Packing group

DOT Not applicable. IMDG, IATA III

Environmental hazards: Product contains environmentally hazardous substances: Epoxy Resin (Number average MW

 ≤ 700

Marine pollutant: Yes

Symbol (fish and tree)

Special marking (ADR): Symbol (fish and tree) **Special marking (IATA):** Symbol (fish and tree)

Special precautions for user Warning: Miscellaneous dangerous substances and articles

Danger code (Kemler): 90 EMS Number: F-A,S-F

Transport/Additional information:

DOT

Remarks: Not Regulated.

IMDG

Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1

> Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation": UN3082, Environmentally hazardous substances, liquid, n.o.s. (EPOXY RESIN (Number

average MW \leq 700), 9, III

15 Regulatory information

SARA (Superfund Amendments and Reauthorization Act)

Section 302/304 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

None of the ingredients is listed.

SARA Section 312/Tier I & II Hazard Categories:

Health Hazard - Skin Corrosion or Irritation

Health Hazard - Respiratory or Skin Sensitization

Health Hazard - Serious eye damage or eye irritation

North America Chemical Inventory Status

TSCA (Toxic Substances Control Act - United States):

All ingredients are listed or exempt from listing unless otherwise noted below.

(Cont. on page 8)

Trade name: DENEPOX 40 Component A

CEPA (Canadian DSL):

All ingredients are listed or exempt from listing unless otherwise noted below.

California Proposition 65

Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Carcinogenicity Categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)

Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable

None of the ingredients is listed.

NIOSH-Cancer (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

Volatile Organic Compounds (VOC) reported per the Emission Standards.

If no g/L value is provided this product is not subject to above standard.

16 Other information

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

Department issuing SDS:

GCP Applied Technologies 62 Whittemore Avenue

Cambridge, MA 02140 USA

USA: +1-617-876-1400 (24 hours) +1-800-354-5414

Date of preparation / last revision 03/27/2017 / -

The first date of preparation 05/18/2015

Number of revision times and the latest revision date 1.0 / 03/27/2017

USGHS





Version Number 1.0 Reviewed on 03/27/2017 Printing date 03/27/2017

1 Identification

Product identifier

Trade name: DENEPOX 40 Component B

SDS ID Number: 2478

Relevant identified uses of the substance or mixture, and uses advised against

Specialty construction product. Not intended for other uses

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA

GCP Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

Information department:

Environmental Health & Safety USA: +1-617-876-1400 (24 hours)

+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts

CAN: 1-905-683-8561 (24 hours) Email address: msds.gcp@gcpat.com

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

2 Hazard(s) identification

Classification of the substance or mixture

Harmful if swallowed.

Harmful in contact with skin.

Causes severe skin burns and eye damage.

Causes serious eye damage.

May cause an allergic skin reaction.

Suspected of damaging fertility or the unborn child.

Label elements:

Hazard pictograms







GHS05 GHS07

GHS08

Danger

Hazard statements

Harmful if swallowed.

Harmful in contact with skin.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Suspected of damaging fertility or the unborn child.

(Cont. on page 2)

(Cont. from page 1)

Printing date 03/27/2017 Version Number 1.0 Reviewed on 03/27/2017

Trade name: DENEPOX 40 Component B

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

If swallowed: Rinse mouth. Do NOT induce vomiting.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

Hazard description: Corrosive

NFPA ratings (scale 0 - 4)



 $\begin{aligned} & \text{Health} = 3 \\ & \text{Fire} = 1 \\ & \text{Reactivity} = 0 \end{aligned}$

HMIS-ratings (scale 0 - 4)



Health = *3 Flammability = 1 Reactivity = 0

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixture

Description: Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

	Hazardous components:		
	2855-13-2	Isophorondiamine	50-100%
	100-51-6	Benzyl alcohol	5.0-10.0%
90-72-2 2,4,6-tris(dimethylaminomethyl)phenol		2,4,6-tris(dimethylaminomethyl)phenol	5.0-10.0%
	80-05-7	bisphenol A	5.0-10.0%

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

4 First-aid measures

Description of first aid measures

General information: Get medical advice/attention if you feel unwell.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

After eye contact: Rinse cautiously with water for several minutes.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

(Cont. on page 3)

Trade name: DENEPOX 40 Component B

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

(Cont. from page 2)

Information for doctor:

Most important symptoms and effects, both acute and delayed Harmful if swallowed.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Special hazards arising from the substance or mixture No further relevant information available.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

Use neutralizing agent.

Sweep up spilled product into receptacles.

Dispose contaminated material as waste according to section 13 of the SDS.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Risk of serious damage to eyes.

Prevent formation of aerosols.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Information about storage in one common storage facility: No special measures required.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

(Cont. on page 4)

Trade name: DENEPOX 40 Component B

(Cont. from page 3)

Control parameters

Components with limit values that require monitoring at the workplace:

100-51-6 Benzyl alcohol

WEEL (USA) Long-term value: 10 ppm

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.

Breathing equipment:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Material of gloves Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Eye protection:



Safety glasses with side shield protection.

Safety glasses with side shields should be worn to prevent contact due to splashing. Under high vapor mist concentrations, tightly sealed goggles should be worn.



A face shield should also be worn if there is potential exposure to splash or spray.

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties		
General Information Appearance: Form: Color: Odor: Odor threshold:	Liquid Yellowish Amine-like Not determined.	
pH-value (~):	Not determined.	
Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point:	Undetermined. > 200 °C (> 392 °F) > 100 °C (> 212 °F)	
Flammability (solid, gaseous):	Not applicable.	
Decomposition temperature: Auto igniting:	Not determined. Product is not self-igniting.	
	(Cont. on page 5	

(Cont. on page 5)

Printing date 03/27/2017 Version Number 1.0 Reviewed on 03/27/2017

Trade name: DENEPOX 40 Component B

		(Cont. from page 4)
Danger of explosion:	Product does not present an explosion hazard.	
Explosion limits:		
Lower:	Not determined.	
Upper:	Not determined.	
VOC Content (max):	0.00 %	
Vapor pressure:	Not determined.	
Density: (~) at 20 °C (68 °F)	$0.9 \text{ g/cm}^3 (7.511 \text{ lbs/gal})$	
Relative density	Not determined.	
Vapor density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/water	Partition coefficient (n-octanol/water): Not determined.	
Viscosity:		
Dynamic at 20 °C (68 °F):	25 mPas	
Kinematic:	Not determined.	
Molecular weight	Not applicable.	
Other information	No further relevant information available.	

10 Stability and reactivity

Reactivity Stable under normal conditions.

Chemical stability

Thermal decomposition: No decomposition if used according to specifications.

Possibility of hazardous reactions No further relevant information available.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

Additional information: See section 7 for information on handling, storage and conditions to be avoided.

11 Toxicological information
Information on toxicological effects

	S Company of the comp			
Acute to	Acute toxicity:			
LD/LC50	LD/LC50 values relevant for classification:			
2855-13-2	2855-13-2 Isophorondiamine			
Oral	LD50	1030 mg/kg (rat) (OECD 401)		
Dermal	LD50	1840 mg/kg (rabbit)		
100-51-6	100-51-6 Benzyl alcohol			
Dermal	LD50	1230 mg/kg (rat)		
90-72-2 2	90-72-2 2,4,6-tris(dimethylaminomethyl)phenol			
Oral	LD50	2169 mg/kg (rat) (OECD 401)		
Dermal	LD50	1242 mg/kg (rabbit)		
80-05-7 b	80-05-7 bisphenol A			
Oral	LD50	>2000 mg/kg (rat) (OECD 401)		
Dermal	LD50	3250 mg/kg (rat)		
	LD50	3000 mg/kg (rabbit)		

(Cont. on page 6)

Trade name: DENEPOX 40 Component B

Inhalation LC50, 6h LC50, 96h (dynamic) 9.4 mg/l (fish) (OECD 203)

Primary irritant effect:

on the skin:

Harmful in contact with skin.

Causes severe skin burns and eye damage. **on the eye:** Causes serious eye damage. **inhalation:** No irritating effect expected

Ingestion: Harmful if swallowed.

Sensitization: May cause an allergic skin reaction.

Additional toxicological information: Suspected of damaging fertility or the unborn child.

Carcinogenic categories

IARC (International Agency for Research on Cancer) Human Carcinogenicity:

Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable

None of the ingredients is listed.

NTP (National Toxicology Program)

K-Known to be carcinogenic, R-May reasonably be anticipated to be carcinogenic

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

12 Ecological information

Toxicity

Aquatic toxicity:

90-72-2 2,4,6-tris(dimethylaminomethyl)phenol

EC50, 72h 84 mg/l (algae) (OECD 201)

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Ecotoxical effects:

Remark: Harmful to fish

Additional ecological information:

General notes:

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Harmful to aquatic organisms

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

USGHS

Version Number 1.0 Printing date 03/27/2017 Reviewed on 03/27/2017

Trade name: DENEPOX 40 Component B

(Cont. from page 6)

13 Disposal considerations

Disposal methods:

Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing product for disposal. Dispose of waste in accordance with all applicable regulations.

Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Dispose of contents/container in accordance with local/regional/national/international regulations.

14 Transport information

UN-Number DOT, IMDG, IATA UN1760

UN proper shipping name

DOT Corrosive liquids, n.o.s. (Isophorondiamine) IMDG, IATA CORROSIVE LIQUID, N.O.S. (Isophorondiamine)

Transport hazard class(es)

DOT



Class 8 Corrosive substances Label

IMDG, IATA



Class 8 Corrosive substances

Label 8

Packing group DOT, IMDG, IATA

Ш

Environmental hazards:

Marine pollutant: No

Special precautions for user Warning: Corrosive substances

Danger code (Kemler): **EMS Number:** F-A,S-B

Transport/Additional information:

Limited quantities (LQ) **Excepted quantities (EQ)** Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

(Cont. on page 8)

Printing date 03/27/2017 Version Number 1.0 Reviewed on 03/27/2017

Trade name: DENEPOX 40 Component B

(Cont. from page 7)

UN "Model Regulation": UN1760, Corrosive liquids, n.o.s. (Isophorondiamine), 8, III

15 Regulatory information

SARA (Superfund Amendments and Reauthorization Act)

Section 302/304 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

80-05-7 bisphenol A

7.5%

SARA Section 312/Tier I & II Hazard Categories:

Health Hazard - Acute toxicity (any route of exposure)

Health Hazard - Reproductive toxicity

Health Hazard - Skin Corrosion or Irritation

Health Hazard - Respiratory or Skin Sensitization

Health Hazard - Serious eye damage or eye irritation

North America Chemical Inventory Status

TSCA (Toxic Substances Control Act - United States):

All ingredients are listed or exempt from listing unless otherwise noted below.

CEPA (Canadian DSL):

All ingredients are listed or exempt from listing unless otherwise noted below.

California Proposition 65

Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

80-05-7 bisphenol A

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

Carcinogenicity Categories

EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)

Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable

None of the ingredients is listed.

NIOSH-Cancer (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

Volatile Organic Compounds (VOC) reported per the Emission Standards.

If no g/L value is provided this product is not subject to above standard.

16 Other information

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

Department issuing SDS:

(Cont. on page 9)

Printing date 03/27/2017 Version Number 1.0 Reviewed on 03/27/2017

Trade name: DENEPOX 40 Component B

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA USA: +1-617-876-1400 (24 hours) +1-800-354-5414

Date of preparation / last revision 03/27/2017 / -

The first date of preparation 05/18/2015

Number of revision times and the latest revision date 1.0 / 03/27/2017

(Cont. from page 8)