

Page 1/9

# **Safety Data Sheet**

Printing date 03/31/2016 Version Number 1.0 Reviewed on 03/31/2016

# 1 Identification

#### Product identifier

Trade name: Silcor® Primer EPF (Part A)

SDS ID Number: 2547

Relevant identified uses of the substance or mixture, and uses advised against

Specialty construction product. Not intended for other uses

# Details of the supplier of the safety data sheet

## Manufacturer/Supplier:

W.R. Grace & Co. -Conn. 62 Whittemore Avenue Cambridge, MA 02140 USA

Grace Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

### **Information department:**

Environmental Health & Safety USA: +1-617-876-1400 (24 hours)

+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts

CAN: 1-905-683-8561 (24 hours)

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

# 2 Hazard(s) identification

## Classification of the substance or mixture

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

**Label elements:** The product is classified and labeled according to the Globally Harmonized System (GHS)

#### Hazard pictograms



# Warning

#### **Hazard statements**

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

**Precautionary statements** 

Wash thoroughly after handling.

(Cont. on page 2)

(Cont. from page 1)

## **Safety Data Sheet**

Printing date 03/31/2016 Version Number 1.0 Reviewed on 03/31/2016

## Trade name: Silcor® Primer EPF (Part A)

Wear eye protection / face protection.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

IF ON SKIN: Wash with plenty of water.

If eye irritation persists: Get medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention.

NFPA ratings (scale 0 - 4)



 $\begin{aligned} & Health = 2 \\ & Fire = 1 \\ & Reactivity = 0 \end{aligned}$ 

## HMIS-ratings (scale 0 - 4)



Health = \*2 Flammability = 1 Reactivity = 0

#### Other hazards

Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

# 3 Composition/information on ingredients

## **Chemical characterization: Mixtures**

**Description:** Mixture of the substances listed below with additional nonhazardous ingredients.

	Hazardous components:				
2	25068-38-6 Reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular 50-1009				
		weight = $700$ )			
	2425-79-8	1,4-bis(2,3-epoxypropoxy)butane	20-25%		
6	8609-97-2	oxirane, mono[(C12-14-alkyloxy)methyl] derivs	2.0-5.0%		

**Additional information:** For the wording of the listed hazard phrases refer to section 16.

## 4 First-aid measures

## **Description of first aid measures**

General information: Get medical advice/attention if you feel unwell.

#### After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

#### **After skin contact:**

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

**After eye contact:** Rinse cautiously with water for several minutes.

After swallowing: Rinse mouth.

(Cont. on page 3)

Printing date 03/31/2016 Version Number 1.0 Reviewed on 03/31/2016

Trade name: Silcor® Primer EPF (Part A)

(Cont. from page 2)

#### **Information for doctor:**

### Most important symptoms and effects, both acute and delayed

May cause sensitization by skin contact.

Irritating to eyes.

#### Indication of any immediate medical attention and special treatment needed

No further relevant information available.

## **5** Fire-fighting measures

## Special hazards arising from the substance or mixture

Formation of toxic gases is possible during heating or in case of fire.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

## 6 Accidental release measures

# Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

## Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

Sweep up spilled product into receptacles.

Dispose contaminated material as waste according to section 13 of the SDS.

#### Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

# 7 Handling and storage

## **Handling:**

## Precautions for safe handling

Prevent formation of aerosols.

Avoid contact with skin.

Avoid contact with eyes.

Information about protection against explosions and fires: No special measures required.

# Conditions for safe storage, including any incompatibilities

Storage:

**Information about storage in one common storage facility:** Storage temperature 5-30 °C.

Further information about storage conditions: Keep receptacle tightly sealed.

(Cont. on page 4)

Printing date 03/31/2016 Version Number 1.0 Reviewed on 03/31/2016

Trade name: Silcor® Primer EPF (Part A)

(Cont. from page 3)

**Specific end use(s)** No further relevant information available.

# 8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

## **Control parameters**

#### Components with limit values that require monitoring at the workplace:

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.

## **Exposure controls**

## Personal protective equipment:

### General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

## **Breathing equipment:**

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

#### **Protection of hands:**

Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

#### Material of gloves

Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

#### **Eye protection:**



Safety glasses with side shield protection.

Safety glasses with side shields should be worn to prevent contact due to splashing. Under high vapor mist concentrations, tightly sealed goggles should be worn.



A face shield should also be worn if there is potential exposure to splash or spray.

# **Body protection:**

Use personal protective equipment as required.

Take off contaminated clothing.

USGHS

(Cont. on page 5)

Printing date 03/31/2016 Version Number 1.0 Reviewed on 03/31/2016

Trade name: Silcor® Primer EPF (Part A)

(Cont. from page 4)

9 Physical and chemical properti	ies
Information on basic physical	and chemical properties
General Information Appearance: Form: Color: Odor: Odor threshold:	Liquid According to product specification Typical. Not determined.
pH-value (~) at 20 °C (68 °F):	7
Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point:	Undetermined. 100 °C (212 °F) > 150 °C (> 302 °F)
Flammability (solid, gaseous):	Not applicable.
Decomposition temperature: Auto igniting: Danger of explosion:	Not determined. Product is not selfigniting. Product does not present an explosion hazard.
Explosion limits: Lower: Upper: VOC Content (max):	Not determined. Not determined. 0.00 %
Vapor pressure: Density: (~) at 20 °C (68 °F) Relative density Vapor density Evaporation rate	< 1 mbar at 20 °C 1.0 g/cm³ (8.345 lbs/gal) Not determined. Not determined. Not determined.
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/water	·): Not determined.
Viscosity: Dynamic: Kinematic: Molecular weight	Not determined. Not determined. Not applicable.
Other information	No further relevant information available.

# 10 Stability and reactivity

**Reactivity** Stable under normal conditions.

Chemical stability

Thermal decomposition: No decomposition if used according to specifications.

Possibility of hazardous reactions Reacts with oxidising agents, alcohols, amines, alkalines.

Conditions to avoid No further relevant information available.

**Incompatible materials:** No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

(Cont. on page 6)

Printing date 03/31/2016 Version Number 1.0 Reviewed on 03/31/2016

Trade name: Silcor® Primer EPF (Part A)

(Cont. from page 5)

Additional information: See section 7 for information on handling, storage and conditions to be avoided.

## 11 Toxicological information

## Information on toxicological effects

#### Acute toxicity:

LD/LC50	values	relevant f	or els	assification:
	vaiucs	i cic vanit i	UI CIG	issincauon.

25068-38-6 Reaction product: bisphenol-A-(epichlorhydrin) epoxy resin (number average molecular weight = 700)

LC50, 48h 2.8 mg/l (daphnia magna)

LC50, 96h 220 mg/l (algae)

3.6 mg/l (bacterial)

2.4 mg/l (fish)

#### **Primary irritant effect:**

on the skin: Irritant to skin and mucous membranes.

on the eye: Irritating to eyes.

inhalation: No irritating effect expected

**Sensitization:** Sensitization possible through skin contact.

Additional toxicological information:

Carcinogenic categories

IARC (International Agency for Research on Cancer) Human Carcinogenicity:

Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable

None of the ingredients is listed.

NTP (National Toxicology Program)

K-Known to be carcinogenic, R-May reasonably be anticipated to be carcinogenic

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# 12 Ecological information

## **Toxicity**

Aquatic toxicity: No further relevant information available.

**Persistence and degradability** No further relevant information available.

## **Behavior in environmental systems:**

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

# Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

(Cont. on page 7)

Printing date 03/31/2016 Version Number 1.0 Reviewed on 03/31/2016

Trade name: Silcor® Primer EPF (Part A)

(Cont. from page 6)

Other adverse effects No further relevant information available.

# 13 Disposal considerations

Waste treatment methods Comply with Federal, State and local regulations.

**Recommendation:** 



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

# **Uncleaned packagings:**

**Recommendation:** Disposal must be made according to official regulations.

# 14 Transport information

UN-Number DOT, ADR, IMDG, IATA UN3082

**UN** proper shipping name

**DOT, ADR** Environmentally hazardous substances, liquid, n.o.s. (Epoxy resin)

IMDG ENVIRONMENTALLY HAZARDOUS SÜBSTANCE, LIQUID, N.O.S. (Epoxy

resin), MARINE POLLUTANT

IATA ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (Epoxy

resin)

## **Transport hazard class(es)**

DOT, ADR, IMDG, IATA



**Class** 9 Miscellaneous dangerous substances and articles

Label

Packing group

DOT, AĎŘ, IMDG, IATA III

**Environmental hazards:** Product contains environmentally hazardous substances: Epoxy resin

**Marine pollutant:** Yes (DOT)

Symbol (fish and tree) Symbol (fish and tree)

**Special marking (ADR):** Symbol (fish and tree) **Special marking (IATA):** Symbol (fish and tree)

**Special precautions for user** Warning: Miscellaneous dangerous substances and articles

Danger code (Kemler): 90 EMS Number: F-A,S-F Stowage Category A

(Cont. on page 8)

(Cont. from page 7)

# **Safety Data Sheet**

Printing date 03/31/2016 Version Number 1.0 Reviewed on 03/31/2016

Trade name: Silcor® Primer EPF (Part A)

**Transport/Additional information:** 

DOT

**Remarks:** Not Regulated.

Special marking with the symbol (fish and tree).

**ADR** 

**Excepted quantities (EQ)** Code: E1

Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml

**IMDG** 

Limited quantities (LQ) 5L Excepted quantities (EQ) Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

UN "Model Regulation": UN 3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCES, LIQUID,

N.O.S. (EPOXY RESIN), 9, III

## 15 Regulatory information

### **SARA** (Superfund Amendments and Reauthorization Act)

Section 302/304 (extremely hazardous substances):

None of the ingredients is listed.

#### Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

None of the ingredients is listed.

#### SARA Section 312/Tier I & II Hazard Categories:

Health Delayed (chronic) Yes
Health Immediate (acute) Yes
Flammable No
Reactive No
Pressure No

#### **North America Chemical Inventory Status**

#### TSCA (Toxic Substances Control Act - United States):

All ingredients are listed or exempt from listing unless otherwise noted below.

#### **CEPA (Canadian DSL):**

All ingredients are listed or exempt from listing unless otherwise noted below.

#### California Proposition 65

#### Chemicals known to cause cancer:

None of the ingredients is listed.

# Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

# Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

#### Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

(Cont. on page 9)

Printing date 03/31/2016 Version Number 1.0 Reviewed on 03/31/2016

Trade name: Silcor® Primer EPF (Part A)

(Cont. from page 8)

**Carcinogenicity Categories** 

EPA (Environmental Protection Agency)

None of the ingredients is listed.

TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)
Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable

None of the ingredients is listed.

NIOSH-Cancer (National Institute for Occupational Safety and Health)

None of the ingredients is listed.

Volatile Organic Compounds (VOC) reported per the Emission Standards. 20 g/L

# 16 Other information

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

# **Department issuing SDS:**

W.R. Grace & Co. -Conn. 62 Whittemore Avenue Cambridge, MA 02140 USA USA: +1-617-876-1400 (24 hours) +1-800-354-5414

Date of preparation / last revision 03/31/2016 / -

The first date of preparation 08/20/2015

Number of revision times and the latest revision date 1.0 / 03/31/2016



Printing date 08/25/2015 Version Number 1.0 Reviewed on 08/25/2015

## 1 Identification

### **Product identifier**

Trade name: Silcor® Primer EPF (Part B)

SDS ID Number: 2548

Relevant identified uses of the substance or mixture, and uses advised against

Waterproofing.

Specialty construction product. Not intended for other uses

## Details of the supplier of the safety data sheet

Manufacturer/Supplier:

W.R. Grace & Co. -Conn. 62 Whittemore Avenue Cambridge, MA 02140 USA

Grace Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

#### www.graceconstruction.com

#### **Information department:**

Environmental Health & Safety USA: +1-617-876-1400 (24 hours)

+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts

CAN: 1-905-683-8561 (24 hours)

**Transport Emergency:** Chemtrec +1-800-424-9300 (24 hours)

# 2 Hazard(s) identification

## Classification of the substance or mixture

Harmful if swallowed.

Causes severe skin burns and eye damage.

Causes serious eye damage.

May cause an allergic skin reaction.

Suspected of causing genetic defects.

May cause damage to lungs through prolonged or repeated

exposure by way of inhalation.

Label elements: The product is classified and labeled according to the Globally Harmonized System (GHS)

# **Hazard pictograms**







GHS05

GHS07

GHS08

Danger

(Cont. on page 2)

Printing date 08/25/2015 Version Number 1.0 Reviewed on 08/25/2015

## Trade name: Silcor® Primer EPF (Part B)

(Cont. from page 1)

#### **Hazard statements**

Harmful if swallowed.

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Suspected of causing genetic defects.

May cause damage to lungs through prolonged or repeated exposure by way of inhalation.

### **Precautionary statements**

Wear eye protection / face protection.

IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

If skin irritation or rash occurs: Get medical advice/attention.

If swallowed: Call a poison center/doctor if you feel unwell.

If swallowed: Rinse mouth. Do NOT induce vomiting.

IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing.

## **Hazard description:** Corrosive

NFPA ratings (scale 0 - 4)



 $\begin{aligned} & Health = 3 \\ & Fire = 1 \\ & Reactivity = 0 \end{aligned}$ 

#### HMIS-ratings (scale 0 - 4)



Health = \*3 Flammability = 1 Reactivity = 0

#### Other hazards

#### Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

## 3 Composition/information on ingredients

## **Chemical characterization: Mixtures**

**Description:** Mixture of the substances listed below with additional nonhazardous ingredients.

Hazardou	Hazardous components:		
100-51-6 Benzyl alcohol 5.0-		5.0-10.0%	
1477-55-0	m-phenylenebis (methylamine)	5.0-10.0%	
108-95-2	phenol	2.0-5.0%	
90-72-2	2,4,6-tris(dimethylaminomethyl)phenol	2.0-5.0%	

**Additional information:** For the wording of the listed risk phrases refer to section 16.

# 4 First-aid measures

## **Description of first aid measures**

General information: Get medical advice/attention if you feel unwell.

(Cont. on page 3)

Printing date 08/25/2015 Version Number 1.0 Reviewed on 08/25/2015

Trade name: Silcor® Primer EPF (Part B)

(Cont. from page 2)

#### After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

#### After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

After eye contact: Rinse cautiously with water for several minutes.

#### After swallowing:

Rinse mouth.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

## **Information for doctor:**

## Most important symptoms and effects, both acute and delayed

Causes burns.

May cause sensitization by skin contact.

Harmful if swallowed.

#### Indication of any immediate medical attention and special treatment needed

No further relevant information available.

# 5 Fire-fighting measures

Special hazards arising from the substance or mixture No further relevant information available.

**Additional information** Collect contaminated fire fighting water separately. It must not enter the sewage system.

## 6 Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

## Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

Use neutralizing agent.

Sweep up spilled product into receptacles.

Dispose contaminated material as waste according to section 13 of the SDS.

#### Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

несне

(Cont. on page 4)

Printing date 08/25/2015 Version Number 1.0 Reviewed on 08/25/2015

Trade name: Silcor® Primer EPF (Part B)

(Cont. from page 3)

# 7 Handling and storage

# Handling:

## Precautions for safe handling

Risk of serious damage to eyes.

Prevent formation of aerosols.

Information about protection against explosions and fires: No special measures required.

## Conditions for safe storage, including any incompatibilities

Storage:

Information about storage in one common storage facility: Storage temperature 5-30 °C.

Further information about storage conditions: Keep receptacle tightly sealed.

**Specific end use(s)** No further relevant information available.

# 8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

## **Control parameters**

Components	with limit values that require monitoring at the workplace:			
100-51-6 Ben	100-51-6 Benzyl alcohol			
WEEL (USA)	Long-term value: 10 ppm			
1477-55-0 m-j	phenylenebis (methylamine)			
REL (USA)	REL (USA) Ceiling limit value: 0.1 mg/m³ Skin			
TLV (USA)	Ceiling limit value: 0.1 mg/m³ Skin			
108-95-2 pher	nol			
PEL (USA)	Long-term value: 19 mg/m³, 5 ppm Skin			
REL (USA)	Long-term value: 19 mg/m³, 5 ppm Ceiling limit value: 60* mg/m³, 15.6* ppm *15-min; Skin			
TLV (USA)	TLV (USA) Long-term value: 19 mg/m³, 5 ppm Skin; BEI			
Ingredients w	Ingredients with biological limit values:			
108-95-2 phenol				

BEI (USA) 250 mg/g creatinine Medium: urine

Time: end of shift

Parameter: Phenol with hydrolysis (background, nonspecific)

**Additional information:** The lists that were valid during the creation were used as basis.

### **Exposure controls**

Personal protective equipment:

## General protective and hygienic measures:

The usual precautionary measures for handling chemicals should be followed.

(Cont. on page 5)

Printing date 08/25/2015 Version Number 1.0 Reviewed on 08/25/2015

Trade name: Silcor® Primer EPF (Part B)

(Cont. from page 4)

## **Breathing equipment:**

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

#### **Protection of hands:**

Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

#### Material of gloves

Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

#### **Eye protection:**



Safety glasses with side shield protection.

Safety glasses with side shields should be worn to prevent contact due to splashing. Under high vapor mist concentrations, tightly sealed goggles should be worn.



A face shield should also be worn if there is potential exposure to splash or spray.

## **Body protection:**

Use personal protective equipment as required.

Take off contaminated clothing and wash before reuse.

- 0	m .				1		 
- 4		WOLL THE		112111	Treat	nyn	TAX N
		ADTOR	ıl and	10111	LCu	LINIO	

Information on basic physical	Information on basic physical and chemical properties		
General Information			
Appearance:			
Form:	Liquid		
Color:	According to product specification		
Odor:	Amine-like		
Odour threshold:	Not determined.		
pH-value (~) at 20 °C (68 °F):	7		
Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point:	Undetermined. > 200 °C (> 392 °F) > 100 °C (> 212 °F)		
Flammability (solid, gaseous):	Not applicable.		
Decomposition temperature: Auto igniting: Danger of explosion:	Not determined. Product is not selfigniting. Product does not present an explosion hazard.		
Explosion limits:			
Lower:	Not determined.		
Upper:	Not determined.		
	(Cont on page 6)		

nt. on page 6)

Printing date 08/25/2015 Version Number 1.0 Reviewed on 08/25/2015

Trade name: Silcor® Primer EPF (Part B)

	(Co	ont. from page 5
VOC Content (max):	10.00 %	
Vapor pressure at 20 °C (68 °F):	0.1 hPa	
	0,28 hPa at 20 °C	
<b>Density:</b> (~) at 20 °C (68 °F)	1.1 g/cm³ (9.18 lbs/gal)	
Relative density	Not determined.	
Vapour density	Not determined.	
Evaporation rate	Not determined.	
Solubility in / Miscibility with		
Water:	Not miscible or difficult to mix.	
Partition coefficient (n-octanol/wate	er): Not determined.	
Viscosity:		
Dynamic:	Not determined.	
Kinematic:	Not determined.	
Molecular weight	Not applicable.	
Other information	No further relevant information available.	

# 10 Stability and reactivity

Reactivity Stable under normal conditions.

**Chemical stability** 

**Thermal decomposition:** No decomposition if used according to specifications.

Possibility of hazardous reactions Reacts with acids, oxidising agents.

Conditions to avoid No further relevant information available.

670 mg/kg (rat)

**Incompatible materials:** No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

**Additional information:** See section 7 for information on handling, storage and conditions to be avoided.

#### 11 Toxicological information **Information on toxicological effects** Acute toxicity: LD/LC50 values relevant for classification: 100-51-6 Benzyl alcohol 1230 mg/kg (rat) Dermal LD50 2000 mg/kg (rabbit) 1477-55-0 m-phenylenebis (methylamine) 930 mg/kg (rat) (OECD 401) Oral LD50 LD50 3100 mg/kg (rat) (OECD 402) Dermal Inhalation LC50, 4h 2.4 mg/l (rat) (OECD 403) 108-95-2 phenol Dermal LD50 300 mg/kg (mus)

Printing date 08/25/2015 Version Number 1.0 Reviewed on 08/25/2015

Trade name: Silcor® Primer EPF (Part B)

		(Cont. from page 6)
Inhalation	LC50, 4h	316 mg/l (rat)
90-72-2 2,	4,6-tris(dir	nethylaminomethyl)phenol
Oral	LD50	2169 mg/kg (rat) (OECD 401)
Dermal	LD50	1242 mg/kg (rabbit)

#### **Primary irritant effect:**

on the skin: Causes severe skin burns and eye damage.

**on the eye:** Causes serious eye damage. **inhalation:** No irritating effect expected

 $\textbf{Ingestion:} \ \text{Harmful if swallowed}.$ 

**Sensitization:** May cause an allergic skin reaction.

Additional toxicological information: Suspected of causing genetic defects.

Carcinogenic categories

IARC (International Agency for Research on Cancer) Human Carcinogenicity: Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable	
108-95-2 phenol	3
NTP (National Toxicology Program)	

K-Known to be carcinogenic, R-May reasonably be anticipated to be carcinogenic

None of the ingredients is listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients is listed.

# 12 Ecological information

# **Toxicity**

Aquatic toxici	Aquatic toxicity:	
1477-55-0 m-p	phenylenebis (methylamine)	
EC50, 72h 12	mg/l (algae) (OECD 201)	
90-72-2 2,4,6-t	tris(dimethylaminomethyl)phenol	
EC50, 72h 84	mg/l (algae) (OECD 201)	

Persistence and degradability No further relevant information available.

## **Behavior in environmental systems:**

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

# Additional ecological information:

#### **General notes:**

Must not reach bodies of water or drainage ditch undiluted or unneutralized.

Danger to drinking water if even small quantities leak into the ground.

# Results of PBT and vPvB assessment

**PBT:** Not applicable. **vPvB:** Not applicable.

(Cont. on page 8)

Printing date 08/25/2015 Version Number 1.0 Reviewed on 08/25/2015

Trade name: Silcor® Primer EPF (Part B)

(Cont. from page 7)

Other adverse effects No further relevant information available.

# 13 Disposal considerations

**Waste treatment methods** Comply with Federal, State and local regulations.

**Recommendation:** 



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

# **Uncleaned packagings:**

**Recommendation:** Disposal must be made according to official regulations.

# 14 Transport information

**UN-Number** 

DOT, ADR, IMDG, IATA UN2735

UN proper shipping name

DOT, ADR

Amines, liquid, corrosive, n.o.s. (m-phenylenebis (methylamine), Phenol) IMDG, IATA AMINES, LIQUID, CORROSIVE, N.O.S. (m-phenylenebis (methylamine),

PHENOL)

# **Transport hazard class(es)**

DOT



Class 8 Corrosive substances

Label

ADR, IMDG, IATA



8 Corrosive substances Class

Label

Packing group

DOT, ADR, IMDG, IATA Ш

**Environmental hazards:** 

Marine pollutant: No

Special precautions for user Warning: Corrosive substances

(Cont. on page 9)

Printing date 08/25/2015 Version Number 1.0 Reviewed on 08/25/2015

Trade name: Silcor® Primer EPF (Part B)

(Cont. from page 8) **Transport/Additional information: Excepted quantities (EQ)** Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml **IMDG** Limited quantities (LQ) **Excepted quantities (EQ)** Code: E1 Maximum net quantity per inner packaging: 30 ml Maximum net quantity per outer packaging: 1000 ml **UN "Model Regulation":** UN 2735 AMINES, LIQUID, CORROSIVE, N.O.S. (M-PHENYLENEBIS (METHYLAMINE), PHENOL), 8, III

# 15 Regulatory information

**SARA** (Superfund Amendments and Reauthorization Act)

Section 302/304 (extremely hazardous substances):

108-95-2 phenol

Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

108-95-2 phenol 3.5%

SARA Section 312/Tier I & II Hazard Categories:

Health Immediate (acute) Health Delayed (chronic) Yes Flammable No Reactive No Pressure No

**North America Chemical Inventory Status** 

TSCA (Toxic Substances Control Act - United States):

All ingredients are listed or exempt from listing unless otherwise noted below.

**CEPA (Canadian DSL):** 

All ingredients are listed or exempt from listing unless otherwise noted below.

Right to Know Ingredient Disclosure

57214-10-5 Formaldehyde, oligomeric reaction products with phenol and m-phenylenebis(methylamine)

California Proposition 65

Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients is listed.

Chemicals known to cause developmental toxicity:

None of the ingredients is listed.

**Carcinogenicity Categories** 

**EPA** (Environmental Protection Agency)

108-95-2 phenol D, I

(Cont. on page 10)

Printing date 08/25/2015 Version Number 1.0 Reviewed on 08/25/2015

Trade name: Silcor® Primer EPF (Part B)

TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)
Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable
phenol

NIOSH-Cancer (National Institute for Occupational Safety and Health)
None of the ingredients is listed.

Volatile Organic Compounds (VOC) reported per the Emission Standards. 20 g/L

# 16 Other information

"The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection."

## **Department issuing SDS:**

Product Stewardship Department - GRACE, 580-581 Ipswich Road, Slough, Berkshire, SL1 4EQ

Tel: ++44 (0)1753 490 000, Fax: ++44 (0)1753 490 051

Date of preparation / last revision 08/25/2015 / -

The first date of preparation 08/20/2015

Number of revision times and the latest revision date 1.0 / 08/25/2015