

Version Number 1.0 Reviewed on 07/08/2021

1 Identification

Product identifier

Trade name: OPTEVA® NX 1785

SDS ID Number: 1409

Relevant identified uses of the substance or mixture, and uses advised against:

Specialty construction product. Not intended for other uses.

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA

GCP Canada, Inc. 294 Clements Road W. Ajax, Ontario L1S 3C6 Canada

Information department:

Environmental Health & Safety USA: +1-617-876-1400 (24 hours)

+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts

CAN: 1-905-683-8561 (24 hours) Email address: msds.gcp@gcpat.com

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

2 Hazard(s) identification

Classification of the substance or mixture

May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

Label elements:

Hazard pictograms



Warning

Hazard statements

May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

Precautionary statements

Do not breathe dust/fume/gas/mist/vapors/spray.

Get medical advice/attention if you feel unwell.

Dispose of contents/container in accordance with local/regional/national/international regulations.

Hazard description:

NFPA ratings (scale 0 - 4)



Health = 2 Fire = 1Reactivity = 0

(Cont. on page 2)

(Cont. from page 1)

Printing date 07/08/2021 Version Number 1.0 Reviewed on 07/08/2021

Trade name: OPTEVA® NX 1785

HMIS-ratings (scale 0 - 4)

HEALTH *2
FIRE 1
REACTIVITY 0
Health = *2
Flammability = 1
Reactivity = 0

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixture

Description: Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

| Hazardous components: | | |
|-----------------------|-----------------------------|-----------|
| 111-46-6 | Diethylene glycol | 20-25% |
| 102-71-6 | Triethanolamine | 20-25% |
| 140-07-8 | Tetrahydroxyethylenediamine | 5.0-10.0% |
| 107-21-1 | Ethylene glycol | 2.0-5.0% |

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

4 First-aid measures

Description of first aid measures

General information: Get medical advice/attention if you feel unwell.

After inhalation:

Supply fresh air. If required, provide artificial respiration. Keep patient warm. Consult doctor if symptoms persist.

After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

After eye contact: Rinse cautiously with water for several minutes.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Information for doctor:

Most important symptoms and effects, both acute and delayed Harmful if swallowed.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

5 Fire-fighting measures

Special hazards arising from the substance or mixture No further relevant information available.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.

■ USGHS

Printing date 07/08/2021 Version Number 1.0 Reviewed on 07/08/2021

Trade name: OPTEVA® NX 1785

(Cont. from page 2)

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Methods and material for containment and cleaning up:

Contain and/or absorb spill with inert material (i.e. sand, vermiculite) then place in a suitable container.

Sweep up spilled product into receptacles.

Dispose contaminated material as waste according to section 13 of the SDS.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling Prevent formation of aerosols.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage

Information about storage in one common storage facility: No special measures required.

Further information about storage conditions: Keep receptacle tightly sealed.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

| Control parameters | | |
|--|--------------------------------|--|
| Components with limit values that requir | e monitoring at the workplace: | |
| 111-46-6 Diethylene glycol | | |
| WEEL (USA) Long-term value: 10 mg/m ³ | | |
| 102-71-6 Triethanolamine | | |
| TLV (USA) Long-term value: 5 mg/m ³ | | |
| 107-21-1 Ethylene glycol | | |
| TLV (USA) Long-term value: NIC-10* n | ng/m³ | |
| Ceiling limit value: (100) mg | g/m^3 | |
| (H):*as inhalable fraction an | id vapor | |

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.

Breathing equipment:

Respiratory protection is not normally required. However, a chemical cartridge respirator with organic vapor cartridge and a prefilter for dusts/mists is required at or above the applicable exposure limits (consult exposure guidelines). If no limits exist, use an approved respirator whenever a vapor or mist is generated or if respiratory irritation occurs. Supplied air respirator (SCBA) is required at exposure levels above the capabilities of a chemical cartridge respirator.

(Cont. on page 4)

Printing date 07/08/2021 Version Number 1.0 Reviewed on 07/08/2021

Trade name: OPTEVA® NX 1785

(Cont. from page 3)

Protection of hands: Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Material of gloves Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Eye protection:

Safety glasses with side shields should be worn to prevent contact due to splashing. Under high vapor mist concentrations, tightly sealed goggles should be worn.



Safety glasses with side shield protection.



A face shield should also be worn if there is potential exposure to splash or spray.

Body protection:

Kinematic:

Use personal protective equipment as required.

Take off contaminated clothing.

| General Information Appearance: Form: Odor: Characteristic Not determined. PH-value (~) at 20 °C (68 °F): Plamp point/Melting range: Boiling point/Melting range: Undetermined. Vapor pressure: Not determined. Not determined. | Information on basic physical and chemical properties | | |
|--|--|---|--|
| Form: Characteristic Characteristic Not determined. pH-value (-) at 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Melting range: Undetermined. Hammability (solid, gaseous): Not applicable. Ignition temperature: Undetermined. Decomposition temperature: Not determined. Auto igniting: Product is not self-igniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapor pressure: Not determined. Density: (-) at 20 °C (68 °F) 1.1 g/cm³ (9.2 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: | General Information | 1 1 | |
| Odor threshold: Not determined. pH-value (~) at 20 °C (68 °F): 9 Change in condition Melting point/Melting range: Boiling point/Melting range: Plash point: Undetermined. Flash point: > 200 °C (> 392 °F) Flammability (solid, gaseous): Not applicable. Ignition temperature: Undetermined. Decomposition temperature: Not determined. Auto igniting: Product is not self-igniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Lower: Not determined. Upper: Not determined. Vapor pressure: Not determined. Density: (~) at 20 °C (68 °F) 1.1 g/cm³ (9.2 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor pressure: Not determined. Solubility in / Miscibility with Water: Not determined. Vapor density Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: | | Liquid | |
| pH-value (~) at 20 °C (68 °F): PH-value (~) at 20 °C (68 °F): Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Valuetermined. Valuetermined. Valuetermined. Decomposition temperature: Undetermined. Decomposition temperature: Not determined. Product is not self-igniting. Product does not present an explosion hazard. Explosion limits: Lower: Upper: Not determined. Vapor pressure: Not determined. Vapor pressure: Not determined. Vapor density: Vapor density Vapor density Vapor density Vapor density Not determined. Solubility in / Miscibility with Water: Not determined. Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: | 0 0.00 | Characteristic | |
| Change in condition Melting point/Melting range: Boiling point/Boiling range: Flash point: Flammability (solid, gaseous): Not applicable. Ignition temperature: Undetermined. Decomposition temperature: Auto igniting: Product is not self-igniting. Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapor pressure: Not determined. Density: (~) at 20 °C (68 °F) Relative density Vapor density Vapor density Not determined. Not determined. Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: | Odor threshold: | Not determined. | |
| Melting point/Melting range: Boiling point/Boiling range: Flash point: Undetermined. Undetermined. Flammability (solid, gaseous): Not applicable. Ignition temperature: Undetermined. Decomposition temperature: Not determined. Auto igniting: Danger of explosion: Product is not self-igniting. Product does not present an explosion hazard. Explosion limits: Lower: Upper: Not determined. Vapor pressure: Density: (~) at 20 °C (68 °F) Relative density Vapor density Vapor density Not determined. Not determined. Vapor density Vapor density Vapor density Not determined. Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: | pH-value (~) at 20 °C (68 °F): | 9 | |
| Ignition temperature: Undetermined. Decomposition temperature: Not determined. Auto igniting: Product is not self-igniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapor pressure: Not determined. Density: (~) at 20 °C (68 °F) 1.1 g/cm³ (9.2 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: | Melting point/Melting range: Boiling point/Boiling range: | Undetermined. | |
| Decomposition temperature: Auto igniting: Product is not self-igniting. Product does not present an explosion hazard. Explosion limits: Lower: Upper: Not determined. Vapor pressure: Not determined. Density: (~) at 20 °C (68 °F) 1.1 g/cm³ (9.2 lbs/gal) Relative density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: | Flammability (solid, gaseous): | Not applicable. | |
| Auto igniting: Product is not self-igniting. Danger of explosion: Product does not present an explosion hazard. Explosion limits: Lower: Not determined. Upper: Not determined. Vapor pressure: Not determined. Density: (~) at 20 °C (68 °F) 1.1 g/cm³ (9.2 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: | Ignition temperature: | Undetermined. | |
| Danger of explosion: Explosion limits: Lower: Not determined. Upper: Not determined. Vapor pressure: Not determined. Density: (~) at 20 °C (68 °F) Relative density Not determined. Vapor density Not determined. Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: | | | |
| Explosion limits: Lower: Not determined. Upper: Not determined. Vapor pressure: Not determined. Density: (~) at 20 °C (68 °F) 1.1 g/cm³ (9.2 lbs/gal) Relative density Not determined. Vapor density Not determined. Vapor density Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: | | | |
| Lower: Not determined. Upper: Not determined. Vapor pressure: Not determined. Density: (~) at 20 °C (68 °F) 1.1 g/cm³ (9.2 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: | Danger of explosion: | Product does not present an explosion hazard. | |
| Upper: Not determined. Vapor pressure: Not determined. Density: (~) at 20 °C (68 °F) 1.1 g/cm³ (9.2 lbs/gal) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. | | | |
| Vapor pressure: Density: (~) at 20 °C (68 °F) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: | | | |
| Density: (~) at 20 °C (68 °F) Relative density Not determined. Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: | Upper: | Not determined. | |
| Relative density Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: | | | |
| Vapor density Not determined. Evaporation rate Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: | | | |
| Evaporation rate Not determined. Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: | | | |
| Solubility in / Miscibility with Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: | | | |
| Water: Not miscible or difficult to mix. Partition coefficient (n-octanol/water): Not determined. Viscosity: | Evaporation rate | Not determined. | |
| Viscosity: | | Not miscible or difficult to mix. | |
| | Partition coefficient (n-octanol/wat | ter): Not determined. | |
| Dynamic: Not determined. | | | |
| · · · · · · · · · · · · · · · · · · · | Dynamic: | Not determined. | |

Not determined.

(Cont. on page 5)

Printing date 07/08/2021 Version Number 1.0 Reviewed on 07/08/2021

Trade name: OPTEVA® NX 1785

| | | (Cont. from page 4) |
|-------------------|--|---------------------|
| Molecular weight | Not determined. | |
| Other information | No further relevant information available. | |

10 Stability and reactivity

Reactivity Stable under normal conditions.

Chemical stability

Thermal decomposition: No decomposition if used according to specifications.

Possibility of hazardous reactions

No dangerous reactions known.

No further relevant information available.

Conditions to avoid No further relevant information available.

Incompatible materials: No further relevant information available.

Hazardous decomposition products: Carbon monoxide and carbon dioxide

Additional information: See section 7 for information on handling, storage and conditions to be avoided.

11 Toxicological information

Information on toxicological effects

Acute toxicity:

| LD/LC | LD/LC50 values relevant for classification: | | | |
|---------|---|-------------------------|--|--|
| 111-46- | 111-46-6 Diethylene glycol | | | |
| Oral | LD50 | 1120 mg/kg (human) | | |
| 102-71- | 102-71-6 Triethanolamine | | | |
| Oral | LD50 | 5300 mg/kg (guinea pig) | | |
| | | 6400 mg/kg (rat - male) | | |
| Dermal | Dermal LD50 >10000 mg/kg (rabbit) | | | |
| | LC50, 96h | 11800 mg/l (fish) | | |

Primary irritant effect:

on the skin: No irritating effect expected on the eye: No irritating effect expected inhalation: No irritating effect expected

Ingestion: May cause damage to the kidneys through prolonged or repeated exposure. Route of exposure: Oral.

| Additional to | xicological information: | |
|---------------|--------------------------------------|--|
| 102-71-6 Trie | 102-71-6 Triethanolamine | |
| NOEC/NOEL | 16 mg/l (crustaceans) (Chronic NOEC) | |

Carcinogenic categories

| IARC (International Agency for Research on Cancer) Human Carcinogenicity: Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable | |
|---|----|
| 102-71-6 Triethanolamine | 3 |
| 111-42-2 Diethanolamine | 2B |
| NTD (National Taxical on Duamers) | |

NTP (National Toxicology Program)

K-Known to be carcinogenic, R-May reasonably be anticipated to be carcinogenic

None of the ingredients are listed.

(Cont. on page 6)

Printing date 07/08/2021 Version Number 1.0 Reviewed on 07/08/2021

Trade name: OPTEVA® NX 1785

(Cont. from page 5)

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information

Toxicity

Aquatic toxicity:

102-71-6 Triethanolamine

EC50, 48h 609.88 mg/l (daphnia magna)

EC50, 72h 512 mg/l (algae)

Persistence and degradability No further relevant information available.

Behavior in environmental systems:

Bioaccumulative potential No further relevant information available.

Mobility in soil No further relevant information available.

Additional ecological information:

General notes: Not known to be hazardous to water.

Results of PBT and vPvB assessment

PBT: Not applicable. **vPvB:** Not applicable.

Other adverse effects No further relevant information available.

13 Disposal considerations

Disposal methods:

Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing product for disposal. Dispose of waste in accordance with all applicable regulations.

Recommendation:



Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:

Recommendation: Dispose of contents/container in accordance with local/regional/national/international regulations.

14 Transport information

UN-Number
Remarks:
Not DOT regulated in drums/totes.
UN3082 when RQ is exceeded.

IMDG, IATA Not applicable.

UN proper shipping name

Remarks: Not DOT regulated in drums/totes.

DOT Environmentally hazardous substance, liquid, n.o.s. (Diethanolamine)

IMDG, IATA Not applicable.

(Cont. on page 7)

(Cont. from page 6)

Printing date 07/08/2021 Version Number 1.0 Reviewed on 07/08/2021

Trade name: OPTEVA® NX 1785

Transport hazard class(es)

DOT



Class 9 Miscellaneous

Label 9

Remarks: Bulk shipments above 4500 gallons exceeding the reportable quantity for Diethanolamine

(RQ=100 pounds) are regulated as HazMats.

IMDG, IATA

Class Not applicable.

Packing group

DOT

IMDG, IATA Not applicable.

Environmental hazards: No additional hazards.

Marine pollutant: No

Special precautions for user Not applicable.

Transport/Additional information:

DOT

Remarks: Not Regulated.

15 Regulatory information

Other regulations in domestic and foreign countries

SARA (Superfund Amendments and Reauthorization Act)

Section 302/304 (extremely hazardous substances):

None of the ingredients is listed.

Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

107-21-1 Ethylene glycol

SARA Section 312/Tier I & II Hazard Categories: Health Hazard - Specific target organ toxicity (single or repeated exposure)

North America Chemical Inventory Status

TSCA (Toxic Substances Control Act - United States):

All ingredients are listed or exempt from listing unless otherwise noted below.

CEPA (Canadian DSL):

All ingredients are listed or exempt from listing unless otherwise noted below.

Right to Know Ingredient Disclosure:

112-27-6 Triethylene glycol

112-60-7 Tetraethylene glycol

7732-18-5 Water

California Proposition 65: (Substances <0.1% unless noted in Section 3)

Chemicals known to cause cancer:

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

(Cont. on page 8)

Printing date 07/08/2021 Version Number 1.0 Reviewed on 07/08/2021

Trade name: OPTEVA® NX 1785

| | (Cont. from page 7) |
|--|---------------------|
| Chemicals known to cause developmental toxicity: | |
| 107-21-1 Ethylene glycol | |
| Carcinogenicity Categories | |
| TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists) Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable | |
| Triethanolamine | A3 |
| Ethylene glycol | A4 |
| NIOSH-Cancer (National Institute for Occupational Safety and Health) | |
| None of the ingredients are listed. | |
| Volatile Organic Compounds (VOC) reported per the Emission Standards. If no g/L value is provided this product is not subject to above standard. | |

16 Other information

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

Department issuing SDS:

GCP Applied Technologies 62 Whittemore Avenue Cambridge, MA 02140 USA USA: +1-617-876-1400 (24 hours) +1-800-354-5414

Contact:

The first date of preparation 05/08/2015

Number of revision times and the latest revision date $1.0 \ / \ 07/08/2021$

■ USGHS