

## 1 Identification

### Product identifier

Trade name: GZR'42: 9

SDS ID Number: 30499

Relevant identified uses of the substance or mixture, and uses advised against:

### Details of the supplier of the safety data sheet

#### Manufacturer/Supplier:

GCP Applied Technologies  
62 Whittemore Avenue  
Cambridge, MA 02140 USA

GCP Canada, Inc.  
294 Clements Road W.  
Ajax, Ontario L1S 3C6 Canada

#### Information department:

Environmental Health & Safety  
USA: +1-617-876-1400 (24 hours)  
+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts  
CAN: 1-905-683-8561 (24 hours)  
Email address: msds.gcp@gcpat.com

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

## 2 Hazard(s) identification

### Classification of the substance or mixture

Flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness or dizziness.

**Label elements:** The product is classified and labeled according to the Globally Harmonized System (GHS)

#### Hazard pictograms



GHS02 GHS07

Warning

#### Hazard statements

Flammable liquid and vapor.

Causes serious eye irritation.

May cause drowsiness or dizziness.

#### Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.

Take precautionary measures against static discharge.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Call a poison center/doctor if you feel unwell.

## Safety Data Sheet

Printing date 06/15/2018

Version Number 1.0

Reviewed on 06/15/2018

**Trade name: GZR'42: 9**

(Cont. from page 1)

If eye irritation persists: Get medical advice/attention.  
Store in a well-ventilated place. Keep cool.

**Hazard description:** Flammable  
**NFPA ratings (scale 0 - 4)**



**HMIS-ratings (scale 0 - 4)**

HEALTH	2	Health = 2
FIRE	3	Flammability = 3
REACTIVITY	0	Reactivity = 0

**Other hazards****Results of PBT and vPvB assessment**

**PBT:** Not applicable.

**vPvB:** Not applicable.

**3 Composition/information on ingredients****Chemical characterization: Mixture****Hazardous components:**

	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics EC number: 927-241-2	40-<50%
112926-00-8	Silica, amorphous, precipitated and gel	7.5-<10%
77-92-9	Citric acid	5-<7.5%
61791-53-5	Amines, N-tallow alkyltrimethylènedi-, oleates	3-<5%
5949-29-1	Citric acid monohydrate	1-<3%

**Additional information:**

CAS: 64742-48-9 contains <3% (w/w) DMSO-extract, according to IP346.  
Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

**4 First-aid measures****Description of first aid measures**

**General information:** Get medical advice/attention if you feel unwell.

**After inhalation:**

If symptoms develop, supply fresh air. If required, provide artificial respiration and seek immediate medical treatment.

**After skin contact:**

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

Wash with plenty of soap and water.

**After eye contact:** Rinse cautiously with water for several minutes.

**After swallowing:**

Rinse mouth.

Do NOT induce vomiting.

(Cont. on page 3)

USGHS

**Trade name:** *GZR'42: 9*

(Cont. from page 2)

### Information for doctor:

**Most important symptoms and effects, both acute and delayed** Irritating to eyes.

**Indication of any immediate medical attention and special treatment needed** No further relevant information available.

## 5 Fire-fighting measures

### Extinguishing media

**Suitable extinguishing agents:** CO<sub>2</sub>, extinguishing powder or water spray. Fight larger fire with alcohol resistant foam.

**For safety reasons unsuitable extinguishing agents:** Water with full jet

**Special hazards arising from the substance or mixture** No further relevant information available.

### Advice for firefighters

**Protective equipment:** Wear self-contained respiratory protective device.

### Additional information

Cool endangered containers with water in case of fire. Do not allow the quenching water into the sewage system.

## 6 Accidental release measures

### Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

### Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Prevent from spreading (e.g. by damming-in or oil barriers).

### Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to section 13 of the SDS.

### Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

## 7 Handling and storage

### Handling:

#### Precautions for safe handling

Flammable mixtures with air can be formed in emptied containers. Do not puncture, cut, drill, heat or weld uncleaned drums.

Avoid contact with eyes.

Do not eat, drink or smoke when using this product.

Keep only in original container.

Use only outdoors or in a well-ventilated area.

(Cont. on page 4)

USGHS

## Safety Data Sheet

Printing date 06/15/2018

Version Number 1.0

Reviewed on 06/15/2018

Trade name: *EXP 2087*

(Cont. from page 3)

**Information about protection against explosions and fires:**

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

Use explosion-proof apparatus / fittings and spark-proof tools.

Empty containers may retain hazardous residue, both liquid and vapor.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

**Conditions for safe storage, including any incompatibilities****Storage:****Requirements to be met by storerooms and receptacles:** Use only receptacles specifically permitted for this substance/product.**Further information about storage conditions:**

Protect from frost.

Store in a dry place.

Store receptacle in a well ventilated area.

Keep cool.

**Specific end use(s)** No further relevant information available.**8 Exposure controls/personal protection****Additional information about design of technical systems:** No further data; see item 7.**Control parameters****Components with limit values that require monitoring at the workplace:****112926-00-8 Silica, amorphous, precipitated and gel**PEL (USA) 20mppcf or 80mg/m<sup>3</sup> /%SiO<sub>2</sub>REL (USA) Long-term value: 6 mg/m<sup>3</sup>  
See Pocket Guide App. C

TLV (USA) TLV withdrawn

**Additional information:** The lists that were valid during the creation were used as basis.**Exposure controls****Personal protective equipment:****General protective and hygienic measures:** The usual precautionary measures for handling chemicals should be followed.**Breathing equipment:**

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

**Protection of hands:** Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.**Material of gloves**

Rubber or other impervious gloves should be worn to prevent skin contact.

PVC gloves

**Penetration time of glove material**

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Cont. on page 5)

USGHS

Trade name: *EXP 2087*

(Cont. from page 4)

**Eye protection:**

Safety glasses with side shield protection.



A face shield should also be worn if there is potential exposure to splash or spray.

**Body protection:**

Use personal protective equipment as required.

Take off contaminated clothing.

**9 Physical and chemical properties****Information on basic physical and chemical properties****General Information****Appearance:**

<b>Form:</b>	Liquid
<b>Color:</b>	Green
<b>Odor:</b>	Characteristic
<b>Odor threshold:</b>	Not determined.

**pH-value (~):** Not determined.**Change in condition**

<b>Melting point/Melting range:</b>	Undetermined.
<b>Boiling point/Boiling range:</b>	130 °C (266 °F)
<b>Flash point:</b>	23 °C (73.4 °F)

**Flammability (solid, gaseous):** Not applicable.**Ignition temperature:** >230 °C (>446 °F)**Decomposition temperature:** Not determined.**Auto igniting:** Not determined.**Danger of explosion:** In use, may form flammable/explosive vapor-air mixture.**Explosion limits:**

<b>Lower:</b>	0.6 Vol %
<b>Upper:</b>	6.5 Vol %
<b>VOC Content (max):</b>	Not determined.

<b>Vapor pressure at 20 °C (68 °F):</b>	1 hPa (0.8 mm Hg)
<b>Density: (~) at 20 °C (68 °F)</b>	1.1 g/cm <sup>3</sup> (9.2 lbs/gal)
<b>Relative density</b>	Not determined.
<b>Vapor density</b>	Not determined.
<b>Evaporation rate</b>	Not determined.

**Solubility in / Miscibility with Water:** Not miscible or difficult to mix.**Partition coefficient (n-octanol/water):** Not determined.**Viscosity:**

<b>Dynamic:</b>	Not determined.
<b>Kinematic at 20 °C (68 °F):</b>	100 s (ISO 4 mm)
<b>Molecular weight</b>	Not applicable.

(Cont. on page 6)

USGHS

## Safety Data Sheet

Printing date 06/15/2018

Version Number 1.0

Reviewed on 06/15/2018

Trade name: *EXP 2087*

(Cont. from page 5)

**Other information**

No further relevant information available.

**10 Stability and reactivity****Reactivity** Stable under normal conditions.**Chemical stability****Thermal decomposition:** No decomposition if used according to specifications.**Possibility of hazardous reactions** No dangerous reactions known.**Conditions to avoid** No further relevant information available.**Incompatible materials:** Strong oxidizers.**Hazardous decomposition products:** Carbon monoxide and carbon dioxide**11 Toxicological information****Information on toxicological effects****Acute toxicity:****LD/LC50 values relevant for classification:****Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics****EC number: 927-241-2**

Dermal	LD50	>2,000 mg/kg (rat)
	LD50	>2,000 mg/kg (rabbit)

**77-92-9 Citric acid**

Dermal	LD50	6,730 mg/kg (rat)
--------	------	-------------------

**61791-53-5 Amines, N-tallow alkyltrimethylènedi-, oleates**

	LC50, 96h	>0.1-1 mg/l (fish) (Test Guideline 203) "Duomeen TDO" SDS, supplier: AkzoNobel, document version 5.0, issue date 13.07.2016
--	-----------	--

**Primary irritant effect:****on the skin:** No irritating effect expected**on the eye:** Causes serious eye irritation.**inhalation:** No irritating effect expected**Additional toxicological information:****Carcinogenic categories****IARC (International Agency for Research on Cancer) Human Carcinogenicity:  
Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable**

112926-00-8	Silica, amorphous, precipitated and gel	3
13463-67-7	Titanium dioxide	2B

**NTP (National Toxicology Program)****K–Known to be carcinogenic, R–May reasonably be anticipated to be carcinogenic**

None of the ingredients is listed.

**OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

USGHS

(Cont. on page 7)

## Safety Data Sheet

Printing date 06/15/2018

Version Number 1.0

Reviewed on 06/15/2018

Trade name: *EXP 2087*

(Cont. from page 6)

**12 Ecological information****Toxicity****Aquatic toxicity:****61791-53-5 Amines, N-tallow alkyltrimethylènedi-, oleates**

EC10	>1 mg/l (daphnia magna) "Duomeen TDO" SDS, supplier: AkzoNobel, document version 5.0, issue date 13.07.2016
EC50, 72h	>0.01-0.1 mg/l (algae) "Duomeen TDO" SDS, supplier: AkzoNobel, document version 5.0, issue date 13.07.2016
EC50, 48h	>0.1-1 mg/l (daphnia magna) "Duomeen TDO" SDS, supplier: AkzoNobel, document version 5.0, issue date 13.07.2016

**Persistence and degradability** No further relevant information available.**Behavior in environmental systems:****Bioaccumulative potential** No further relevant information available.**Mobility in soil** No further relevant information available.**Additional ecological information:****General notes:** Not known to be hazardous to water.**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**Other adverse effects** No further relevant information available.**13 Disposal considerations****Disposal methods:**

Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing product for disposal. Dispose of waste in accordance with all applicable regulations.

**Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

**Uncleaned packagings:****Recommendation:** Dispose of contents/container in accordance with local/regional/national/international regulations.**14 Transport information****UN-Number**

DOT, IMDG, IATA UN1263

**UN proper shipping name**

DOT	Paint
IMDG	PAINT, MARINE POLLUTANT
IATA	PAINT

(Cont. on page 8)

USGHS

## Safety Data Sheet

Printing date 06/15/2018

Version Number 1.0

Reviewed on 06/15/2018

Trade name: *EXP 2087*

(Cont. from page 7)

**Transport hazard class(es)****DOT**

**Class** 3 Flammable liquids  
**Label** 3

**IMDG**

**Class** 3 Flammable liquids  
**Label** 3

**IATA**

**Class** 3 Flammable liquids  
**Label** 3

**Packing group**  
DOT, IMDG, IATA

III

**Environmental hazards:** Product contains environmentally hazardous substances: Amines, N-tallow  
 alkyltrimethylènedi-, oleates  
**Marine pollutant:** Symbol (fish and tree)  
**Special marking (ADR):** Symbol (fish and tree)

**Special precautions for user** Warning: Flammable liquids  
**Stowage Category** A

**Transport/Additional information:****IMDG**

**Limited quantities (LQ)** 5L  
**Excepted quantities (EQ)** Code: E1  
 Maximum net quantity per inner packaging: 30 ml  
 Maximum net quantity per outer packaging: 1000 ml

**15 Regulatory information****SARA (Superfund Amendments and Reauthorization Act)****Section 302/304 (extremely hazardous substances):**

None of the ingredients is listed.

**Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):**

None of the ingredients is listed.

**SARA Section 312/Tier I & II Hazard Categories:**

Physical Hazard - Flammable (gases, aerosols, liquids, or solids)  
 Health Hazard - Serious eye damage or eye irritation  
 Health Hazard - Specific target organ toxicity (single or repeated exposure)

(Cont. on page 9)

USGHS



## Safety Data Sheet

Printing date 06/15/2018

Version Number 1.0

Reviewed on 06/15/2018

Trade name: *EXP 2087*

(Cont. from page 8)

**North America Chemical Inventory Status****TSCA (Toxic Substances Control Act - United States):**

All ingredients are listed or exempt from listing unless otherwise noted below..

**CEPA (Canadian DSL):**

All ingredients are listed or exempt from listing unless otherwise noted below.

**Right to Know Ingredient Disclosure:**

65997-05-9 | Rosin, polymerized

13463-67-7 | Titanium dioxide

8006-54-0 | Lanolin

**California Proposition 65: (Substances <0.1% unless noted in Section 3)****Chemicals known to cause cancer:**

None of the ingredients is listed.

**Chemicals known to cause reproductive toxicity for females:**

None of the ingredients is listed.

**Chemicals known to cause reproductive toxicity for males:**

None of the ingredients is listed.

**Chemicals known to cause developmental toxicity:**

None of the ingredients is listed.

**Carcinogenicity Categories****TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)****Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable**

Titanium dioxide

A4

**NIOSH-Cancer (National Institute for Occupational Safety and Health)**

13463-67-7 | Titanium dioxide

**Volatile Organic Compounds (VOC) reported per the Emission Standards. 437.8 g/l / 3.65 lb/gl****16 Other information**

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

**Department issuing SDS:**

GCP Applied Technologies

62 Whittemore Avenue

Cambridge, MA 02140 USA

USA: +1-617-876-1400 (24 hours)

+1-800-354-5414

Product Stewardship Department

GCP Applied Technologies

580-581 Ipswich Road,

Slough, Berkshire.

SL1 4EQ

Tel: +44 (0)1753 490 000

Fax: +44 (0)1753 490 051

**Date of preparation / last revision** 06/15/2018 / -**The first date of preparation** 01/16/2018**Number of revision times and the latest revision date** 1.0 / 06/15/2018