

1 Identification

Product identifier

Trade name: ***EXP 2092***

SDS ID Number: 30514

Relevant identified uses of the substance or mixture, and uses advised against:
Specialty construction product. Not intended for other uses.

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GCP Applied Technologies
62 Whittemore Avenue
Cambridge, MA 02140 USA

GCP Canada, Inc.
294 Clements Road W.
Ajax, Ontario L1S 3C6 Canada

Information department:

Environmental Health & Safety
USA: +1-617-876-1400 (24 hours)
+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts
CAN: 1-905-683-8561 (24 hours)
Email address: msds.gcp@gcpat.com

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

2 Hazard(s) identification

Classification of the substance or mixture

Flammable liquid and vapor.
Causes serious eye irritation.
May cause drowsiness or dizziness.

Label elements: The product is classified and labeled according to the Globally Harmonized System (GHS)

Hazard pictograms



Warning

Hazard statements

Flammable liquid and vapor.
Causes serious eye irritation.
May cause drowsiness or dizziness.

Precautionary statements

Keep away from heat/sparks/open flames/hot surfaces. - No smoking.
Take precautionary measures against static discharge.
Avoid breathing dust/fume/gas/mist/vapors/spray
Wear protective gloves/protective clothing/eye protection/face protection.
If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.
IF INHALED: Remove person to fresh air and keep comfortable for breathing.
If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
Call a poison center/doctor if you feel unwell.

Safety Data Sheet

Printing date 06/20/2019

Version Number 1.0

Reviewed on 06/20/2019

Trade name: *EXP 2092*

(Cont. from page 1)

If eye irritation persists: Get medical advice/attention.
Store in a well-ventilated place. Keep cool.

Hazard description: Flammable
NFPA ratings (scale 0 - 4)



Health = 2
Fire = 3
Reactivity = 0

HMIS-ratings (scale 0 - 4)



Health = 2
Flammability = 3
Reactivity = 0

Other hazards**Results of PBT and vPvB assessment**

PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients**Chemical characterization: Mixture****Hazardous components:**

	Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics EC number: 927-241-2	30-<40%
77-92-9	Citric acid	7.5-<10%
112926-00-8	Silica, amorphous, precipitated and gel	3-<5%
61791-53-5	Amines, N-tallow alkyltrimethylènedi-, oleates	3-<5%
5949-29-1	Citric acid monohydrate	1-<3%

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

4 First-aid measures**Description of first aid measures**

General information: Get medical advice/attention if you feel unwell.

After inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

After skin contact: Wash with plenty of soap and water.

After eye contact: Rinse cautiously with water for several minutes.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Information for doctor:

Most important symptoms and effects, both acute and delayed Irritating to eyes.

Indication of any immediate medical attention and special treatment needed No further relevant information available.

Trade name: EXP 2092

(Cont. from page 2)

5 Fire-fighting measures

Extinguishing media

Suitable extinguishing agents: CO₂, extinguishing powder or water spray. Fight larger fire with alcohol resistant foam.

For safety reasons unsuitable extinguishing agents: Water with full jet

Special hazards arising from the substance or mixture No further relevant information available.

Advice for firefighters

Protective equipment:

Wear self-contained respiratory protective device.

Wear personal protective equipment.

Additional information

Cool endangered containers with water in case of fire. Do not allow the quenching water into the sewage system.

6 Accidental release measures

Personal precautions, protective equipment and emergency procedures

Wear protective equipment. Keep unprotected persons away.

Environmental precautions:

Inform respective authorities in case of seepage into water course or sewage system.

Prevent from spreading (e.g. by damming-in or oil barriers).

Methods and material for containment and cleaning up:

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to section 13 of the SDS.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage

Handling:

Precautions for safe handling

Prevent formation of aerosols.

Flammable mixtures with air can be formed in emptied containers. Do not puncture, cut, drill, heat or weld uncleaned drums.

Avoid contact with eyes.

Do not eat, drink or smoke when using this product.

Keep only in original container.

Use only outdoors or in a well-ventilated area.

Information about protection against explosions and fires:



Keep ignition sources away - Do not smoke.

(Cont. on page 4)

USGHS

Trade name: *EXP 2092*

(Cont. from page 3)

Protect against electrostatic charges.

Use explosion-proof apparatus / fittings and spark-proof tools.

Empty containers may retain hazardous residue, both liquid and vapor.

Ensure good interior ventilation, especially at floor level. (Fumes are heavier than air).

Ground/bond container and receiving equipment.

Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by storerooms and receptacles: Use only receptacles specifically permitted for this substance/product.

Further information about storage conditions:

Protect from frost.

Store in a dry place.

Store receptacle in a well ventilated area.

Keep cool.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace:

112926-00-8 Silica, amorphous, precipitated and gel

PEL (USA) 20mppcf or 80mg/m³ /%SiO₂

REL (USA) Long-term value: 6 mg/m³
See Pocket Guide App. C

TLV (USA) TLV withdrawn

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.

Breathing equipment:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Material of gloves PVC gloves

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:



Safety glasses with side shield protection.

(Cont. on page 5)

Safety Data Sheet

Printing date 06/20/2019

Version Number 1.0

Reviewed on 06/20/2019

Trade name: *EXP 2092*

(Cont. from page 4)

Goggles recommended during refilling.



A face shield should also be worn if there is potential exposure to splash or spray.

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing.

9 Physical and chemical properties

Information on basic physical and chemical properties

General Information**Appearance:**

Form:	Liquid
Color:	According to product specification
Odor:	Characteristic
Odor threshold:	Not determined.

pH-value (~): Not determined.

Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	130 °C (266 °F)
Flash point:	23 °C (73.4 °F)

Flammability (solid, gaseous): Not applicable.

Ignition temperature: >230 °C (>446 °F)

Decomposition temperature: Not determined.

Auto igniting: Not determined.

Danger of explosion: In use, may form flammable/explosive vapor-air mixture.

Explosion limits:

Lower:	0.6 Vol %
Upper:	6.5 Vol %
VOC Content (max):	Not determined.

Vapor pressure at 20 °C (68 °F):	1 hPa (0.8 mm Hg)
Density: (~) at 20 °C (68 °F)	1.1 g/cm ³ (9.2 lbs/gal)
Vapor density	Not determined.
Evaporation rate	Not determined.

Solubility in / Miscibility with Water: Not miscible or difficult to mix.

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

Dynamic:	Not determined.
Kinematic at 20 °C (68 °F):	100 s (ISO 4 mm)
Molecular weight	Not applicable.

Other information No further relevant information available.

10 Stability and reactivity

Reactivity

Stable under normal conditions.

No further relevant information available.

(Cont. on page 6)

USGHS

Safety Data Sheet

Printing date 06/20/2019

Version Number 1.0

Reviewed on 06/20/2019

Trade name: *EXP 2092*

(Cont. from page 5)

Chemical stability**Thermal decomposition:** No decomposition if used according to specifications.**Possibility of hazardous reactions**

No dangerous reactions known.

No further relevant information available.

Conditions to avoid Keep away from heat/sparks/open flames/hot surfaces. - No smoking.**Incompatible materials:** Strong oxidizers.**Hazardous decomposition products:** Carbon monoxide and carbon dioxide**11 Toxicological information****Information on toxicological effects****Acute toxicity:****LD/LC50 values relevant for classification:****Hydrocarbons, C9-C10, n-alkanes, isoalkanes, cyclics, <2% aromatics****EC number: 927-241-2**

Dermal	LD50	>2,000 mg/kg (rat)
	LD50	>2,000 mg/kg (rabbit)

77-92-9 Citric acid

Dermal	LD50	6,730 mg/kg (rat)
--------	------	-------------------

61791-53-5 Amines, N-tallow alkyltrimethylènedi-, oleates

	LC50, 96h	>0.1-1 mg/l (fish) (Test Guideline 203)
--	-----------	---

Primary irritant effect:**on the skin:** No irritating effect expected**on the eye:** Causes serious eye irritation.**inhalation:** No irritating effect expected**Additional toxicological information:****Carcinogenic categories****IARC (International Agency for Research on Cancer) Human Carcinogenicity:**
Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable

13463-67-7	Titanium dioxide	2B
112926-00-8	Silica, amorphous, precipitated and gel	3
7631-86-9	Silicon dioxide, amorphous, chemically prepared	3

NTP (National Toxicology Program)**K-Known to be carcinogenic, R-May reasonably be anticipated to be carcinogenic**

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information**Toxicity****Aquatic toxicity:****61791-53-5 Amines, N-tallow alkyltrimethylènedi-, oleates**

EC50, 72h	>0.01-0.1 mg/l (algae)
EC50, 48h	>0.1-1 mg/l (daphnia magna)

(Cont. on page 7)

USGHS

Safety Data Sheet

Printing date 06/20/2019

Version Number 1.0

Reviewed on 06/20/2019

Trade name: *EXP 2092*

(Cont. from page 6)

Persistence and degradability No further relevant information available.**Behavior in environmental systems:****Bioaccumulative potential** No further relevant information available.**Mobility in soil** No further relevant information available.**Additional ecological information:****General notes:** Do not allow product to reach ground water, water course or sewage system, even in small quantities.**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**Other adverse effects** No further relevant information available.**13 Disposal considerations****Disposal methods:****Recommendation:**

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:**Recommendation:** Dispose of contents/container in accordance with local/regional/national/international regulations.**14 Transport information****UN-Number**
DOT, IMDG, IATA UN1263**UN proper shipping name**
DOT Paint
IMDG, IATA PAINT**Transport hazard class(es)**

DOT

**Class** 3 Flammable liquids
Label 3

IMDG, IATA

**Class** 3 Flammable liquids
Label 3

(Cont. on page 8)

USGHS

Safety Data Sheet

Printing date 06/20/2019

Version Number 1.0

Reviewed on 06/20/2019

Trade name: *EXP 2092*

(Cont. from page 7)

Packing group
DOT, IMDG, IATA III

Environmental hazards: Not applicable.

Special precautions for user Warning: Flammable liquids
Danger code (Kemler): 30
EMS Number: F-E,S-E
Stowage Category A

Transport/Additional information:

IMDG
Limited quantities (LQ) 5L
Excepted quantities (EQ) Code: E1
 Maximum net quantity per inner packaging: 30 ml
 Maximum net quantity per outer packaging: 1000 ml

15 Regulatory information**SARA (Superfund Amendments and Reauthorization Act)****Section 302/304 (extremely hazardous substances):**

None of the ingredients is listed.

Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

None of the ingredients is listed.

SARA Section 312/Tier I & II Hazard Categories:

Physical Hazard - Flammable (gases, aerosols, liquids, or solids)
 Health Hazard - Serious eye damage or eye irritation
 Health Hazard - Specific target organ toxicity (single or repeated exposure)

North America Chemical Inventory Status**TSCA (Toxic Substances Control Act - United States):**

All ingredients are listed or exempt from listing unless otherwise noted below.

CEPA (Canadian DSL):

All ingredients are listed or exempt from listing unless otherwise noted below.

Right to Know Ingredient Disclosure:

65997-05-9	Rosin, polymerized
57-50-1	Sucrose
8006-54-0	Lanolin
13463-67-7	Titanium dioxide

California Proposition 65: (Substances <0.1% unless noted in Section 3)**Chemicals known to cause cancer:**

All ingredients are listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Carcinogenicity Categories

TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)
Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable

Sucrose	A4
Titanium dioxide	A4

(Cont. on page 9)

USGHS

Safety Data Sheet

Printing date 06/20/2019

Version Number 1.0

Reviewed on 06/20/2019

Trade name: EXP 2092

(Cont. from page 8)

NIOSH-Cancer (National Institute for Occupational Safety and Health)

13463-67-7 | Titanium dioxide

Volatile Organic Compounds (VOC) reported per the Emission Standards. 393.3 g/l / 3.28 lb/gal**16 Other information**

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

Department issuing SDS:

GCP Produits de Construction SAS
ZA des Foulletons,
39140 Larnaud

Tel : +(33) 3 84 48 48 60

Fax : +(33) 3 84 48 48 61

GCP Applied Technologies

62 Whittemore Avenue

Cambridge, MA 02140 USA

USA: +1-617-876-1400 (24 hours)

+1-800-354-5414

The first date of preparation 02/11/2019**Number of revision times and the latest revision date 1.0 / 06/20/2019**

USGHS