

1 Identification

Product identifier

Trade name: ***Silcor® Primer EPF (Part A)***

SDS ID Number: 41598

Relevant identified uses of the substance or mixture, and uses advised against:

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GCP Applied Technologies
62 Whittemore Avenue
Cambridge, MA 02140 USA

GCP Canada, Inc.
294 Clements Road W.
Ajax, Ontario L1S 3C6 Canada

www.gcpat.com

Information department:

CAN: +1-905-683-8561 (24 hours)

Environmental Health & Safety

USA: +1-617-876-1400 (24 hours)

+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts

CAN: 1-905-683-8561 (24 hours)

Email address: msds.gcp@gcpat.com

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

2 Hazard(s) identification

Classification of the substance or mixture

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

Label elements: The product is classified and labeled according to the Globally Harmonized System (GHS)

Hazard pictograms



GHS07

Warning

Hazard statements

Causes skin irritation.

Causes serious eye irritation.

May cause an allergic skin reaction.

Precautionary statements

Avoid breathing dust/fume/gas/mist/vapors/spray

Wash thoroughly after handling.

Wear protective gloves / eye protection / face protection.

If on skin: Wash with plenty of water.

Safety Data Sheet

Printing date 03/19/2019

Version Number 2.0

Reviewed on 03/19/2019

Trade name: Silcor® Primer EPF (Part A)

(Cont. from page 1)

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Take off contaminated clothing and wash it before reuse.

If skin irritation or rash occurs: Get medical advice/attention.

If eye irritation persists: Get medical advice/attention.

Wash contaminated clothing before reuse.

Dispose of contents/container in accordance with local/regional/national/international regulations.

NFPA ratings (scale 0 - 4)

Health = 2

Fire = 1

Reactivity = 0

HMIS-ratings (scale 0 - 4)

Health = 2

Flammability = 1

Reactivity = 0

Other hazards**Results of PBT and vPvB assessment**

PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients**Chemical characterization: Mixture**

Description: Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

Hazardous components:

25068-38-6	4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane	70-<80%
2425-79-8	1,4-bis(2,3-epoxypropoxy)butane	15-<22%
68609-97-2	oxirane, mono[(C12-14-alkyloxy)methyl] derivs	5-<7.5%

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

4 First-aid measures**Description of first aid measures**

General information: Get medical advice/attention if you feel unwell.

After inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

Wash with plenty of soap and water.

After eye contact: Rinse cautiously with water for several minutes.

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Information for doctor:**Most important symptoms and effects, both acute and delayed**

Allergic reactions

Irritating to eyes.

(Cont. on page 3)

USGHS

Safety Data Sheet

Printing date 03/19/2019

Version Number 2.0

Reviewed on 03/19/2019

Trade name: Silcor® Primer EPF (Part A)

(Cont. from page 2)

Indication of any immediate medical attention and special treatment needed No further relevant information available.**5 Fire-fighting measures****Extinguishing media****Suitable extinguishing agents:** CO₂, extinguishing powder or water spray. Fight larger fires with water spray.**Special hazards arising from the substance or mixture**

Formation of toxic gases is possible during heating or in case of fire.

Advice for firefighters**Protective equipment:**

Wear self-contained respiratory protective device.

Wear personal protective equipment.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.**6 Accidental release measures****Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.**Methods and material for containment and cleaning up:**

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to section 13 of the SDS.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage**Handling:****Precautions for safe handling**

Prevent formation of aerosols.

Avoid contact with eyes.

Do not eat, drink or smoke when using this product.

Keep only in original container.

Use only outdoors or in a well-ventilated area.

Information about protection against explosions and fires: No special measures required.**Conditions for safe storage, including any incompatibilities****Storage:****Information about storage in one common storage facility:** Storage temperature 5-30°C.

(Cont. on page 4)

USGHS

Safety Data Sheet

Printing date 03/19/2019

Version Number 2.0

Reviewed on 03/19/2019

Trade name: **Silcor® Primer EPF (Part A)**

(Cont. from page 3)

Further information about storage conditions:

Keep receptacle tightly sealed.

Protect from frost.

Store in a dry place.

Keep cool.

Specific end use(s) No further relevant information available.**8 Exposure controls/personal protection****Additional information about design of technical systems:** No further data; see item 7.**Control parameters****Components with limit values that require monitoring at the workplace:**

The product does not contain any relevant quantities of materials with critical values that have to be monitored at the workplace.

Additional information: The lists that were valid during the creation were used as basis.**Exposure controls****Personal protective equipment:****General protective and hygienic measures:** The usual precautionary measures for handling chemicals should be followed.**Breathing equipment:**

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.**Material of gloves**

Rubber or other impervious gloves should be worn to prevent skin contact.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

Eye protection:

Safety glasses with side shield protection.

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing.

9 Physical and chemical properties**Information on basic physical and chemical properties****General Information****Appearance:**

Form:	Liquid
Color:	According to product specification
Odor:	Typical.

(Cont. on page 5)

USGHS

Safety Data Sheet

Printing date 03/19/2019

Version Number 2.0

Reviewed on 03/19/2019

Trade name: **Silcor® Primer EPF (Part A)**

(Cont. from page 4)

Odor threshold:	Not determined.
pH-value (~) at 20 °C (68 °F):	7
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C (212 °F)
Flash point:	>150 °C (>302 °F)
Flammability (solid, gaseous):	Not applicable.
Ignition temperature:	Undetermined.
Decomposition temperature:	Not determined.
Auto igniting:	Not determined.
Danger of explosion:	Product does not present an explosion hazard.
Explosion limits:	
Lower:	Not determined.
Upper:	Not determined.
VOC Content (max):	Not determined.
Vapor pressure:	< 1 mbar at 20°C
Density: (~) at 20 °C (68 °F)	1 g/cm ³ (8.3 lbs/gal)
Vapor density	Not determined.
Evaporation rate	Not determined.
Solubility in / Miscibility with Water:	Not miscible or difficult to mix.
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Molecular weight	Not applicable.
Other information	No further relevant information available.

10 Stability and reactivity**Reactivity**

Stable under normal conditions.

No further relevant information available.

Chemical stability**Thermal decomposition:** No decomposition if used according to specifications.**Possibility of hazardous reactions** Reacts with oxidising agents, alcohols, amines, alkalines.**Conditions to avoid** No further relevant information available.**Incompatible materials:** No further relevant information available.**Hazardous decomposition products:** Carbon monoxide and carbon dioxide**11 Toxicological information****Information on toxicological effects****Acute toxicity:****LD/LC50 values relevant for classification:****25068-38-6 4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane**

LC50, 96h | 220 mg/l (algae)

(Cont. on page 6)

USGHS

Safety Data Sheet

Printing date 03/19/2019

Version Number 2.0

Reviewed on 03/19/2019

Trade name: **Silcor® Primer EPF (Part A)**

(Cont. from page 5)

LC50, 48h	3.6 mg/l (bacterial)
	2.4 mg/l (fish)
	2.8 mg/l (daphnia magna)

Primary irritant effect:**on the skin:** Causes skin irritation.**on the eye:** Causes serious eye irritation.**inhalation:** No irritating effect expected**Sensitization:** May cause an allergic skin reaction.**Additional toxicological information:****Carcinogenic categories****IARC (International Agency for Research on Cancer) Human Carcinogenicity:**
Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable

None of the ingredients are listed.

NTP (National Toxicology Program)**K–Known to be carcinogenic, R–May reasonably be anticipated to be carcinogenic**

None of the ingredients are listed.

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information**Toxicity****Aquatic toxicity:** No further relevant information available.**Persistence and degradability** No further relevant information available.**Behavior in environmental systems:****Bioaccumulative potential** No further relevant information available.**Mobility in soil** No further relevant information available.**Additional ecological information:****General notes:** Not known to be hazardous to water.**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**Other adverse effects** No further relevant information available.**13 Disposal considerations****Disposal methods:**

Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing product for disposal. Dispose of waste in accordance with all applicable regulations.

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

(Cont. on page 7)

USGHS

Safety Data Sheet

Printing date 03/19/2019

Version Number 2.0

Reviewed on 03/19/2019

Trade name: **Silcor® Primer EPF (Part A)**

(Cont. from page 6)

Uncleaned packagings:**Recommendation:** Dispose of contents/container in accordance with local/regional/national/international regulations.**14 Transport information****UN-Number**
IMDG, IATA

UN3082

UN proper shipping name
IMDG

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, 2,3-epoxypropyl neodecanoate - CARD), MARINE POLLUTANT

IATA

ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S. (4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane, 2,3-epoxypropyl neodecanoate - CARD)

Transport hazard class(es)

IMDG, IATA

Class
Label9 Miscellaneous dangerous substances and articles
9**Packing group**

IMDG, IATA

III

Environmental hazards:

Product contains environmentally hazardous substances: 4,4'-Isopropylidenediphenol, oligomeric reaction products with 1-chloro-2,3-epoxypropane

Marine pollutant:

Symbol (fish and tree)

Special marking (ADR):

Symbol (fish and tree)

Special marking (IATA):

Symbol (fish and tree)

Special precautions for user

Warning: Miscellaneous dangerous substances and articles

Danger code (Kemler):

90

EMS Number:

F-A,S-F

Stowage Category

A

Transport/Additional information:**DOT****Remarks:**

Not regulated for non-bulk over the road shipments.

IMDG**Limited quantities (LQ)**

5L

Excepted quantities (EQ)

Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

Remarks:

≤5L, IMDG 2.10.2.7

IATA**Remarks:**

≤5L, IATA Special Provision 197.

15 Regulatory information**SARA (Superfund Amendments and Reauthorization Act)****Section 302/304 (extremely hazardous substances):**

None of the ingredients is listed.

(Cont. on page 8)

USGHS

Safety Data Sheet

Printing date 03/19/2019

Version Number 2.0

Reviewed on 03/19/2019

Trade name: **Silcor® Primer EPF (Part A)**

(Cont. from page 7)

Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

None of the ingredients is listed.

SARA Section 312/Tier I & II Hazard Categories:

Health Hazard - Skin Corrosion or Irritation

Health Hazard - Respiratory or Skin Sensitization

Health Hazard - Serious eye damage or eye irritation

North America Chemical Inventory Status**TSCA (Toxic Substances Control Act - United States):**

All ingredients are listed or exempt from listing unless otherwise noted below.

CEPA (Canadian DSL):

All ingredients are listed or exempt from listing unless otherwise noted below.

California Proposition 65: (Substances <0.1% unless noted in Section 3)**Chemicals known to cause cancer:**

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Carcinogenicity Categories**TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)****Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable**

None of the ingredients are listed.

NIOSH-Cancer (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

Volatile Organic Compounds (VOC) reported per the Emission Standards. 0.0 g/l / 0.00 lb/gal**16 Other information**

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

Department issuing SDS:

GCP Applied Technologies

62 Whittemore Avenue

Cambridge, MA 02140 USA

USA: +1-617-876-1400 (24 hours)

+1-800-354-5414

Product Stewardship Department

GCP Applied Technologies

580-581 Ipswich Road,

Slough, Berkshire.

SL1 4EQ

Tel: +44 (0)1753 490 000

Fax: +44 (0)1753 490 001

The first date of preparation 03/19/2019**Number of revision times and the latest revision date** 2.0 / 03/19/2019

USGHS

1 Identification

Product identifier

Trade name: ***Silcor® Primer EPF (Part B)***

SDS ID Number: 41600

Relevant identified uses of the substance or mixture, and uses advised against:

Details of the supplier of the safety data sheet

Manufacturer/Supplier:

GCP Applied Technologies
62 Whittemore Avenue
Cambridge, MA 02140 USA

GCP Canada, Inc.
294 Clements Road W.
Ajax, Ontario L1S 3C6 Canada

www.gcpat.com

Information department:

CAN: +1-905-683-8561 (24 hours)

Environmental Health & Safety

USA: +1-617-876-1400 (24 hours)

+1-800-354-5414 (8AM - 5PM) Not functional within Massachusetts

CAN: 1-905-683-8561 (24 hours)

Email address: msds.gcp@gcpat.com

Transport Emergency: Chemtrec +1-800-424-9300 (24 hours)

2 Hazard(s) identification

Classification of the substance or mixture

Causes severe skin burns and eye damage.

Causes serious eye damage.

May cause an allergic skin reaction.

Suspected of damaging fertility or the unborn child.

Label elements: The product is classified and labeled according to the Globally Harmonized System (GHS)

Hazard pictograms



GHS05



GHS07



GHS08

Danger

Hazard statements

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

Suspected of damaging fertility or the unborn child.

Precautionary statements

Do not handle until all safety precautions have been read and understood.

Avoid breathing dust/fume/gas/mist/vapors/spray

Wear protective gloves/protective clothing/eye protection/face protection.

Safety Data Sheet

Printing date 03/01/2019

Version Number 1.0

Reviewed on 03/01/2019

Trade name: Silcor® Primer EPF (Part B)

(Cont. from page 1)

If swallowed: Rinse mouth. Do NOT induce vomiting.

If on skin (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower.

IF INHALED: Remove person to fresh air and keep comfortable for breathing.

If in eyes: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

Immediately call a poison center/doctor.

IF exposed or concerned: Get medical advice/attention.

If skin irritation or rash occurs: Get medical advice/attention.

Additional information: Exothermic reaction.

Hazard description: Corrosive

NFPA ratings (scale 0 - 4)



Health = 3

Fire = 1

Reactivity = 0

HMIS-ratings (scale 0 - 4)



Health = *3

Flammability = 1

Reactivity = 0

Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.

vPvB: Not applicable.

3 Composition/information on ingredients

Chemical characterization: Mixture

Description: Mixture of the hazardous substance(s) listed below with additional nonhazardous ingredients.

Hazardous components:

98-54-4	4-tert-butylphenol	40-<50%
1477-55-0	m-phenylenebis (methylamine)	10-<15%
61788-44-1	Phenol, styrenated	5-<7.5%
100-51-6	Benzyl alcohol	5-<7.5%
90-72-2	2,4,6-tris(dimethylaminomethyl)phenol	5-<7.5%
25513-64-8	Trimethylhexane-1,6-diamine	3-<5%

Additional information: Non-hazardous ingredients may be listed in Section 15; Right-To-Know disclosure.

4 First-aid measures

Description of first aid measures

General information: Get medical advice/attention if you feel unwell.

After inhalation: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

After skin contact:

Immediately wash contaminated skin with soap or mild detergent and water. If this chemical soaks clothing, immediately remove clothing and wash skin.

Wash with plenty of soap and water.

After eye contact: Rinse cautiously with water for several minutes.

(Cont. on page 3)

USGHS

Safety Data Sheet

Printing date 03/01/2019

Version Number 1.0

Reviewed on 03/01/2019

Trade name: **Silcor® Primer EPF (Part B)**

(Cont. from page 2)

After swallowing:

Rinse mouth.

Do NOT induce vomiting.

Drink copious amounts of water and provide fresh air. Immediately call a doctor.

Information for doctor:**Most important symptoms and effects, both acute and delayed**

Causes burns.

Allergic reactions

Indication of any immediate medical attention and special treatment needed No further relevant information available.**5 Fire-fighting measures****Extinguishing media****Suitable extinguishing agents:** CO₂, extinguishing powder or water spray. Fight larger fires with water spray.**Special hazards arising from the substance or mixture**

During heating or in case of fire poisonous gases are produced.

Advice for firefighters**Protective equipment:**

Wear self-contained respiratory protective device.

Wear personal protective equipment.

Additional information Collect contaminated fire fighting water separately. It must not enter the sewage system.**6 Accidental release measures****Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation.

Wear protective equipment. Keep unprotected persons away.

Use respiratory protective device against the effects of fumes/dust/aerosol.

Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.**Methods and material for containment and cleaning up:**

Use neutralizing agent.

Send for recovery or disposal in suitable receptacles.

Dispose contaminated material as waste according to section 13 of the SDS.

Reference to other sections

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

7 Handling and storage**Handling:****Precautions for safe handling**

Prevent formation of aerosols.

(Cont. on page 4)

USGHS

Safety Data Sheet

Printing date 03/01/2019

Version Number 1.0

Reviewed on 03/01/2019

Trade name: **Silcor® Primer EPF (Part B)**

(Cont. from page 3)

Do not eat, drink or smoke when using this product.

Keep only in original container.

Use only outdoors or in a well-ventilated area.

Information about protection against explosions and fires: No special measures required.

Conditions for safe storage, including any incompatibilities

Storage:

Information about storage in one common storage facility: Storage temperature 5-30°C.

Further information about storage conditions:

Keep receptacle tightly sealed.

Protect from frost.

Store in a dry place.

Keep cool.

Specific end use(s) No further relevant information available.

8 Exposure controls/personal protection

Additional information about design of technical systems: No further data; see item 7.

Control parameters

Components with limit values that require monitoring at the workplace:

1477-55-0 m-phenylenebis (methylamine)

REL (USA)	Ceiling limit value: 0.1 mg/m ³ Skin
TLV (USA)	Ceiling limit value: 0.1 mg/m ³ , 0.018 ppm Skin

100-51-6 Benzyl alcohol

WEEL (USA)	Long-term value: 10 ppm
------------	-------------------------

Additional information: The lists that were valid during the creation were used as basis.

Exposure controls

Personal protective equipment:

General protective and hygienic measures: The usual precautionary measures for handling chemicals should be followed.

Breathing equipment:

Control exposure to ingredients with workplace control parameters if mentioned above. If no ingredients are listed, respiratory protection is generally not required.

If exposure limits are listed and may be exceeded, use approved respiratory protective equipment and filter type appropriate for the listed ingredients. (NIOSH, CEN, etc.).

Protection of hands: Gloves should be worn to prevent skin contact and should be impermeable and resistant to the product.

Material of gloves

Nitrile rubber.

Rubber or other impervious gloves should be worn to prevent skin contact.

Penetration time of glove material

The exact break through time has to be found out by the manufacturer of the protective gloves and has to be observed.

(Cont. on page 5)

USGHS

Safety Data Sheet

Printing date 03/01/2019

Version Number 1.0

Reviewed on 03/01/2019

Trade name: **Silcor® Primer EPF (Part B)**

(Cont. from page 4)

Eye protection:

Safety glasses with side shield protection.

Body protection:

Use personal protective equipment as required.

Take off contaminated clothing.

9 Physical and chemical properties**Information on basic physical and chemical properties****General Information****Appearance:**

Form:	Liquid
Color:	According to product specification
Odor:	Amine-like
Odor threshold:	Not determined.

pH-value (~) at 20 °C (68 °F): 7

Change in condition

Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	>200 °C (>392 °F)
Flash point:	>100 °C (>212 °F)

Flammability (solid, gaseous): Not applicable.

Ignition temperature: 435 °C (815 °F)

Decomposition temperature: Not determined.

Auto igniting: Not determined.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower:	Not determined.
Upper:	Not determined.
VOC Content (max):	Not determined.

Vapor pressure: 0,28 hPa at 20°C

Density: (~) at 20 °C (68 °F) 1.1 g/cm³ (9.2 lbs/gal)

Vapor density: Not determined.

Evaporation rate: Not determined.

Solubility in / Miscibility with

Water: Not miscible or difficult to mix.

Partition coefficient (n-octanol/water): Not determined.

Viscosity:

Dynamic:	Not determined.
Kinematic:	Not determined.
Molecular weight	Not applicable.

Other information No further relevant information available.

Safety Data Sheet

Printing date 03/01/2019

Version Number 1.0

Reviewed on 03/01/2019

Trade name: **Silcor® Primer EPF (Part B)**

(Cont. from page 5)

10 Stability and reactivity**Reactivity**

Stable under normal conditions.

No further relevant information available.

Chemical stability**Thermal decomposition:** No decomposition if used according to specifications.**Possibility of hazardous reactions** Reacts with acids, oxidising agents.**Conditions to avoid** No further relevant information available.**Incompatible materials:** No further relevant information available.**Hazardous decomposition products:** Carbon monoxide and carbon dioxide**11 Toxicological information****Information on toxicological effects****Acute toxicity:****LD/LC50 values relevant for classification:****98-54-4 4-tert-butylphenol**

Dermal	LD50	2,951 mg/kg (rat)
	LD50	2,288 mg/kg (rabbit)

1477-55-0 m-phenylenebis (methylamine)

Oral	LD50	980 mg/kg (rat) (OECD 401)
Dermal	LD50	3,100 mg/kg (rat) (OECD 402)

100-51-6 Benzyl alcohol

Oral	LD50	1,040 mg/kg (mouse)
Dermal	LD50	>2,000 mg/kg (rabbit)

90-72-2 2,4,6-tris(dimethylaminomethyl)phenol

Oral	LD50	2,169 mg/kg (rat) (OECD 401)
------	------	------------------------------

25513-64-8 Trimethylhexane-1,6-diamine

Oral	LD50	910 mg/kg (rat)
Dermal	LD50	1,280 mg/kg (rabbit)

Primary irritant effect:**on the skin:** Causes severe skin burns and eye damage.**on the eye:** Causes serious eye damage.**inhalation:** No irritating effect expected**Sensitization:** May cause an allergic skin reaction.**Additional toxicological information:** Suspected of damaging fertility or the unborn child.**Carcinogenic categories****IARC (International Agency for Research on Cancer) Human Carcinogenicity:****Group 1- Positive, Group 2A- Probable, Group 2B- Possible, Group 3- Not Classifiable**

None of the ingredients are listed.

NTP (National Toxicology Program)**K-Known to be carcinogenic, R-May reasonably be anticipated to be carcinogenic**

None of the ingredients are listed.

(Cont. on page 7)

USGHS

Safety Data Sheet

Printing date 03/01/2019

Version Number 1.0

Reviewed on 03/01/2019

Trade name: **Silcor® Primer EPF (Part B)**

(Cont. from page 6)

OSHA-Ca (Occupational Safety & Health Administration)

None of the ingredients are listed.

12 Ecological information**Toxicity****Aquatic toxicity:****1477-55-0 m-phenylenebis (methylamine)**

EC50, 72h | 12 mg/l (algae) (OECD 201)

Persistence and degradability No further relevant information available.**Behavior in environmental systems:****Bioaccumulative potential** No further relevant information available.**Mobility in soil** No further relevant information available.**Additional ecological information:****General notes:** Must not reach bodies of water or drainage ditch undiluted or unneutralized.**Results of PBT and vPvB assessment****PBT:** Not applicable.**vPvB:** Not applicable.**Other adverse effects** No further relevant information available.**13 Disposal considerations****Disposal methods:**

Consult all regulations (federal, state, provincial, local) or a qualified waste disposal firm when characterizing product for disposal. Dispose of waste in accordance with all applicable regulations.

Recommendation:

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Uncleaned packagings:**Recommendation:** Dispose of contents/container in accordance with local/regional/national/international regulations.**14 Transport information****UN-Number**

DOT, IMDG, IATA

UN2735

UN proper shipping name

DOT

IMDG, IATA

Amines, liquid, corrosive, n.o.s. (m-phenylenebis (methylamine), Phenol)

AMINES, LIQUID, CORROSIVE, N.O.S. (m-phenylenebis (methylamine), PHENOL)

(Cont. on page 8)

USGHS

Safety Data Sheet

Printing date 03/01/2019

Version Number 1.0

Reviewed on 03/01/2019

Trade name: **Silcor® Primer EPF (Part B)**

(Cont. from page 7)

Transport hazard class(es)

DOT



Class 8 Corrosive substances
Label 8

IMDG, IATA

Class 8 Corrosive substances
Label 8

Packing group
DOT, IMDG, IATA

III

Environmental hazards: Not applicable.**Special precautions for user** Warning: Corrosive substances**Stowage Category** A**Segregation Code** SG35 Stow "separated from" acids.**Transport/Additional information:****IMDG****Limited quantities (LQ)** 5L**Excepted quantities (EQ)** Code: E1

Maximum net quantity per inner packaging: 30 ml

Maximum net quantity per outer packaging: 1000 ml

15 Regulatory information**SARA (Superfund Amendments and Reauthorization Act)****Section 302/304 (extremely hazardous substances):**

None of the ingredients is listed.

Section 313 Reportable Ingredients (Chemicals present below reporting threshold are exempt):

None of the ingredients is listed.

SARA Section 312/Tier I & II Hazard Categories:

Health Hazard - Reproductive toxicity

Health Hazard - Skin Corrosion or Irritation

Health Hazard - Respiratory or Skin Sensitization

Health Hazard - Serious eye damage or eye irritation

North America Chemical Inventory Status**TSCA (Toxic Substances Control Act - United States):**

All ingredients are listed or exempt from listing unless otherwise noted below.

CEPA (Canadian DSL):

Inventory listing could not be confirmed for one or more substances.

Right to Know Ingredient Disclosure:

Non Hazardous / Non Regulated Components

(Cont. on page 9)

USGHS

Safety Data Sheet

Printing date 03/01/2019

Version Number 1.0

Reviewed on 03/01/2019

Trade name: **Silcor® Primer EPF (Part B)**

(Cont. from page 8)

California Proposition 65: (Substances <0.1% unless noted in Section 3)**Chemicals known to cause cancer:**

None of the ingredients is listed.

Chemicals known to cause reproductive toxicity for females:

None of the ingredients are listed.

Chemicals known to cause reproductive toxicity for males:

None of the ingredients are listed.

Chemicals known to cause developmental toxicity:

None of the ingredients are listed.

Carcinogenicity Categories**TLV-ACGIH (THE American Conference of Governmental Industrial Hygienists)****Human Carcinogen - A1 Confirmed, A2 Suspected, A3 Unknown Relevance, A4 Not Classifiable**

None of the ingredients are listed.

NIOSH-Cancer (National Institute for Occupational Safety and Health)

None of the ingredients are listed.

Volatile Organic Compounds (VOC) reported per the Emission Standards. 78.4 g/l / 0.65 lb/gal**16 Other information**

The data included herein are presented in accordance with various environment, health and safety regulations. It is the responsibility of a recipient of the data to remain currently informed on chemical hazard information, to design and update its own program and to comply with all national, federal, state and local laws and regulations applicable to safety, occupational health, right-to-know and environmental protection.

Department issuing SDS:

GCP Applied Technologies
62 Whittemore Avenue
Cambridge, MA 02140 USA
USA: +1-617-876-1400 (24 hours)
+1-800-354-5414

Product Stewardship Department
GCP Applied Technologies
580-581 Ipswich Road,
Slough, Berkshire.
SL1 4EQ

Tel: +44 (0)1753 490 000

Fax: +44 (0)1753 490 001

The first date of preparation 03/01/2019**Number of revision times and the latest revision date** 1.0 / 03/01/2019

USGHS