

Manors Car Park protected by DECSEAL[®] system since 1989

Waterproofing system offers long-term protection



Project	Manors MSCP, Newcastle, UK
Client	Newcastle City Council
Authorized Contractor (Waterproofing Applicator)	Stirling Lloyd Construction Ltd
GCP Solutions	DECSEAL [®] and SAFETRACK [®] systems

Project

High-traffic car park requires long-term protection

Protecting the Manors Multi-Story Car Park (MSCP) in Newcastle-upon-Tyne since 1989, the DECSEAL[®] combined waterproofing and wearing course system and SAFETRACK[®] HW high friction surfacing system have not only retained their appearance but continue to perform well, providing effective long-term protection.

This is despite the six-story reinforced concrete structure being subjected to a high level of traffic in a busy area of Newcastle close to the city's main shopping area and the recently redeveloped Quayside.

Car park owners invest in preventative maintenance

Prompted by some minor concrete deterioration on Level 1 of the car park, the car park's owners, Newcastle City Council, were looking to carry out a program of preventative maintenance. Well aware that any future, unexpected refurbishment of the car park would not only be costly but could also cause a lengthy closure, inconvenience to patrons and a considerable loss of revenue, the council specified fully compatible METASET[®] concrete repair, DECSEAL[®] waterproofing & wearing course and SAFETRACK[®] HW high friction surface finish, all based on unique ESSELAC[®] advanced resin technology, to repair the damage, protect the structure from future deterioration and provide the required skid resistance.



Rapid-curing waterproofing helps speed up project completion

Developed by Stirling Lloyd (now GCP Applied Technologies), the **METASET**[®] rapid curing repair mortar was used to repair the damaged concrete decks prior to the application of the subsequent coating system. Then the **DECSEAL**[®] system was applied to the exposed top deck, providing both waterproofing and a hard wearing surface. The **SAFETRACK**[®] HW skid resistant surfacing system was then applied to the intermediate decks and ramps, with a heavier duty aggregate being incorporated on the ramps between levels to provide a higher degree of skid resistance.

The systems' ease of application and rapid curing characteristics meant that 20,000m² of surface area could be applied to the six levels of the car park well within the specified seven-week project timescale. Recent inspections show that despite the continual high traffic levels and exposure to rain water, highly corrosive salt deposits from winter gritting operations on the local roads, exhaust fumes and high shear forces from braking, the SAFETRACK[®] HW and DECSEAL[®] systems remain well bonded to the deck and are performing extremely well.

Based on this experience, the Newcastle City Council has elected to use DECSEAL[®] systems on several other car parks.

North America customer service: 1-877-4AD-MIX (1-877-423-6491)

This document is only current as of the last updated date stated below and is valid only for use in the United States. It is important that you always refer to the currently available information at the URL below to provide the most current product information at the time of use. Additional literature such as Contractor Manuals, Technical Bulletins, Detail Drawings and detailing recommendations and other relevant documents are also available on www.gcpat.com. Information found on other websites must not be relied upon, as they may not be up-to-date or applicable to the conditions in your location and we do not accept any responsibility for their content. If there are any conflicts or if you need more information, please contact GCP Customer Service.

Last Updated: 2019-09-04

gcpat.com/about/project-profiles/manors-car-park-protected-decseal-system-1989